SAFETY DATA SHEET

1. Identification

Product identifier **Accu-Tab® Blue Calcium Hypochlorite Tablets with Scale Inhibitor**

Other means of identification

Product code W8004311

Recommended use of the chemical and restrictions on use

Recommended use Industrial Application Chlorine Disinfectant Pool Chemicals

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Westlake Corporation

Address 2801 Post Oak, Suite 600
Houston, TX, 77056
United States

Telephone +1-713-960-9111

Website www.westlake.com

E-mail sdsinfo@westlake.com

Not available.

Emergency phone number

CHEMTREC	1-800-424-9300
CHEMTREC International	+1 703-741-5970
Health & Safety Emergency	+1 304-455-6882

2. Hazards identification

Physical hazards	Oxidizing solids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

Label elements

Signal word Danger

Hazard statement May intensify fire; oxidizer. Harmful if swallowed. May be harmful in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification	None known.
Supplemental information	1.46% of the mixture consists of component(s) of unknown acute dermal toxicity. 18.56% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 18.56% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Calcium Hypochlorite		7778-54-3	60 - < 70
Sodium Chloride		7647-14-5	10 - < 20
Calcium Carbonate		471-34-1	1 - < 3
Calcium Chlorate		10137-74-3	1 - < 3
Calcium Hydroxide		1305-62-0	1 - < 3
Magnesium Powder		7439-95-4	< 0.2

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Skin contact	If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Drench with large quantities of water only.
Unsuitable extinguishing media	Do not use dry chemicals or foams. Product supplies own oxygen, therefore attempts to smother fire with a wet blanket, carbon dioxide, dry chemical extinguisher or other means are not effective. Product has the potential to cause a violent reaction if dry chemical fire extinguishers are used.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Greatly increases the burning rate of combustible materials. Containers may explode when heated. Emits toxic fumes under fire conditions. Chlorine gas may be generated. Runoff may create fire or explosion hazard. Some will react explosively with hydrocarbons (fuels).
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
Specific methods	Cool containers exposed to flames with water until well after the fire is out.
General fire hazards	May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Minimize dust generation and accumulation. Wear appropriate protective equipment and clothing during clean-up. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Do not mix this product with any other chemicals, including any other pool chemicals of any kind, such as other disinfection or "shock" pool products. Contamination with moisture, acids, organic matter, other chemicals (including, but not limited to cleaning chemicals and other pool chemicals), petroleum or paint products or other easily combustible materials may start a chemical reaction with generation of heat, liberation of hazardous gases and possible violent reaction leading to fire or explosion. Always add product to large quantities of water to fully dissolve product. Do not pour water into product, always add product to water. Do not use with stabilized chlorine or bromine tablet chemical feeders. Do not add this product to any dispensing device containing remnants of any other product or pool chemical.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Product is an NFPA Class 3 Oxidizer which can cause a severe increase in fire intensity.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

Bahrain. TLVs. Resolution No. 4 Regarding the Management of Hazardous Chemicals, Exposure Limits for Dangerous and Poisonous Chemicals, Annex. 3, as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

Egypt. OELs. Threshold limits of air pollutants in the workplace (Decree No. 388, Annex 8), as amended

Components	Type	Value	Form
Calcium Carbonate (CAS 471-34-1)	TWA	10 mg/m3	Total dust.
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	

GCC. TLVs. Exposure Limits for Hazardous Chemical Substances (Common System for the Management of Hazardous Chemicals in the Gulf Cooperation Council for the Arab States of the Gulf, Annex 3), as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

Jordan. Resolution No. 43 (1998) Safety and Protection from Industrial Equipment, Machinery and Workplaces (TLVs List), as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	0.5 mg/m3

Kuwait. OELs. Maximum Limits Allowance for Occupational Exposure to Chemical Substances (TLVs) (Decision No. 210/2001 Appendix No. (3-1)), as amended

Components	Type	Value	Form
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	Inhalable particulate.
		15 mg/m3	Particulate.

UAE. OELs. Maximum Allowable Limits for Air Pollutants in Working Areas [Law to Protect the Air from Pollution, Resolution of the Cabinet of Ministers No. 12 of 2006], as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

UAE. Abu Dhabi. TLVs. Maximum Allowable Limits for Air Pollutants in Working Areas (AD EHSMS RF - Occupational Standards and Guideline Values, Schedule A), as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

UAE. Dubai. OELs. Maximum Allowable Limits for Indoor Air Pollutants. Industrial Operation Regulation IO-11.0: Appendix, Tables 2 & 2A, as amended

Components	Type	Value
Calcium Hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Qatar. OELs. Maximum Concentrations of Hazardous Chemicals in the Workplace (Resolution No. 4 of 2005, Standards Permissible in Confined Workplaces, Annex 3; VI)

Calcium Carbonate (CAS 471-34-1)
Calcium Hydroxide (CAS 1305-62-0)

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Frequent change is advisable.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Tablet.

Color	Blue White
Odor	Chlorine-like
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	338 - 356 °F (170 - 180 °C)
Viscosity	Not available.
Other information	
Bulk density	1 - 1.07 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	May intensify fire; oxidizer.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Product decomposes at approximately 170-180°C (338-356°F) releasing oxygen gas and some chlorine gas.
Possibility of hazardous reactions	Not available.
Conditions to avoid	Heat. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Highly reactive or incompatible with the following materials: moisture, combustible materials, organic materials, metals, acids, alkalis, oxidizing materials, reducing materials, ammonia, petroleum products, paint products, wood and paper, and pool chemicals. Acid or ammonia contamination will release toxic gases.
Hazardous decomposition products	Chlorine.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May be harmful in contact with skin.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity	In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed. May be harmful in contact with skin.

Components	Species	Test Results
Calcium Carbonate (CAS 471-34-1)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Calcium Hydroxide (CAS 1305-62-0)		
Acute		
Dermal		
LD50	Rabbit	> 2500 mg/kg, 24 Hours
Oral		
LD50	Rat	7340 mg/kg
Calcium Hypochlorite (CAS 7778-54-3)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	850 mg/kg
Magnesium Powder (CAS 7439-95-4)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Cat	126 mg/l, 3 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Sodium Chloride (CAS 7647-14-5)		
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
Oral		
LD50	Rat	3000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Calcium Hypochlorite (CAS 7778-54-3) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Calcium Carbonate (CAS 471-34-1)			
Aquatic			
Acute			
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 56000 mg/l, 96 hours
Calcium Hydroxide (CAS 1305-62-0)			
Aquatic			
Acute			
Fish	LC50	Zambezi barbel (Clarias gariepinus)	33.8844 mg/l, 96 hours
Calcium Hypochlorite (CAS 7778-54-3)			
Aquatic			
Acute			
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.07 mg/l, 48 hours
Fish	LC50	Channel catfish (Ictalurus punctatus)	>= 0.027 - <= 0.137 mg/l, 96 hours
Sodium Chloride (CAS 7647-14-5)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	>= 340.7 - <= 469.2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 4747 - <= 7824 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Spilled material that has been swept up and dissolved in water should be used immediately in the normal application for which this product is being consumed. If this is not possible, material may be neutralized. Please contact Westlake Corporation Emergency Response team for guidance at +1 (304) 455-6882. Unneutralized material can cause environmental damage to any receiving water or can interfere with treatment plant operation.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

IATA

UN number 2880

UN proper shipping name Calcium hypochlorite, hydrated with >= 5.5% but <= 16% water

Transport hazard class(es)

Class 5.1

Subsidiary risk -

Packing group II

Environmental hazards Yes

ERG Code 5L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number 2880

UN proper shipping name CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water, MARINE POLLUTANT

Transport hazard class(es)

Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-H, S-Q
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

IATA; IMDG

Marine pollutant

General information IMDG Regulated Marine Pollutant.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question This SDS complies with the requirements of Egyptian Standard (ES) 8398/2020 on Safety Data Sheet for Chemical Products – Content and Order of Sections.

Bahrain. Chemicals Subject to the Prior Informed Consent Procedure under the Rotterdam Convention (Law No. 14 of 2012, Annex III)

Not applicable.

Bahrain. CWC Chemical Substances (Decree No. 6 of 1997, Schedules 1, 2 and 3; Law No. 51 of 2009)

Not listed.

Bahrain. Prohibited Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 1)

Not listed.

Bahrain. Severely Restricted Chemicals (Ministry of State for Municipal & Environmental Affairs, Resolution No 7 of 2002, On Control of Importing & Use of Prohibited & Restricted Chemicals, Table 2)

Not listed.

Egypt. Non-Restricted Substances (Unified list of hazardous substances, List C)

Not listed.

Oman. List of Prohibited Chemical Substances (MD 25/2009. Annex 2)

Not listed.

Oman. List of Restricted Chemical Substances (MD 25/2009. Annex 1)

Not listed.

Saudi Arabia. Jubail & Yanbu. Hazardous Air Pollutants (Royal Commission for Jubail & Yanbu Environmental Regulations, V.1. 2004, Table 2C)

Calcium Chlorate (CAS 10137-74-3)
Calcium Hypochlorite (CAS 7778-54-3)
Sodium Chloride (CAS 7647-14-5)

UAE. Abu Dhabi. CWC (Chemicals Weapons Convention) Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Not listed.

UAE. Abu Dhabi. Narcotic Precursors Banned from Entry/Import (Standard Operating Procedures for Permitting of Chemicals and Hazardous Materials)

Not listed.

UAE. Ban on Importing and Circulation of Harmful Pesticides for Health and Environment (Ministerial Decree No. 193)

Not listed.

UAE. Dubai. CWC (Chemicals Weapons Convention) Federal Environmental Agency, Code of Practice

Not listed.

UAE. Dubai. Illicit Drug Traffic, scheduled substances (UN Convention against illicit traffic in narcotic drugs and psychotropic substances), Ministry of Health, Code of Practice

Not listed.

UAE. Dubai. Prohibited and restricted imports. Ministry of Environmental and Water, Code of Practice

Not listed.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-02-2023
Revision date	07-27-2023
Version #	03

Disclaimer

The technical information given herein is accurate to the best of our knowledge at the time of preparation, or prepared from sources believed to be reliable. Westlake cannot anticipate all conditions under which this information and our product, or the products of other manufacturers in combination with our product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product; comply with all laws and procedures; assume liability for loss, injury, damage or expense due to improper use; and determine the suitability of the product for your intended use. The information in this sheet is valid for cited regulations published as of the date this document was prepared. Updates may be prepared as the regulations are amended or pending revised information about the product. It is the customer's responsibility to seek updated regulatory information on any specific Westlake product.

All products supplied by Westlake are subject to Westlake's terms and conditions of sale. WESTLAKE MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY Westlake, except that the product shall conform to Westlake's specifications.

Revision information

Transport Information: Material Transportation Information