

SAFETY DATA SHEET

Issuing date 27-Nov-2012 Revision Date 20-Jul-2015 Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Daley Mark Lane

Other means of identification

 Product Code
 3236

 Document
 3236CG1-4

Recommended use of the chemical and restrictions on use

Recommended use Heavy Duty Traffic Lane Cleaner

Details of the supplier of the safety data sheet

Distributor

Daley International 4100 W. 76th Street, Chicago, IL 60652

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 (NORTH AMERICA)

1-703-527-3887 (INTERNATIONAL)

Company Phone Number 773-284-6565

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |

Label elements

Emergency Overview

Warning

Hazard Statements

Causes skin irritation Causes serious eye irritation



Appearance Transparent

Physical state Liquid

Odor Ammonia

Precautionary Statements - Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Revision Date 20-Jul-2015

• IF exposed or concerned: Get medical advice/attention

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- If skin irritation occurs: Get medical advice/attention
- · Take off contaminated clothing and wash before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to approved disposal facility

Hazards not otherwise classified (HNOC)

Other information

Unknown Acute Toxicity

1.36% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Chemical Name | CAS-No | Weight-% | Trade Secret |
|-----------------------------------|-----------|-------------|--------------|
| Diethylene glycol monobutyl ether | 112-34-5 | 1% - 5% | * |
| 2-Butoxyethanol | 111-76-2 | 0.5% - 1.5% | * |
| Tetrasodium EDTA | 64-02-8 | < 1% | * |
| Sodium hydroxide | 1310-73-2 | < 1% | * |
| Ammonium hydroxide | 1336-21-6 | 0.1% - 0.3% | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Flush with water for 15 minutes. Remove and wash contaminated clothing. See physician if

irritation persists.

Inhalation Remove to fresh air.

Ingestion Drink quantities of water to dilute. Induce vomiting only as directed by a doctor. Get medical

attention.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5, FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Water Fog. Alcohol-resistant foam.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment.

Environmental precautions

Environmental precautions Keep out of waterways. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Mop up & flush to sanitary sewer with plenty of water. Floors may be slippery. Use care to

avoid falls.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep from freezing. KEEP OUT OF REACH OF CHILDREN. Do not eat, drink or smoke

when using this product. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Wear personal protective equipment. Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------------------|--------------------------------|----------------------------|------------------------------|
| Diethylene glycol monobutyl ether | TWA: 10 ppm inhalable fraction | - | - |
| 112-34-5 | and vapor | | |
| 2-Butoxyethanol | TWA: 20 ppm | TWA: 50 ppm | IDLH: 700 ppm |
| 111-76-2 | | TWA: 240 mg/m ³ | TWA: 5 ppm |
| | | S* | TWA: 24 mg/m ³ |
| Sodium hydroxide | - | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | _ | Ceiling: 2 mg/m ³ |

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers or an equivalent method of

decontamination are close to the work location. Ensure adequate ventilation

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Rubber gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Completely soluble.

provided in accordance with current local regulations.

Hygiene measures Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid
Appearance Transparent

Appearance Transparent Odor Ammonia

Color Colorless Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH 12.0 +/- 0.5

Melting/freezing point

No information available

Boiling point/boiling range 100 °C 212 °F Estimated

Flash Point No information available (based on components)
Evaporation rate About the same as water Similar to water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure NE Vapor density NE

Specific Gravity 1.015 +/- 0.005
Water solubility Completely soluble.

Solubility in other solvents
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
No information available
No information available
No information available

Explosive properties

Oxidizing Properties

No information available
No information available

Other information

 Softening point
 N/A

 Molecular Weight
 N/A

 VOC Content(%)
 < 10 %</th>

 Density VALUE
 N/A

 Bulk Density VALUE
 N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes skin irritation Causes serious eye irritation

Inhalation Vapors may irritate throat and respiratory system.

Eye contact Severely irritating to eyes.

Skin contact Irritating to skin.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

| Chemical Name | Oral LD50 | Dermal LD50 | LC50 Inhalation |
|--|-------------------------------------|-----------------------|--------------------|
| Diethylene glycol monobutyl ether 112-34-5 | = 3384 mg/kg (Rat) | = 2700 mg/kg(Rabbit) | • |
| 2-Butoxyethanol 111-76-2 | = 470 mg/kg(Rat) | = 99 mg/kg(Rabbit) | = 450 ppm (Rat)4 h |
| Tetrasodium EDTA 64-02-8 | = 1658 mg/kg(Rat)= 10 g/kg(Rat) | - | - |
| Sodium hydroxide 1310-73-2 | 140 mg/kg (Rat) | = 1350 mg/kg (Rabbit) | - |
| Ammonium hydroxide 1336-21-6 | = 350 mg/kg(Rat) | - | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic effectsNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------|-------|---------|--------------|--------------|
| 2-Butoxyethanol | A3 | Group 3 | - | - |
| 111-76-2 | | · | | |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

D---- E-

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.36% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 33176 mg/kg ATEmix (dermal) 49500 mg/kg ATEmix (inhalation-dust/mist) 150 mg/l ATEmix (inhalation-vapor) 45000 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.36% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|---|---|---|
| Diethylene glycol monobutyl ether 112-34-5 | 100: 96 h Desmodesmus subspicatus mg/L EC50 | 1300: 96 h Lepomis macrochirus mg/L LC50 static | 2850: 24 h Daphnia magna mg/L EC50 >100: 48 h Daphnia magna mg/L EC50 |
| 2-Butoxyethanol 111-76-2 | - | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | 1698 - 1940: 24 h Daphnia magna mg/L EC50 >1000: 48 h Daphnia magna mg/L EC50 |
| Tetrasodium EDTA 64-02-8 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static | - |
| Sodium hydroxide 1310-73-2 | - | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | - |
| Ammonium hydroxide 1336-21-6 | <u>-</u> | 8.2: 96 h Pimephales promelas mg/L LC50 | 0.66: 48 h Daphnia pulex mg/L EC50 0.66: 48 h water flea mg/L EC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|-----------------|-----------------------|
| 2-Butoxyethanol | 0.81 |
| 111-76-2 | |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---------------------------------|-----------------------------------|
| Sodium hydroxide 1310-73-2 | Toxic Corrosive |
| Ammonium hydroxide 1336-21-6 | Toxic Corrosive |

14. TRANSPORT INFORMATION

-

DOT Not regulated

Proper shipping name Cleaning Compound, Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA - DSL/NDSL - EINECS/ELINCS -

ENCS Does not Comply

IECSC KECL PICCS -

AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | SARA 313 - Threshold Values % | | |
|--|-------------------------------|--|--|
| Diethylene glycol monobutyl ether - 112-34-5 | 1.0 | | |
| 2-Butoxyethanol - 111-76-2 | 1.0 | | |
| Ammonium hydroxide - 1336-21-6 | 1.0 | | |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | no |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium hydroxide 1310-73-2 | 1000 lb | - | - | Х |
| Ammonium hydroxide 1336-21-6 | 1000 lb | - - | - | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|---------------------------------|--------------------------|------------------------------------|---|
| Sodium hydroxide 1310-73-2 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Ammonium hydroxide 1336-21-6 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | | |
|--|------------|---------------|--------------|--|--|
| Diethylene glycol monobutyl ether 112-34-5 | X | - | X | | |
| 2-Butoxyethanol 111-76-2 | X | X | X | | |
| Sodium hydroxide 1310-73-2 | Х | X | X | | |
| Ammonium hydroxide 1336-21-6 | Х | X | X | | |
| 16. OTHER INFORMATION | | | | | |

| NFPA | Health Hazards 2 | Flammability 0 | Instability 0 | Physical and chemical hazards - |
|-------|------------------|----------------|--------------------|---------------------------------|
| HMIS_ | Health hazard 2 | Flammability 0 | Physical Hazards 0 | Personal protection X |

Prepared By Daley International

4100 West 76th Street Chicago, IL 60652

Issuing date 27-Nov-2012
Revision Date 20-Jul-2015

Revision Note

3

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet