

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : KAY BLOCK WHITENER

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Kay Chemical Company

8300 Capital Drive

Greensboro, North Carolina USA 27409

1-800-529-5458

Emergency health

information

: 1-877-231-2615 (USA/Canada), 952-853-1713 (outside USA)

Issuing date : 11/03/2023

## **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Corrosive to Metals : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1

### **GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant

inner liner. **Disposal:** 

913181-01 1 / 9

## **KAY BLOCK WHITENER**

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
sodium chloride	7647-14-5	1 - 5
sodium hypochlorite	7681-52-9	1 - 5
Sodium Carbonate	497-19-8	1 - 5
sodium stearate	822-16-2	1 - 5
Sodium hydroxide	1310-73-2	0.1 - 1

## **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

913181-01 2 / 9

## KAY BLOCK WHITENER

Specific extinguishing methods

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full

Personal Protective Equipment (PPE).

Conditions for safe storage

: Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 5 °C to 40 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	AIHA WEEL
sodium stearate	822-16-2	TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
chlorine	7782-50-5	TWA	0.1 ppm	ACGIH
		STEL	0.4 ppm	ACGIH
		Ceiling	0.5 ppm	NIOSH REL

913181-01 3 / 9

## KAY BLOCK WHITENER

			1.45 mg/m3	
		С	1 ppm 3 mg/m3	OSHA Z1
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	AIHA WEEL
sodium stearate	822-16-2	TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : gel

Color : opaque, green

Odor : Chlorine

pH : 12.4, (100 %)

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

 $: > 100 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available

913181-01 4 / 9

## KAY BLOCK WHITENER

Lower explosion limit : No data available Vapor pressure : No data available Relative vapor density : No data available

: 0.98 - 1.04 Relative density Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available

Oxidizing properties : yes

Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

## **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

913181-01 5/9

## KAY BLOCK WHITENER

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Toxicity** 

**Product** 

: Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available : No data available Teratogenicity STOT-single exposure : No data available STOT-repeated exposure : No data available : No data available Aspiration toxicity

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Environmental Effects** : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Product** 

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : sodium chloride

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 5,840 mg/l

Sodium Carbonate

96 h LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l

sodium stearate

96 h LC50 Fish: 7.44 mg/l

Components

913181-01 6/9

## KAY BLOCK WHITENER

Toxicity to daphnia and other

aquatic invertebrates

: sodium chloride

48 h EC50 Daphnia magna (Water flea): 4,136 mg/l

sodium hypochlorite

48 h EC50 Aquatic Invertebrate: 0.071 mg/l

Sodium Carbonate

48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium hydroxide

48 h EC50 Daphnia magna (Water flea): 40 mg/l

### Persistence and degradability

Readily biodegradable.

## **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3266

Description of the goods : Corrosive liquid, basic, inorganic, n.o.s.

(sodium hydroxide, sodium hypochlorite)

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3266

Proper shipping name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

(sodium hydroxide, sodium hypochlorite)

Class : 8 Packing group : III

913181-01 7 / 9

## KAY BLOCK WHITENER

Marine pollutant : yes

# **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium hypochlorite	7681-52-9	100	2421

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to Metals

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
sodium hypochlorite	7681-52-9	Cleaning Agent	Not Applicable
Sodium Carbonate	497-19-8	Cleaning Agent	Not Applicable
sodium stearate	822-16-2	Cleaning Agent	Not Applicable
Acrylate polymer	Withheld	Cleaning Agent	Not Applicable
Metal silicate	Withheld	Processing Aid	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Silicone	Withheld	Processing Aid	Not Applicable
Silicon-containing polymer	Withheld	Processing Aid	Not Applicable
Silicone	Withheld	Processing Aid	Not Applicable
Colorant	Withheld	Dye	Not Applicable

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

## The ingredients of this product are reported in the following inventories:

#### **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

## Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

913181-01 8 / 9

## KAY BLOCK WHITENER

## Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

## Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

## Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

4 = Extreme, = Chic

Issuing date : 11/03/2023

Version : 2.2

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

913181-01 9 / 9