



Advion[®] Ant

Gel

syngenta[®]

A ready to use pre-filled syringe containing Indoxacarb (0.05% w/w), for use as an insecticide only by professionals and trained professionals for use against ants.

For use indoors and outdoors as a crack, crevice and spot treatment in and around residential homes, industrial facilities, offices, warehouses, commercial kitchens, hospitals, schools, nursing homes, hotels, aircraft retail and commercial establishments.

Use Biocides safely and sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on this label.

Read label instructions before using this product.

Contains Indoxacarb (0.05% w/w)

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid release to the environment.

Collect spillage.

Dispose of container/contents to hazardous waste.

In case of an emergency (24 hour contact) call +44(0)1484 538444

Poison Information (Ireland only)

For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain the label for reference

Authorisation Holder:

UK: Syngenta UK Ltd.,
Fulbourn, Cambridge CB21 5XE, UK
Ireland: Syngenta Crop Protection AG,
Basel, Switzerland.

Authorization Number:

UK: UK-2014-0135-0002
Ireland: IE/BPA 70749

Net contents: 4 x 30 g e

GENERAL INFORMATION

For the control of black or garden ant (*Lasius niger*), Pharaoh ant (*Monomorium pharaonis*), Argentine ant (*Linepithema humile*), Ghost ant (*Tapinoma malenocephalum*), Black crazy ant (*Paratrechina longicornis*), Bigheaded ant (*Pheidole megacephala*), European Fire ant (*Myrmica rubra*), Acrobat ants (*Crematogaster* spp), Pavement ant (*Tetramorium* spp) & Carpenter ant (*Camponotus* spp).

Advion[®] Ant Gel is specifically formulated to be attractive to a wide range of pest species of ants. Advion[®] Ant Gel contains the active ingredient indoxacarb, a powerful & non-repellent insecticide. The slight delay in mortality caused by the active ingredient, indoxacarb, encourages ants to consume the bait and return to nest sites to contaminate other ants, resulting in significant reduction in infestation levels.

Through trophallaxis, ants share the bait with reproductive members of the colony, leading to queen mortality and complete elimination of the infestation. The use of Advion[®] Ant Gel will help eliminate ants within days of applying the gel according to label directions.

DIRECTIONS FOR USE

Application rate and frequency

Apply a minimum of 1 spot of gel per m², up to 5 spots of gel per m², or as a thin bead of gel up to 5 cm long at each application point

Note:

- spot size of 5 mm diameter weighs approximately 0.1 g
- spot size of 1 cm diameter weighs approximately 0.5 g
- thin bead 5 cm long & 0.3 cm wide weighs approximately 0.4 g

Typically, bait placements should be re-inspected every 7-14 days for consumption and bait re-applied as necessary.

Instructions for use

Always read the label or leaflet before use and respect all the instructions provided. Inspect areas to determine the level of ant activity or infestation. Remove alternative food source that may be in competition from near areas.

The product is applied as bait via a prefilled syringe to areas which are inaccessible to children and pets.

Also make direct applications to areas including, but not limited to, pest entry sites, attics, wall voids, behind cabinets or equipment under counters or appliances along skirting-boards and pipework.

The product can also be placed inside approved bait stations or similar devices to ensure that the product is inaccessible to children, companion animals and non-target animals.

Application to food or feed areas of food and feed handling establishments will only be made as a crack and crevice treatment.

To apply the gel, remove the cap on the nozzle and whilst touching the tip of the nozzle to the surface to be treated, slowly depress the plunger until sufficient gel is dispensed. Recap the dispenser once treatment is complete.

Avoid applying of Advion® Ant Gel to surfaces recently treated with repellent residual insecticide sprays.

Areas where of Advion® Ant Gel has been applied should not be sprayed with repellent residual insecticides.

Risk mitigation measures

Do not handle the gel.

Do not apply to areas that are frequently cleaned as this will remove the gel bait.

Do not apply to surfaces where temperature can exceed 50° C as this could cause the gel to liquefy and lose effectiveness (examples include, but are not limited to, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, fryers, dishwashers and hot water pipes).

For use only in areas that are inaccessible to infants, children, companion animals and non-target organisms.

Do not apply to areas where food/feed, food utensils or food processing surfaces may come into contact with, or be contaminated by the product.

When placed outdoors, ensure the product is applied to areas that are inaccessible to wet washing and wash-out by rain.

Do not apply in and around drains.

UK only: The COSHH (Control of Substances Hazardous to Health) regulations 2002 (as amended) apply to the use of this product at work.

First Aid Measures:

General: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control centre or physician, or going for treatment. In case of skin contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use. In case of eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required. If swallowed: seek medical advice immediately and show this container or label. Do NOT induce vomiting.

Note to Physician: There is no specific antidote available. Treat symptomatically.

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling the product.

Environmental Protection Measures:

Do not flush into surface water or sanitary sewer system.

Do not contaminate ponds, waterways or ditches with the product or used container.

Use appropriate containment to avoid environmental contamination.

Do not allow material to contaminate ground water system.

Do not use where a significant number of birds are known to actively feed on the ants being treated, without removing access to the area by birds e.g. netting over the ground.

Cover bait to ensure access by non-target animals is minimized.

Product and Container Disposal:

Wipe up product spills or excess product at the end of the treatments with paper towels and dispose of used paper towel to landfill.

Dispose of surplus product and product container with a waste management contractor or on a landfill site approved for pesticides.

Must be disposed in a safe manner. If required, consult a professional waste operator or local authority.

Do not re-fill or re-use the gel bait dispenser; empty dispensers must be disposed in a safe manner.

Storage Conditions:

Store in original packaging in a locked, well-ventilated, dry place. Avoid extremes in temperature. Keep out of reach of children. Store away from food, drink and animal feedingstuffs.

Shelf-life: 2-years.