

| | | |
|--|--|-------------------------|
| Ingestion | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Aspiration may cause pulmonary edema and pneumonitis. Headache. | |
| Information on toxicological effects | | |
| Acute toxicity | May be fatal if swallowed and enters airways. | |
| Components | Species | Calculated/Test Results |
| ISOBUTANE (CAS 75-28-5) | | |
| Acute | | |
| Inhalation | | |
| LC50 | Mouse | 52 mg/l, 1 Hours |
| | Rat | 570000 ppm, 15 Minutes |
| PROPAN-2-OL (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 12800 mg/kg |
| Oral | | |
| LD50 | Dog | 4797 mg/kg |
| | Mouse | 3600 mg/kg |
| | | 4.5 g/kg |
| | Rabbit | 6410 mg/kg |
| | | 8 g/kg |
| | | 5.03 g/kg |
| | Rat | 5045 mg/kg |
| | | 4.7 g/kg |
| Other | | |
| LD50 | Mouse | 4477 mg/kg |
| | | 1509 mg/kg |
| | Rat | 2735 mg/kg |
| | | 1099 mg/kg |
| PROPANE (CAS 74-98-6) | | |
| Acute | | |
| Inhalation | | |
| LC50 | Rat | > 1464 mg/l, 15 Minutes |
| | | > 1443 mg/l, 15 Minutes |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | Not classifiable as to carcinogenicity to humans. | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| Not listed. | | |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) | | |
| Not listed. | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |