Revision Date 30-Aug-2016

Copper (metallic)		LC50 96 h: 0.0068 - 0.0156		EC50 48 h: = 0.03 mg/L
7440-50-8	mg/L static	mg/L (Pimephales		Static (Daphnia magna)
	(Pseudokirchneriella	promelas)		
	subcapitata)	LC50 96 h: < 0.3 mg/L static		
	EC50 72 h: 0.0426 - 0.0535	(Pimephales promelas)		
	mg/L static	LC50 96 h: = 0.052 mg/L		
	(Pseudokirchneriella	flow-through (Oncorhynchus		
	` subcapitata)	mykiss)		
	, ,	LC50 96 h: = 0.112 mg/L		
		flow-through (Poecilia		
		reticulata)		
		LC50 96 h: = 0.2 mg/L		
		flow-through (Pimephales		
		promelas)		
		LC50 96 h: = 0.3 mg/L		
		semi-static (Cyprinus carpio)		
		LC50 96 h: = 0.8 mg/L static		
		(Cyprinus carpio)		
		LC50 96 h: = 1.25 mg/L		
		static (Lepomis macrochirus)		
Carbon black				EC50 24 h: > 5600 mg/L
1333-86-4				(Daphnia magna)
Extracts, petroleum, heavy			EC50 > 1000 mg/L 16 h	EC50 48 h: = 1.4 mg/L
paraffinic distillate solvent				(Daphnia magna)
64742-04-7				,

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow	
Extracts, petroleum, heavy paraffinic distillate solvent	0.5005	

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated.

IATA Not regulated.

IMDG/IMO Not regulated.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL Complies

Legend