

Components	Species	Calculated/Test Results
<b>Other</b>		
LD50	Mouse	400 mg/kg
2-hydroxyethyl methacrylate (CAS 868-77-9)		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Mouse	3275 mg/kg
		5.1 ml/kg
	Rat	5050 mg/kg
		11.2 g/kg
<b>Other</b>		
LD50	Mouse	0.497 ml/kg
	Rabbit	> 3 g/kg
	Rat	1250 mg/kg
ACRYLIC ACID (CAS 79-10-7)		
<b><u>Acute</u></b>		
<b>Inhalation</b>		
LC50	Rat	1200 mg/l, 4 Hours
<b>Oral</b>		
LD50	Mouse	2400 mg/kg
	Rat	1250 mg/kg
		193 mg/kg
		33.5 mg/kg
		2.5 g/kg
<b>Other</b>		
LD50	Mouse	1590 mg/kg
		0.016 ml/kg
	Rabbit	290 mg/kg
	Rat	24 mg/kg
CUMENE (CAS 98-82-8)		
<b><u>Acute</u></b>		
<b>Inhalation</b>		
LC50	Mouse	2000 ppm, 7 Hours
		24.7 mg/l, 2 Hours
	Rat	8000 ppm, 4 Hours
<b>Oral</b>		
LD50	Rat	1400 mg/kg
		2.91 g/kg
<b>Skin corrosion/irritation</b>	Causes skin irritation.	
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	May cause an allergic skin reaction.	
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
<b>Carcinogenicity</b>	Suspected of causing cancer.	
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>		
CUMENE (CAS 98-82-8)	2B Possibly carcinogenic to humans.	