

Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Metallic fumes.

11. Toxicological information**Information on likely routes of exposure**

Inhalation	Dust may irritate respiratory system. Inhalation may lead to deposition in lung and in sufficient quantities produce baritosis. Inhalation of powder or fumes may cause metal fume fever.
Skin contact	Dust may irritate skin.
Eye contact	Dust may irritate the eyes.
Ingestion	May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity	The ingredients may be released as general dust from the product by operations such as overheating, burning, machining, abrading, or riveting. Dust may cause eye, skin and respiratory tract irritation.
-----------------------	---

Components	Species	Test Results
Barium sulphate (CAS 7727-43-7)		
Acute		
<i>Oral</i>		
LD50	Rat	307 g/kg
Calcium silicate (CAS 1344-95-2)		
Acute		
<i>Inhalation</i>		
LC50	Rat	> 2.08 mg/l, 4 hours
Copper (CAS 7440-50-8)		
Acute		
<i>Inhalation</i>		
LC50	Rat	> 2.77 mg/l, 4 hours
<i>Oral</i>		
LD50	Rat	481 mg/kg
Graphite (CAS 7782-42-5)		
Acute		
<i>Oral</i>		
LD50	Rat	> 10000 mg/kg
Skin corrosion/irritation	Dust may irritate skin.	
Serious eye damage/eye irritation	Dust may irritate the eyes.	
Respiratory or skin sensitization		
Respiratory sensitization	No data available.	
Skin sensitization	Not a skin sensitizer.	
Germ cell mutagenicity	No data available.	
Carcinogenicity	Not classified.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Antimony sulfide (CAS 1345-04-6)		3 Not classifiable as to carcinogenicity to humans.
NTP Report on Carcinogens		
Not listed.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not regulated.		
Reproductive toxicity	No data available.	
Specific target organ toxicity - single exposure	No data available.	