## SAFETY DATA SHEET

## **Honeywell**

^	^	^	^	^	^	^		4	^	78	۱
ш	10			ш	10		м			<i>/</i> ×	ś
v	v	v	v	v	v	v			v	, ,	J

Version 3.2 Revision Date 08/03/2018 Print Date 05/08/2019

Exposure time: 28 d

NOAEL (No observed adverse effect level): 10000 ppm

Note: highest exposure tested

Genotoxicity in vitro : Test Method: Ames test

Result: 20% and higher, positive in TA 100 and e. coli WP2

uvrA, negative in TA98, TA100, and TA1535.

Method: OECD Test Guideline 471

: Test Method: Chromosome aberration test in vitro

Cell type: Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

Note: Dose 760,000 ppm

Genotoxicity in vivo : Species: Mouse

Cell type: Micronucleus

Dose: up to 200,000 ppm (4 hour) Method: OECD Test Guideline 474

Result: negative

Genotoxicity in vivo : Test Method: Unscheduled DNA synthesis

Dose: up to 50,000 ppm (4 weeks) Method: OECD Test Guideline 486

Result: negative

Genotoxicity in vivo : Species: Rat

Cell type: Micronucleus

Dose: up to 50,000 ppm (4 weeks) Method: OECD Test Guideline 474

Result: negative

Carcinogenicity : Species: Rat

Note: Not classified as a human carcinogen. Substance not

expected to be a carcinogen based on available data.

Reproductive toxicity : Test Method: Two-generation study

Species: Rat

Application Route: Inhalation NOAEL, parent: 50,000 ppm NOAEL, F1: 50,000 ppm

Page 12 / 17