

Safety Data Sheet for N715H/B23

Page 6 of 9

SDS No. : NAMI-PCP-09-11-08_01

Barium sulfate

- Acute Toxicity Skin contact may cause irritation.
Eye contact may cause irritation.
- Chronic Toxicity Lungs may be affected by repeated or prolonged exposure to dust particles, resulting in baritosis (a form of benign pneumoconiosis).

Graphite

- Acute Toxicity Inhalation can cause cough.
Skin contact can cause roughness.
- Chronic Toxicity Lungs may be affected by repeated or prolonged exposure to dusts, resulting in graphite pneumoconiosis.

Copper

- Acute Toxicity Inhalation can cause cough, headache, shortness of breath, and sore throat.
Skin contact can cause redness.
Eye contact can cause redness, pain.
Ingestion can cause abdominal pain, nausea, and vomiting.
- Chronic Toxicity Repeated or prolonged contact may cause skin sensitization.

Lithium potassium titanium oxide

- Acute Toxicity Mouse Oral LD₅₀ > 5000mg/kg
This substance has no skin irritation against rabbit skin, but has slight and temporary irritation against rabbit eye.

Tin sulfide

- Acute Toxicity LD₅₀(Rat Oral) > 5000mg/kg
Skin contact may cause irritation.
Eye contact may cause irritation.
- Chronic Toxicity The substance may have effects on the lungs, resulting in a benign pneumoconiosis (stannosis).

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

<u>Ingredient Name</u>	<u>NTP status</u>	<u>IARC status</u>	<u>OSHA status</u>
No ingredients listed in this section			