

**ISOPROPYL ALCOHOL: ELECTRONICS CLEANER****824-WIPES****Section 11: Toxicological Information****Routes of Exposure**

Eye Contact, Inhalation, Skin contact, and Ingestion

**Symptoms Summary**

<b>Eyes</b>	Causes serious eye irritation, tearing, redness or pain.
<b>Skin</b>	Causes dry mild skin or redness.
<b>Inhalation</b>	May cause drowsiness or dizziness. Excessive exposure may cause narcotic effects, weakness, and headaches.
<b>Ingestion</b>	See inhalation symptoms.
<b>Chronic</b>	Prolonged or repeated exposure may defat skin and cause skin dryness and cracking, and local redness and discomfort.

**Acute Toxicity (Lethal Exposure Concentrations)**

<b>Chemical Name</b>	<b>LD50 oral</b>	<b>LD50 dermal</b>	<b>LC50 inhalation</b>
propan-2-ol	3 600 mg/kg Rat	12 800 mg/kg Rabbit	16 000 ppm 8 h Rat

*Note:* Toxicity data from the RTECS database accessed through the Canadian Centre for Occupational Health and Safety (CCOHS)<sup>2</sup> were consulted. The data from supplier (M)SDS were also consulted.

**Other Toxicological Effects**

<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met. Causes mild skin irritation based on Draize tests on rabbits.
<b>Serious eye damage/irritation</b>	Causes severe eye irritation: propan-2-ol is a severe irritant based on Draize tests on rabbits.
<b>Sensitization</b> (allergic reactions)	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b> (risk of cancer)	Propan-2-ol is not classified or listed as a carcinogen by IARC, ACGIH, CA Prop 65, or NTP.

*Section continued on the next page*