Dexron III/Mercon

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), hydrotreated heavy naphthenic	LD50 Oral	Rat	>5000 mg/kg	-
White mineral oil (petroleum) Siloxanes and Silicones, di- Me	LD50 Oral LC50 Inhalation Vapor	Rat Rat	>5000 mg/kg >44 mg/l	- 1 hours
livie	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 g/kg >5000 g/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Distillates (petroleum), hydrotreated heavy naphthenic	Skin - Severe irritant	Rabbit	-	500 milligrams	-
Siloxanes and Silicones, di- Me	Eyes - Mild irritant	Rabbit	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 microliters	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Conclusion/Summary

Reproductive toxicity

Not available.

Teratogenicity

Not available.

: The mineral oils in the product contain < 3% DMSO extract (IP 346).

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based, contg. solvent deasphalted residual oil	Category 3		Respiratory tract irritation
Distillates (petroleum), hydrotreated middle	Category 3		Respiratory tract irritation and Narcotic effects

Specific target organ toxicity (repeated exposure)

Date of issue/Date of revision: 04/27/2015Date of previous issue: No previous validationVersion: 1