

**Symptoms related to the physical, chemical and toxicological characteristics**

Convulsions. Dizziness. Nausea, vomiting. Abdominal pain. May cause respiratory irritation.

**Information on toxicological effects**

**Acute toxicity**

Components	Species	Calculated/Test Results
Ammonia, aqueous solution (CAS 1336-21-6)		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Rat	350 mg/kg
ETHYLENE GLYCOL (CAS 107-21-1)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	9530 mg/kg
<b>Oral</b>		
LD50	Cat	1650 mg/kg
	Dog	> 8.81 g/kg
		5500 mg/kg
	Guinea pig	8.2 g/kg
	Mouse	14.6 g/kg
	Rat	5.89 g/kg
<b>Other</b>		
LD50	Mouse	10 g/kg
		5.8 g/kg
	Rat	5010 mg/kg
		3260 mg/kg
		2800 mg/kg
Propane-1,2-diol (CAS 57-55-6)		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg
<b>Other</b>		
LD50	Mouse	6630 mg/kg
		17.3 g/kg
	Rat	6660 mg/kg
		6423 mg/kg
		22.5 g/kg
		14 g/kg
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.	
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.	
<b>Respiratory or skin sensitization</b>		
<b>ACGIH sensitization</b>		
NATURAL RUBBER LATEX, AS INHALABLE ALLERGENIC PROTEINS (CAS 9006-04-6)		Dermal sensitization
		Respiratory sensitization