According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name KENESBOR

Other means of identification

Product code 50001224

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Nitrogen fertilizer solution enriched with sulphur and micro-

stance/Mixture elements

Recommended restrictions : Use as recommended by the label.

on use Do not use product for anything outside of the above specified

uses.

1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agro Limited

Rectors Lane, Pentre

Flintshire CH5 2DH United Kingdom

Telephone: + 44 1244 537370 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency: England and Wales: 111 Scotland: 84 54 24 2424

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
sulfur	7704-34-9	Skin Irrit. 2; H315	>= 1 - < 10
	231-722-6		
	016-094-00-1		
	01-2119487295-27-		
	0055		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.0025 - <
	220-120-9	Skin Irrit. 2; H315	0.025
	613-088-00-6	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version 1.1	Revision Date: 30.07.2024	SDS Number: 50001224	Date of last issue: - Date of first issue: 29.01.2020	
			M-Factor (Acute aquatic toxicity): 10 ————————————————————————————————————	

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disap-

pear.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## KENESBOR

Version Revision Date: SDS Number: Date of last issue: -

30.07.2024 50001224 Date of first issue: 29.01.2020 1.1

4.2 Most important symptoms and effects, both acute and delayed

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : Ammonia

ucts

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

6.2 Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated

place. Electrical installations / working materials must comply

with the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Nitrogen fertilizer solution enriched with sulphur and micro-

elements

**SECTION 8: Exposure controls/personal protection** 

8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL):** 

	` '			
Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
Consumers	Dermal	Long-term systemic effects	0.345 mg/kg

## **Predicted No Effect Concentration (PNEC):**

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l

#### 8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Form : suspension

Colour : cream

white

Odour : Faint odour

Odour Threshold : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

pH : 8.0 - 10.0

Concentration: 100 %

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.20 - 1.24

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Particle size : No data available

Particle Size Distribution : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

## **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

In case of fire hazardous decomposition products may be produced such as:

toxic fumes irritating gas

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

## **Components:**

sulfur:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.43 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : May cause skin irritation and/or dermatitis.

Components:

sulfur:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

**Components:** 

sulfur:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : No data is available on the product itself.

#### **Components:**

sulfur:

Test Type : Magnussen-Kligman test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

### 1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### **Components:**

sulfur:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female) Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

## Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

### 1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Components:

sulfur:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

### Repeated dose toxicity

### **Components:**

sulfur:

Species : Rat, male and female

NOAEL : 1,000 mg/kg

Application Route : Oral Exposure time : 90 d

Method : OECD Test Guideline 408

Species : Rat, male and female NOAEL : 400 - 1,000 mg/kg

Application Route : Dermal Exposure time : 28 d

Method : OECD Test Guideline 410

## 1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

## **Aspiration toxicity**

Based on available data, the classification criteria are not met.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

**Further information** 

Product:

Remarks : No data available

**SECTION 12: Ecological information** 

12.1 Toxicity

**Components:** 

sulfur:

Toxicity to fish : LC0 (Oncorhynchus mykiss (rainbow trout)): > 0.005 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

NOEC (Daphnia magna Straus): > 0.005 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: NOEC (algae): > 0.005 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.0025 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Toxicity to soil dwelling or-

ganisms

NOEC: > 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Plant toxicity : NOEC: 25.2 kg/ha

Exposure time: 14 d

Species: Avena sativa (oats) Method: OECD Test Guideline 208

Toxicity to terrestrial organ-

isms

NOEC: > 1400 - < 1900 kg/ha

Exposure time: 60 d

Species: Typhlodromus pyri

LD50: > 2,000 mg/kg Exposure time: 15 d

Species: Coturnix japonica (Japanese quail)

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

: 1

### 12.2 Persistence and degradability

### **Components:**

sulfur:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable

Method: OECD Test Guideline 301C

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

### 12.3 Bioaccumulative potential

### **Components:**

## 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6.62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 7

log Pow: 0.99 (20 °C)

pH: 5

### 12.4 Mobility in soil

### **Components:**

## 1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 9.33 ml/g, log Koc: 0.97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

## 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Other adverse effects

#### **Product:**

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### 14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

ethanediol (Number on list 3)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Control of Major Accident Hazards Regulations

Not applicable

2015 (COMAH)

## Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

### **SECTION 16: Other information**

# **Full text of H-Statements**

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020

Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### Prepared by

**FMC** Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

**GB / 6N** 

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **KENESBOR**

Version Revision Date: SDS Number: Date of last issue: -

1.1 30.07.2024 50001224 Date of first issue: 29.01.2020