SAFETY DATA SHEET
according to the OSHA Hazard Communication Standard

Ally® 75XP

Version	Revision Date:	SDS Number:	Date of last issue: 02/17/2025
1.2	02/26/2025	50000062	Date of first issue: 11/02/2021

SECTION 1. IDENTIFICATION

Product identifier
Product name Ally® 75XP

Other means of identification
Product code 50000062

Recommended use of the chemical and restrictions on use
Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details
Manufacturer
FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Supplier Address
FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone
For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Not a hazardous substance or mixture.

GHS label elements
No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	74223-64-6	75
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	>= 1 - < 5
sucrose	57-50-1	>= 1 - < 5
trisodium orthophosphate	7601-54-9	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms : To our knowledge, adverse effects in humans have not been

and effects, both acute and delayed		reported. The product is not expected to cause severe adverse effects to health, but adverse health effects cannot be excluded in case of massive exposure. Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	:	Treat symptomatically. Immediate medical attention is required in case of ingestion.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical, CO2, water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	Do not spread spilled material with high-pressure water streams. High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides (NOx) Sulfur oxides Carbon oxides Hydrogen cyanide phosphorus oxides
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Evacuate personnel to safe areas. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Ensure adequate ventilation. Avoid dust formation.

Avoid breathing dust.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis

		(Form of exposure)	ters / Permissible concentration	
sucrose	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
trisodium orthophosphate	7601-54-9	STEL	5 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form	:	extruded granules
Color	:	off-white
Odor	:	none
Odor Threshold	:	No data available
pH	:	5.03
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not highly flammable, may be ignitable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	To our knowledge, the product has no special reactivities.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	None known
Conditions to avoid	:	Avoid extreme temperatures. Avoid dust formation. Heating of the mixture may evolve harmful and irritant vapours.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No decomposition if stored and applied as directed. See subsection 5.2.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg

Components:

Metsulfuron-methyl:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: US EPA Test Guideline OPP 81-1 Assessment: The substance or mixture has no acute oral tox-

icity

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

trisodium orthophosphate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.83 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No skin irritation

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks	:	No data available

trisodium orthophosphate:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	:	Eye irritation

trisodium orthophosphate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	:	Guinea pig
Result	:	Animal test did not cause sensitization by skin contact.

Components:

Metsulfuron-methyl:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Not a skin sensitizer.

trisodium orthophosphate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes Test Type: Chromosome aberration test in vitro Metabolic activation: Metabolic activation Result: positive GLP: yes
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative

trisodium orthophosphate:

Genotoxicity in vitro	:	Test Type: Micronucleus test Test system: Human lymphocytes Method: OECD Test Guideline 487 Result: negative Test Type: gene mutation test

Test system: mouse lymphoma cells
Method: OECD Test Guideline 490
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female
Exposure time : 18 month(s)
NOAEL : 5,000 ppm
Result : negative

trisodium orthophosphate:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects.

Result: negative

Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

trisodium orthophosphate:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw
General Toxicity Parent: NOAEL: 1,000 mg/kg body weight
Fertility: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat
Application Route: Oral
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: > 410 mg/kg body weight
Result: negative
Remarks: Based on data from similar materials

Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg bw/day
Duration of Single Treatment: 30 d
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

trisodium orthophosphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

trisodium orthophosphate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species	:	Rat, male and female
NOEL	:	1000 ppm
Application Route	:	Oral - feed
Exposure time	:	90 days
Symptoms	:	Reduced body weight

trisodium orthophosphate:

Species	:	Dog, male
NOAEL	:	323 mg/kg
LOAEL	:	1,107 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Dose	:	94, 323, 1107 mg/kg bw/day
Remarks	:	Based on data from similar materials

Species	:	Dog, female
NOAEL	:	493 mg/kg
LOAEL	:	1,434 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Dose	:	129, 493, 1434 mg/kg bw/day
Remarks	:	Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the require-

ments of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to algae/aquatic plants : EC50 (Lemna minor (duckweed)): 0.00036 mg/l
Exposure time: 14 d

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Remarks: Information given is based on data on the components.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.
Remarks: Information given is based on data on the components.

Components:

Metsulfuron-methyl:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 120 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 43.1 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l
Exposure time: 96 h
Method: OPPTS 850.5400
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l
Exposure time: 72 h
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 50 µg/l
Exposure time: 72 h
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 68 mg/l
Exposure time: 21 d

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l
End point: reproduction
Exposure time: 21 d
Method: OECD Test Guideline 229
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.13 mg/l
End point: reproduction
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC (Daphnia magna (Water flea)): 0.5 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 6 mg/kg
Exposure time: 56 d

NOEC (Eisenia fetida (earthworms)): 5.6 mg/kg
End point: reproduction
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Apis mellifera (bees)): > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OEPP/EPPO Test Guideline 170

LD50 (Anas platyrhynchos (Mallard duck)): > 2,510 mg/kg

NOEC (Colinius virginianus): 1,000 mg/kg
End point: Reproduction Test

NOEC (Anas platyrhynchos (Mallard duck)): 1,000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish	:	LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

sucrose:

Toxicity to fish	:	Remarks: No data available

trisodium orthophosphate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Metsulfuron-methyl:

Biodegradability : Result: Not readily biodegradable.
Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

sucrose:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Exposure time: 28 d
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : Pow: 0.018 (77 °F / 25 °C)
log Pow: -1.7 (77 °F / 25 °C)
pH: 7

Mobility in soil

Components:

Metsulfuron-methyl:

Distribution among environmental compartments : Remarks: Under normal conditions the substance/mixture is mobile in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Metsulfuron-methyl)
Class : 9

Subsidiary risk	:	ENVIRONM.
Packing group	:	III
Labels	:	9 (ENVIRONM.)
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Metsulfuron-methyl)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Metsulfuron-methyl)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Metsulfuron-methyl)
Remarks	:	Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks	:	49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.
The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

trisodium orthophosphate	7601-54-9	>= 1 - < 5 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307
This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

sucrose	57-50-1
trisodium orthophosphate	7601-54-9

Pennsylvania Right To Know

Metsulfuron-methyl	74223-64-6
D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate	64044-51-5
Residues, petroleum, catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5
sucrose	57-50-1
trisodium orthophosphate	7601-54-9

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

trisodium orthophosphate	7601-54-9

California Permissible Exposure Limits for Chemical Contaminants

sucrose	57-50-1

The ingredients of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Avoid contact with skin, eyes and clothing., Avoid breathing dust or spray mist., Harmful if swallowed, Harmful if inhaled, Wash thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / STEL	:	Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency

Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

End of Material Safety Data Sheet