

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name PICUS

Other means of identification

Product code 50000343

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Insecticide
Recommended restrictions on use	Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC QUÍMICA DO BRASIL LTDA
AVENIDA DR. JOSÉ BONIFÁCIO COUTINHO NOGUEIRA
150 - 1º ANDAR - JARDIM MADALENA, CAMPINAS/SP
(19) 2042-4500

FMC Agro Operational Romania
42-44, Bucuresti-Ploiesti Av.
013696 Bucharest, Romania
Telephone: 031 630 61 34
Telefax: 037 409 42 95
E-mail address: SDS-Info@fmc.com (E-Mail General Infor-
mation)

1.4 Emergency telephone

For leak, fire, spill or accident emergencies, call:
Romania: +40 37-6300026 (CHEMTREC)
Medical emergency:
Romania: +40 21318 3606

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 4 H332: Harmful if inhaled.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
Response:
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

imidacloprid (ISO)

Additional Labeling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 1,475 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version 1.0 Revision Date: 22.08.2022 SDS Number: 50000343 Date of last issue: -
Date of first issue: 22.08.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
imidacloprid (ISO)	138261-41-3 428-040-8 612-252-00-4	Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 1.000 Acute toxicity esti- mate Acute oral toxicity: 131 mg/kg	>= 30 - < 50
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 10 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version 1.0	Revision Date: 22.08.2022	SDS Number: 50000343	Date of last issue: - Date of first issue: 22.08.2022
----------------	------------------------------	-------------------------	--

		Acute toxicity estimate Acute oral toxicity: 500,0 mg/kg 490 mg/kg	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

- | | |
|----------------------------|---|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---------------------------------------|
| Risks | : Harmful if swallowed or if inhaled. |
|-------|---------------------------------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapors.
Halogenated compounds
Carbon oxides
Nitrogen oxides (NO_x)
Ammonia

5.3 Advice for firefighters

- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

6.2 Environmental precautions

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absor-
bent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national
regulations.
Smoking, eating and drinking should be prohibited in the ap-
plication area.

Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-
plication area.
Dispose of rinse water in accordance with local and national
regulations.

Advice on protection against : Normal measures for preventive fire protection.
fire and explosion

Hygiene measures : General industrial hygiene practice. Avoid contact with skin,
eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep container tightly closed in a dry and well-ventilated
areas and containers place. Containers which are opened must be carefully re-
sealed and kept upright to prevent leakage. Electrical installa-
tions / working materials must comply with the technological
safety standards.

Further information on stor- : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version 1.0 Revision Date: 22.08.2022 SDS Number: 50000343 Date of last issue: -
Date of first issue: 22.08.2022

age stability

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of exposure	Potential health effects	Value
imidacloprid (ISO)		Inhalation		0,007 mg/kg bw/day
glycerol	Consumers	Oral	Long-term systemic effects	229 mg/kg
	Consumers	Inhalation	Long-term local effects	33 mg/m3
	Workers	Inhalation	Long-term local effects	56 mg/m3
urea	Workers	Inhalation	Long-term systemic effects	292 mg/m3
	Workers	Inhalation	Acute systemic effects	292 mg/m3
	Workers	Dermal	Long-term systemic effects	580 mg/kg bw/day
	Workers	Dermal	Acute systemic effects	580 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	125 mg/m3
	Consumers	Inhalation	Acute systemic effects	125 mg/m3
	Consumers	Dermal	Long-term systemic effects	580 mg/kg bw/day
	Consumers	Dermal	Acute systemic effects	580 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	42 mg/kg bw/day
	Consumers	Oral	Acute systemic effects	42 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version 1.0 Revision Date: 22.08.2022 SDS Number: 50000343 Date of last issue: -
Date of first issue: 22.08.2022

Substance name	Environmental Compartment	Value
imidacloprid (ISO)	Fresh water	0,036 mg/l
glycerol	Fresh water	0,885 mg/l
	Intermittent use/release	8,85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3,3 mg/l
	Sea sediment	0,33 mg/l
	Soil	0,141 mg/kg dry weight (d.w.)
urea	Fresh water	0,47 mg/l
	Sea water	0,047 mg/l
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Sea water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Sea sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed
with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an
approved filter.

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Color : red

Odor : characteristic
slight

Odor Threshold : No data available

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Melting point/range	:	No data available
Boiling point/boiling range	:	100 °C
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	6,9 (25 °C) Concentration: 10 g/l
Viscosity		
Viscosity, dynamic	:	286 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	Miscible
Partition coefficient: n-octanol/water	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1.250 g/l (20 °C)
Relative vapor density	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	> 400 °C
Evaporation rate	:	No data available
Molecular weight	:	Not applicable

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers.

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 1.113 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): 3,55 - 3,73 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after
single contact with skin.
Remarks: no mortality

Components:

imidacloprid (ISO):

Acute oral toxicity : LD50 (Rat, male): 379 - 648 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Acute toxicity estimate: 131 mg/kg
Method: Acute toxicity estimate according to Regulation (EC)
No. 1272/2008

LD50 (Mouse): 131 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,323 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

LC50 (Rat): > 0,069 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500,0 mg/kg
Method: Converted acute toxicity point estimate

LD50 (Rat, male and female): 490 mg/kg
Method: OECD Test Guideline 401

Acute toxicity estimate: 490 mg/kg
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight irritation

Components:

imidacloprid (ISO):

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	slight irritation

Components:

imidacloprid (ISO):

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation

Species	:	Rabbit
Method	:	EPA OPP 81-4
Result	:	Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment	:	Did not cause sensitization on laboratory animals.
Result	:	Did not cause sensitization on laboratory animals.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Components:

imidacloprid (ISO):

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

Species	:	Guinea pig
Method	:	FIFRA 81.06
Result	:	May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro	:	Method: OECD Test Guideline 471 Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Method: OECD Test Guideline 474 Result: negative
----------------------	---	---

Components:

imidacloprid (ISO):

Genotoxicity in vitro	:	Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: gene mutation test Species: Mouse Method: OECD Test Guideline 483 Result: negative
----------------------	---	--

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	:	Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
-----------------------	---	--

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

Effects on fertility : Method: OECD Test Guideline 416
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Method: OECD Test Guideline 414
Result: No teratogenic effects.

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Components:

imidacloprid (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

imidacloprid (ISO):

Species : Rat, female
NOAEL : 83,3 mg/kg
Method : OECD Test Guideline 408
Symptoms : Reduced body weight, Liver effects

Species : Rat, male
NOAEL : 14 mg/kg
Method : OECD Test Guideline 408
Symptoms : Reduced body weight

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Components:

imidacloprid (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

Further information

Product:

Remarks	: No data available
---------	---------------------

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
------------------	---

LC50 (Salmo gairdneri): 211 mg/l Exposure time: 96 h

Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 85 mg/l
-------------------------------	--

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

aquatic invertebrates	Exposure time: 48 h
	EC50 (<i>Hyalella azteca</i> (Amphipod)): 0,055 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 100 mg/l Exposure time: 96 h
Toxicity to soil dwelling organisms	: LC50: 15 mg/kg Exposure time: 14 d Species: <i>Eisenia fetida</i> (earthworms)
Toxicity to terrestrial organisms	: LD50: 31 mg/kg Species: <i>Coturnix japonica</i> (Japanese quail)
	LD50: 0,0081 µg/bee Exposure time: 48 h Species: <i>Apis mellifera</i> (bees) Remarks: Contact
	LD50: 0,0037 µg/bee Exposure time: 48 h Species: <i>Apis mellifera</i> (bees) Remarks: Oral

Components:

imidacloprid (ISO):

Toxicity to fish	: LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): 211 mg/l Exposure time: 96 h Test Type: semi-static test
	LC50 (<i>Leuciscus idus</i> (Golden orfe)): 237 mg/l Exposure time: 96 h
	LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): > 105 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 85 mg/l Exposure time: 48 h
	LC50 (<i>Hyalella azteca</i> (Amphipod)): 0,526 mg/l Exposure time: 96 h
	EC50 (<i>Americamysis bahia</i> (mysid shrimp)): 0,0341 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 100 mg/l Exposure time: 72 h

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : IC50 (activated sludge): >10000 milligram per kilogram

Toxicity to fish (Chronic toxicity) : NOEC: 28,5 mg/l
Exposure time: 21 d
Species: *Salmo gairdneri*

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,8 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: semi-static test

EC10: 0,00209 mg/l
Exposure time: 28 d
Species: *Chironomus riparius* (harlequin fly)

M-Factor (Chronic aquatic toxicity) : 1.000

Toxicity to soil dwelling organisms : LC50:
10.7 mg/kg dry weight (d.w.)
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: 31 mg/kg
Species: *Coturnix japonica* (Japanese quail)

LD50: 0,0081 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)

LD50: 0,0037 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)

LD50: 2.225 ppm
Exposure time: 5 d
Species: *Coturnix japonica* (Japanese quail)

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2,15 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

imidacloprid (ISO):

Biodegradability : Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

imidacloprid (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Partition coefficient: n-octanol/water : log Pow: 0,57 (21 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

12.4 Mobility in soil

Components:

imidacloprid (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33, log Koc: 0,97
Method: OECD Test Guideline 121

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Imidacloprid)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Imidacloprid)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passen- : 964

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

ger aircraft)
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : imidacloprid (ISO)

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

Other regulations:

Law 249/2015 on packaging and packaging waste

Law no. 319/2006 safety and health law

GD nr.1218/2006 (amendments) establishing minimum health and safety requirements in the work to ensure the protection of workers from risks related to chemical agents

Law 211/2011 (amendments) on Waste Regime

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Sulfurous acid, monosodium salt, reaction products with cresol-formaldehydenonylphenol polymer (average MW 300-600) imidacloprid (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical Safety Assessment

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H315	: Causes skin irritation.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.08.2022	50000343	Date of first issue: 22.08.2022

H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Acute Tox. 4	H332

Classification procedure:

Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



PICUS

Version 1.0	Revision Date: 22.08.2022	SDS Number: 50000343	Date of last issue: - Date of first issue: 22.08.2022
Aquatic Acute 1		H400	Based on product data or assessment
Aquatic Chronic 1		H410	Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

RO / EN