

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name BESTOX 100 EC

Other means of identification

Product code 50000820

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Can be used as insecticide only.
Recommended restrictions on use	Use as recommended by the label. For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Operational Netherlands B.V.
The Mark - 2nd floor office 209
Fascinatio Boulevard 216-220
NL-3065 WB Rotterdam
Netherlands

Telephone: +31(0)10-8081422
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
BIG (Fire Service Information Center for Hazardous Substances) 24/7, telephone number +32(0)14-584545.

Medical emergency:
Netherlands: +31 (0) 88 755 8000
(NVIC emergency telephone number) - For the sole purpose of
informing healthcare professionals in the event of acute poisoning.

Poisoning centers may only have required information for
products in accordance with Regulation (EC) No. 1272/2008
and national law.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 2	H330: Fatal if inhaled.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Hazardous components which must be listed on the label:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified
 α -cypermethrin (ISO)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts
2-methylpropan-1-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
---------------	---------	----------------	---------------

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0 Revision Date: 11.10.2023 SDS Number: 50000820 Date of last issue: -
Date of first issue: 11.10.2023

	EC-No. Index-No. Registration number		(% w/w)
Distillates (petroleum), hydro-treated light; Kerosine — unspecified	64742-47-8 265-149-8 649-422-00-2	Asp. Tox. 1; H304 EUH066	>= 70 - < 90
α-cypermethrin (ISO)	67375-30-8 607-422-00-X	Acute Tox. 3; H301 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000 Acute toxicity estimate Acute oral toxicity: 100,0 mg/kg 57 mg/kg	>= 10 - < 20
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	84989-14-0 284-903-7	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Acute toxicity estimate Acute oral toxicity: 1.080 mg/kg	>= 3 - < 10
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 1 - < 2,5

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0 Revision Date: 11.10.2023 SDS Number: 50000820 Date of last issue: -
Date of first issue: 11.10.2023

2-methylpropan-1-ol	78-83-1 201-148-0 603-108-00-1	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system)	>= 1 - < 3
---------------------	--------------------------------------	--	------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
May be fatal if swallowed and enters airways.
Causes serious eye irritation.
Fatal if inhaled.
May cause respiratory irritation.
Suspected of causing cancer.
May cause damage to organs through prolonged or repeated exposure.
Repeated exposure may cause skin dryness or cracking.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Chlorine compounds
Sulphur oxides
Hazardous combustion products

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0 Revision Date: 11.10.2023 SDS Number: 50000820 Date of last issue: -
Date of first issue: 11.10.2023

age stability

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8	TLV-8hr (Mist)	5 mg/m3	NL WG

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-methylpropan-1-ol	Consumers	Inhalation	Long-term systemic effects	55 mg/m3
	Workers	Inhalation	Long-term systemic effects	310 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts	Fresh water	270 µg/l
	Intermittent use/release	2,7 mg/l
	Marine water	270 µg/l
	Intermittent use/release	2,7 mg/l
	Sewage treatment plant	5,5 mg/l
	Fresh water sediment	23,8 mg/kg dry weight (d.w.)
	Marine sediment	23,8 mg/kg dry weight (d.w.)
	Soil	35 mg/kg dry weight (d.w.)
2-methylpropan-1-ol	Fresh water	0,4 mg/l
	Intermittent use/release	11 mg/l
	Marine water	0,04 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,56 mg/kg dry weight (d.w.)
	Marine sediment	0,156 mg/kg dry weight (d.w.)
	Soil	0,076 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: amber
Odour	: hydrocarbon-like
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 41,8 °C Method: Tag closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0	Revision Date: 11.10.2023	SDS Number: 50000820	Date of last issue: - Date of first issue: 11.10.2023
----------------	------------------------------	-------------------------	--

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : emulsifiable

Solubility in other solvents : No data available

Dissolution Rate : No data available

Partition coefficient: n-
octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : 910 - 920 g/l

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

Particle Size Distribution : No data available

Shape : No data available

9.2 Other information

Explosives : No data available

Oxidizing properties : No data available

Flammability (liquids) : Sustains combustion

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.
No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.
Fatal if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): 942 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Remarks: Based on data from similar materials

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Acute oral toxicity	: LD50 (Rat, male and female): > 15.000 mg/kg Method: OECD Test Guideline 423 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC0 (Rat, male and female): > 5,28 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 Remarks: Based on data from similar materials no mortality
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

α -cypermethrin (ISO):

- Acute oral toxicity : Acute toxicity estimate: 100,0 mg/kg
Method: Converted acute toxicity point estimate
- LD50 (Rat, male): 274 mg/kg
- LD50 (Rat): 57 mg/kg
- Acute toxicity estimate: 57 mg/kg
Method: ATE value derived from LD50/LC50 value
- Acute inhalation toxicity : LC50 (Rat): > 0,32 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.
- Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

- Acute oral toxicity : LD50 (Rat, male and female): 1.080 - 1.630 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
- Acute toxicity estimate: 1.080 mg/kg
Method: ATE value derived from LD50/LC50 value
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

- Acute oral toxicity : LD50 (Rat): 500 - 2.000 mg/kg
Remarks: Based on data from similar materials
- Acute toxicity estimate: 500 mg/kg
Method: ATE value derived from LD50/LC50 value

2-methylpropan-1-ol:

- Acute oral toxicity : LD50 (Rat): 3.350 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 18,18 mg/l
Exposure time: 6 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): 2.460 mg/kg

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Result : Moderate skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : Repeated exposure may cause skin dryness or cracking.

α -cypermethrin (ISO):

Species : Rabbit

Result : No skin irritation

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2-methylpropan-1-ol:

Species : Rabbit

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

α -cypermethrin (ISO):

Species : Rabbit

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Result : slight irritation

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: Irreversible effects on the eye

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Species	: Rabbit
Result	: Irreversible effects on the eye

2-methylpropan-1-ol:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Result	: Causes skin sensitization.
--------	------------------------------

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Test Type	: Maximisation Test
Exposure routes	: Intradermal
Species	: Guinea pig
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

α -cypermethrin (ISO):

Test Type	: Magnussen-Kligman test
Species	: Guinea pig
Result	: Not a skin sensitizer.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Exposure routes : Skin contact
Result : Does not cause skin sensitisation.

2-methylpropan-1-ol:

Exposure routes : Skin contact
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

α -cypermethrin (ISO):

Genotoxicity in vitro : Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Result: negative

Test Type: chromosome aberration assay
Result: negative

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-methylpropan-1-ol:

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species	: Rat, male
Application Route	: inhalation (vapour)
Exposure time	: 105 weeks
NOAEC	: 0,138 mg/l
Result	: positive
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

α -cypermethrin (ISO):

Species	: Mouse
Application Route	: Oral
Exposure time	: 78 weeks
NOAEL	: 3 mg/kg bw/day
Result	: negative

Reproductive toxicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Effects on fertility	: Test Type: Fertility Species: Rat, male and female Application Route: inhalation (vapour) Duration of Single Treatment: 14 Weeks General Toxicity - Parent: NOAEC: 2,2 mg/l Result: negative
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 500 mg/kg body weight Teratogenicity: NOAEL: 2.000 mg/kg body weight Remarks: Developmental effects are a consequence of maternal toxicity.
-------------------------------	--

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

α -cypermethrin (ISO):

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Effects on fertility : Test Type: Two-generation study
General Toxicity - Parent: NOAEL: > 350 mg/kg body weight
General Toxicity F1: NOAEL: > 350 mg/kg body weight
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Developmental Toxicity: NOAEL: > 350 mg/kg body weight
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-methylpropan-1-ol:

Effects on fertility : Species: Rat
Application Route: Inhalation
Fertility: NOAEC Mating/Fertility: 7,5 mg/l

STOT - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Components:

α -cypermethrin (ISO):

Assessment : May cause respiratory irritation.

2-methylpropan-1-ol:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

α -cypermethrin (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species : Rat
NOAEL : ≥ 200 ppm
Application Route : inhalation (vapour)
Exposure time : 13 weeks
Remarks : Based on data from similar materials

α -cypermethrin (ISO):

Species : Dog
NOAEL : 3.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 weeks
Target Organs : Central nervous system

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 mo
Target Organs : Kidney, Liver
Remarks : Based on data from similar materials

2-methylpropan-1-ol:

Species : Rat
NOAEL : 1450 mg/kg
Application Route : Oral

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Species : Rat
: 7,5 mg/l
Application Route : Inhalation

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Fish): 0,0028 mg/l
Exposure time: 96 h
Remarks: Active ingredient

NOEC (Fish): 0,03 mg/l
Exposure time: 21 d
Remarks: Active ingredient

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0,0003 mg/l
Exposure time: 48 h
Remarks: Active ingredient

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

NOEC (Crustaceans): 0,03 mg/l

Exposure time: 21 d

Remarks: Active ingredient

Toxicity to algae/aquatic plants : EC50 (algae): 0,1 mg/l
Exposure time: 72 h
Remarks: Active ingredient

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: water accommodated fractions (WAF)

Toxicity to daphnia and other aquatic invertebrates : LL50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: water accommodated fractions (WAF)

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to microorganisms : EL50 (Tetrahymena pyriformis): > 1.000 mg/l
Exposure time: 48 h
Method: QSAR

Toxicity to fish (Chronic toxicity) : NOELR: 0,173 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: QSAR
Remarks: No toxicity at the limit of solubility
water accommodated fractions (WAF)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 1,22 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: QSAR
Remarks: No toxicity at the limit of solubility
water accommodated fractions (WAF)

α -cypermethrin (ISO):

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Toxicity to fish	:	LC50 (Fish): 0,0028 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): 0,0003 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0,1 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1.000
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,00003 mg/l Exposure time: 21 d Species: Fish
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,00003 mg/l Exposure time: 21 d Species: Crustaceans
M-Factor (Chronic aquatic toxicity)	:	1.000
Toxicity to soil dwelling organisms	:	LC50: > 100 mg/kg Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	:	LD50: 0,059 µg/bee Species: Apis mellifera (bees) Remarks: Oral LD50: 0,033 µg/bee Species: Apis mellifera (bees) Remarks: Contact

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Toxicity to fish	:	LC50 (Fish): 1,7 - 7,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 5,7 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: water accommodated fractions (WAF)
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (green algae)): 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: water accommodated fractions (WAF) EL50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: water accommodated fractions (WAF)

Toxicity to microorganisms : EC50 (activated sludge): 162 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 : > 1 - 10 mg/l
aquatic invertebrates
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (algae): > 1 - 10 mg/l
plants
Exposure time: 72 h

EC10 (algae): > 0,1 - < 1 mg/l

2-methylpropan-1-ol:

Toxicity to fish : LC50 : 1.430 mg/l
Exposure time: 4 d

Toxicity to daphnia and other : EC50 : 1.100 mg/l
aquatic invertebrates
Exposure time: 48 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 593 - 1.799
mg/l
Exposure time: 72 h

IC50 (Natural microorganism): 1.000 mg/l
Exposure time: 16 h

Toxicity to daphnia and other : NOEC: 20 mg/l
aquatic invertebrates (Chronic toxicity)
Exposure time: 21 d

12.2 Persistence and degradability

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Biodegradability : Concentration: 50 mg/l
Result: Readily biodegradable.
Biodegradation: 89,9 %
Exposure time: 28 d

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Method: OECD Test Guideline 301

α -cypermethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301F

Alcohols, C11-14-iso-, C13-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Bioaccumulation : Bioconcentration factor (BCF): 144,3
Method: QSAR

α -cypermethrin (ISO):

Partition coefficient: n-
octanol/water : log Pow: 5,5 (20 °C)

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts:

Partition coefficient: n-
octanol/water : log Pow: 4,3 - 5,8 (25 °C)
pH: 7
Method: OECD Test Guideline 117

2-methylpropan-1-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-
octanol/water : Pow: 10 (25 °C)

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3351
ADR	: UN 3351
RID	: UN 3351
IMDG	: UN 3351
IATA	: UN 3351

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

14.2 UN proper shipping name

ADN	:	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE (.alpha.-Cypermethrin, Aromatic hydrocarbons, C10)
ADR	:	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE (.alpha.-Cypermethrin, Aromatic hydrocarbons, C10)
RID	:	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE (.alpha.-Cypermethrin, Aromatic hydrocarbons, C10)
IMDG	:	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE (.alpha.-Cypermethrin, Aromatic hydrocarbons, C10)
IATA	:	Pyrethroid pesticide, liquid, toxic, flammable (.alpha.-Cypermethrin, Aromatic hydrocarbons, C10)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 6.1	3
ADR	: 6.1	3
RID	: 6.1	3
IMDG	: 6.1	3
IATA	: 6.1	3

14.4 Packing group

ADN	
Packing group	: II
Classification Code	: TF2
Hazard Identification Number	: 63
Labels	: 6.1 (3)
ADR	
Packing group	: II
Classification Code	: TF2
Hazard Identification Number	: 63
Labels	: 6.1 (3)
Tunnel restriction code	: (D/E)
RID	
Packing group	: II
Classification Code	: TF2
Hazard Identification Number	: 63
Labels	: 6.1 (3)
IMDG	
Packing group	: II
Labels	: 6.1 (3)
EmS Code	: F-E, S-D
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 662
Packing instruction (LQ)	: Y641

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Packing group : II
Labels : Toxic, Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft) : 654
Packing instruction (LQ) : Y641
Packing group : II
Labels : Toxic, Flammable Liquids

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 75, 3

2-methylpropan-1-ol

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

E1 ENVIRONMENTAL HAZARDS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

General Assessment Methodology (GAM)

Aquatic harmfulness : A1 Highly toxic for aquatic organisms, may have long-term hazardous effects in aquatic environment.

Abatement effort : A

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0	Revision Date: 11.10.2023	SDS Number: 50000820	Date of last issue: - Date of first issue: 11.10.2023
----------------	------------------------------	-------------------------	--

TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. α -cypermethrin (ISO) Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.10.2023	50000820	Date of first issue: 11.10.2023

Eye Dam.	: Serious eye damage
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
NL WG	: Netherlands. Law on Labour conditions - Occupational Exposure Limits
NL WG / TLV-8hr	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Flam. Liq. 3	H226
Acute Tox. 4	H302
Acute Tox. 2	H330
Eye Irrit. 2	H319
Carc. 2	H351
STOT SE 3	H335

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

SAFETY DATA SHEET

According to Commission Regulation (EU) 2020/878 of amending
Regulation (EC) No 1907/2006



BESTOX 100 EC

Version 1.0	Revision Date: 11.10.2023	SDS Number: 50000820	Date of last issue: - Date of first issue: 11.10.2023
STOT RE 2	H373	Based on product data or assessment	
Asp. Tox. 1	H304	Based on product data or assessment	
Aquatic Acute 1	H400	Based on product data or assessment	
Aquatic Chronic 1	H410	Calculation method	

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

NL / 6N