SAFETY DATA SHEET FURIA 18 EC

SDS #: 1425-1-A **Revision date**: 2017-11-16

Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name FURIA 18 EC

Other means of identification

Product Code(s) 1425-1-A

Synonyms ZETA-CYPERMETHRIN: S-Cyano (3-phenoxyphenyl)methyl (+) cis/trans

3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane carboxylate [Cis/trans isomer ratio: Max

75% cis and Min. 25% trans]

Active Ingredient(s) Zeta-cypermethrin

Chemical Family Pyrethroid Pesticide

Alternate Commercial Name None

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4

SDS #: 1425-1-A **Revision date**: 2017-11-16

Version 1

	VOIGION
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

- H301 Toxic if swallowed
- H304 May be fatal if swallowed and enters airways
- H313 May be harmful in contact with skin
- H332 Harmful if inhaled
- H351 Suspected of causing cancer
- H370 Causes damage to organs
- H373 May cause damage to organs through prolonged or repeated exposure

Physical Hazards

H227 - Combustible liquid



Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- P308 + P311 If exposed or concerned: Call a POISON CENTER or doctor
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P312 Call a POISON CENTER or doctor if you feel unwell
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P330 Rinse mouth
- P370 + P378 In case of fire: Use Foam, Carbon dioxide (CO 2), Dry chemical, Soft stream or water fog for extinction

Precautionary Statements - Storage

- P405 Store locked up
- P403 + P235 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

SDS #: 1425-1-A Revision date: 2017-11-16

Version 1

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	40-50
Petroleum distillates, solvent dewaxed light paraffinic	64742-56-9	20-30
Zeta-cypermethrin	52315-07-8	18.1
2-Methylnaphthalene	91-57-6	<17
1-Methylnaphthalene	90-12-0	<11
Naphthalene	91-20-3	0.1-1
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	1.5

Synonyms are provided in Section 1.

1	FID	CT.	VID	ME	II2	RES
	1117		AID			

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam, carbon dioxide (CO₂), Dry chemical, Soft stream or water fog only if necessary.

Specific Hazards Arising from the

Combustible liquid

Chemical

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not sensitive.

Static electricity might be sufficient to ignite dust clouds. Possibility of ignition will depend on the minimum ignition energy (MIE) and the type of operations undertaken with the

material. MIE values are not provided in this SDS.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Revision date: 2017-11-16

Version 1

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with water and soap.

Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior

to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m³ STEL: 15 ppm STEL: 75 mg/m³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
			Skin	
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm	-
			Skin	
Naphthalene (91-20-3)	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m³ STEL: 15 ppm STEL: 79 mg/m³ Skin

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Revision date: 2017-11-16 Version 1

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering facepiece respirator (N95, R95, or

P95) which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable

certification organization).

Hygiene measuresClean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceBrown LiquidPhysical StateLiquidColorBrown

Odor Hydrocarbon-like

Odor threshold No information available

pH 4.2 - 4.3

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point 82.2 °C / 179.96 °F Tag Closed Cup

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Density8.24 lb/galSpecific gravity0.996Water solubilityEmulsifies

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available No information available **Bulk density**

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Revision date: 2017-11-16

Version 1

Conditions to avoid Excessive heat, Extreme risk of explosion by shock, friction, fire or other sources of ignition

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen cyanide, hydrogen chloride, Chlorine.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 198 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rabbit)

 LC50 Inhalation
 1.36 mg/L (4-hr) (rat)

Serious eye damage/eye irritationMildly irritating.Skin corrosion/irritationMildly irritating.SensitizationNon-sensitizing

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals included tremors, tonic - clonic convulsions, loss of

muscle control, rales, bloody oral discharge, hypersensitivity to touch and ataxia.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased

motor activity), decreased body weight and increased liver weight.

Mutagenicity Zeta-cypermethrin: Not genotoxic in laboratory studies.

Carcinogenicity Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has

classified cypermethrin as a possible human carcinogen based on this information, but

does not regulate based on its low cancer risk.

Neurological effects Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following

acute, subchronic or chronic exposure.

Reproductive toxicity Zeta-cypermethrin: No toxicity to reproduction in animal studies.

Developmental toxicity STOT - single exposureZeta-cypermethrin: Not teratogenic in animal studies.
Causes damage to organs. See listed target organs below.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Zeta-cypermethrin: Central Nervous System, blood.

Neurological effects Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following

acute, subchronic or chronic exposure.

Aspiration hazard Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	A2	Group 1	Known	
Zeta-cypermethrin 52315-07-8		Group 2A		
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	Х
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Revision date: 2017-11-16

Version 1

12. ECOLOGICAL INFORMATION

Ecotoxicity

Zeta-cypermethrin (52315-07-8				
Active Ingredient(s)	Duration	Species	Value	Units
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	μg/L
	96 h LC50	Fish	0.69	μg/L
	72 h EC50	Algae	>1	mg/L
	21 d NOEC	Crustacea	0.01	μg/L
	21 d NOEC	Fish	0.015	μg/L

Persistence and degradability Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

Mobility Zeta-cypermethrin: Immobile; Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1 Subsidiary class None Packing Group III

Marine Pollutant Zeta-cypermethrin.

Description UN3352, Pyrethroid pesticide, liquid, toxic, (Zeta-Cypermethrin), 6.1 PG III, Marine Pollutant

TDG

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1 Packing Group III

Marine Pollutant Zeta-cypermethrin.

Description UN3352, Pyrethroid pesticide, liquid, toxic, (Zeta-Cypermethrin), 6.1 PG III, Marine Pollutant

ICAO/IATA

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class 6.1 Packing Group III

Description UN3352, Pyrethroid pesticide, liquid, toxic, (Zeta-Cypermethrin), 6.1 PG III, Marine Pollutant

Limited quantity 2 L

IMDG/IMO

FURIA 18 EC

SDS #: 1425-1-A

Revision date: 2017-11-16 Version 1

UN/ID no UN3352

Proper Shipping Name Pyrethroid pesticide, liquid, toxic

Hazard class6.1Packing GroupIIIEmS No.F-A, S-A

Marine Pollutant Zeta-cypermethrin

Description UN3352, Pyrethroid pesticide, liquid, toxic, (Zeta-Cypermethrin), 6.1 PG III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic Acid 64-19-7	5000 lb			X
Naphthalene 91-20-3	100 lb	Х	Х	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetic Acid	5000 lb	
64-19-7	2270 kg	
n-Butanol	5000 lb	
71-36-3	2270 kg	
Naphthalene	100 lb	
91-20-3	45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate skin and eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. This product is extremely toxic to fish and aquatic invertebrates.

US State Regulations

SDS #: 1425-1-A **Revision date: 2017-11-16**

Version 1

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9		Х	
Zeta-cypermethrin 52315-07-8		X	
2-Methylnaphthalene 91-57-6	Х		
1-Methylnaphthalene 90-12-0	Х	X	X
Naphthalene 91-20-3	X	X	X

International Inventories

Chemical name	TSCA (United	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
	States)	(((/			(333 37
Naphtha (petroleum), heavy aromatic 64742-94-5	Х	X	X		X	X	Х	Х
Petroleum distillates, solvent dewaxed light paraffinic 64742-56-9	X	Х	X		Х	X	Х	Х
Zeta-cypermethrin 52315-07-8			X		X	X	Х	Х
2-Methylnaphthalene 91-57-6	X	X	X	Χ	Х		Х	Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х
Naphthalene 91-20-3	Х	Х	X	Х	Х	X	Х	Х
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	X	Х	X		Х	X	Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm
		Mexico: TWA 50 mg/m ³
		Mexico: STEL 15 ppm
		Mexico: STEL 75 mg/m ³

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

Revision date: 2017-11-16

Version 1

WHMIS Hazard Class B3 - Combustible liquid

D1B - Toxic materials
D2A - Very toxic materials
D2B - Toxic materials







16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2017-11-16

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet