

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

SECTION 1. IDENTIFICATION

Product identifier

Product name POUNCE 384 EC

Other means of identification

Product code 50000489

Chemical nature Insecticide

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC of Canada Ltd
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Carcinogenicity : Category 2

Specific target organ toxicity : Category 2 (Central nervous system)
- single exposure


Specific target organ toxicity : Category 3 (Respiratory system, Central nervous system)
- single exposure

Specific target organ toxicity : Category 2 (Central nervous system)
- repeated exposure

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H371 May cause damage to organs (Central nervous system).
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version
1.11

Revision Date:
02/17/2025

SDS Number:
50000489

Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Insecticide

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	64742-95-6	$\geq 30 - < 60$ *
permethrin (ISO)	permethrin (ISO)	52645-53-1	38.4
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	64742-95-6	$\geq 30 - < 60$ *
permethrin (ISO)	permethrin (ISO)	52645-53-1	$\geq 30 - < 60$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

- Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.
Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.
Skin contact may result in itching and redness. Eye contact may result in itching, watery eyes, light sensitivity, pain, and/or blurred vision.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

- | | | |
|--|---|--|
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Halogenated compounds |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|---|---|--|
| Advice on protection against fire and explosion | : | Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition. |
|---|---|--|

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version 1.11 Revision Date: 02/17/2025 SDS Number: 50000489 Date of last issue: 12/09/2022
Date of first issue: 11/07/2017

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified	64742-95-6	TWAEV	200 mg/m3	CA QC OEL
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version 1.11	Revision Date: 02/17/2025	SDS Number: 50000489	Date of last issue: 12/09/2022 Date of first issue: 11/07/2017
-----------------	------------------------------	-------------------------	---

	Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: amber
Odor	: hydrocarbon-like
Odor Threshold	: No data available
pH	: 4.8 (25 °C)
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 79.4 - 82 °C Method: closed cup
Evaporation rate	: No data available
Flammability (liquids)	: Sustains combustion
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 8.89

Density : No data available

Solubility(ies)

Water solubility : emulsifiable

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Vapors may form explosive mixture with air.
No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.
Avoid extreme temperatures.
Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 789 mg/kg
LD50 (Rat): 300 - 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): 1.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
LC50 (Rat, male and female): 3.25 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions, Fatality
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality
Assessment: The component/mixture is moderately toxic after single contact with skin.
Remarks: Resolution no. 2075

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg
Method: OECD Test Guideline 401
LD50 (Rat, male): 6,984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

permethrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6,984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

permethrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : slight irritation

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

permethrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

permethrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rabbit
Result	: No eye irritation

permethrin (ISO):

Species	: Rabbit
Result	: slight irritation
Method	: OECD Test Guideline 405

Species	: Rabbit
Result	: slight irritation
Method	: OECD Test Guideline 405
GLP	: yes

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rabbit
Result	: No eye irritation

permethrin (ISO):

Species	: Rabbit
Result	: slight irritation
Method	: OECD Test Guideline 405

Species	: Rabbit
Result	: slight irritation
Method	: OECD Test Guideline 405
GLP	: yes

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
GLP	: yes

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Test Type	: Maximization Test
-----------	---------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

permethrin (ISO):

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

permethrin (ISO):

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Genotoxicity in vitro	: Test Type: in vitro DNA damage and/or repair study Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative
	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

permethrin (ISO):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Mouse lymphoma assay
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Result: negative

Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

permethrin (ISO):

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Mouse lymphoma assay
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Result: negative

Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

permethrin (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Remarks : Likely to be carcinogenic to humans (US EPA)

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

permethrin (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Remarks : Likely to be carcinogenic to humans (US EPA)

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

permethrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: No maternal effects.
Result: negative

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

permethrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: No maternal effects.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Result: negative

STOT-single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness.

May cause damage to organs (Central nervous system).

Product:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Product:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

permethrin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

permethrin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rat, male and female
NOAEC	: 0.8 - 0.9 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor
Remarks	: Based on data from similar materials

Species	: Rat, male
NOAEL	: 600 mg/kg
Application Route	: Oral
Remarks	: Based on data from similar materials

permethrin (ISO):

Species	: Rat
NOAEL	: 20 mg/kg
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Liver effects

Species	: Dog, male and female
NOEL	: 10 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Dose	: 5, 50, 500 mg/kg bw/day
Target Organs	: Liver
Symptoms	: Tremors

Species	: Rat
NOEL	: 250 ppm
Application Route	: Oral
Exposure time	: 13 w
Dose	: 0, 250, 1500, 2500 ppm
Symptoms	: Tremors

Species	: Rat
NOEL	: 150 mg/kg bw/day
Application Route	: Oral
Exposure time	: 14 d
Dose	: 0, 10, 150, 300 mg/kg bw/day
Symptoms	: Tremors

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rat, male and female
NOAEC	: 0.8 - 0.9 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

permethrin (ISO):

Species : Rat
NOAEL : 20 mg/kg
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Liver effects

Species : Dog, male and female
NOEL : 10 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Dose : 5, 50, 500 mg/kg bw/day
Target Organs : Liver
Symptoms : Tremors

Species : Rat
NOEL : 250 ppm
Application Route : Oral
Exposure time : 13 w
Dose : 0, 250, 1500, 2500 ppm
Symptoms : Tremors

Species : Rat
NOEL : 150 mg/kg bw/day
Application Route : Oral
Exposure time : 14 d
Dose : 0, 10, 150, 300 mg/kg bw/day
Symptoms : Tremors

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

May be fatal if swallowed and enters airways.

permethrin (ISO):

No data available

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version 1.11	Revision Date: 02/17/2025	SDS Number: 50000489	Date of last issue: 12/09/2022 Date of first issue: 11/07/2017
-----------------	------------------------------	-------------------------	---

permethrin (ISO):

No data available

Neurological effects

Components:

permethrin (ISO):

Neurotoxicity observed in animals studies

permethrin (ISO):

Neurotoxicity observed in animals studies

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 33.62 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia similis (Water flea)): 2.99 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EyC50 (Pseudokirchneriella subcapitata (algae)): 1.09 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EyC50 (Selenastrum capricornutum (green algae)): 0.0289 mg/l Exposure time: 96 h
Toxicity to soil dwelling organisms	: Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization. Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

NOEC (*Eisenia fetida* (earthworms)): 2,388 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): 0.3 µg/bee
End point: Acute contact toxicity

LD50 (*Coturnix japonica* (Japanese quail)): > 2,000 mg/kg

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Toxicity to fish : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (*Pimephales promelas* (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (*Pseudokirchneriella subcapitata* (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (*Pimephales promelas* (fathead minnow)): 2.6 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (*Daphnia magna* (Water flea)): 2.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (*Tetrahymena pyriformis*): 15.41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

permethrin (ISO):

Toxicity to fish : LC50 (Fish): 5.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0.001 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.0125 mg/l
Exposure time: 72 h

NOEC (algae): 0.9 µg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.3 µg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.039 µg/l
Exposure time: 21 d

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l
Exposure time: 14 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Method: OECD Test Guideline 204

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

permethrin (ISO):

Toxicity to fish : LC50 (Fish): 5.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0.001 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): 0.0125 mg/l
Exposure time: 72 h

NOEC (algae): 0.9 µg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.3 µg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.039 µg/l
Exposure time: 21 d

Persistence and degradability

Components:

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Biodegradability : Concentration: 49.2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77.05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Biodegradability : Concentration: 49.2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77.05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

permethrin (ISO):

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Pow: > 4.49
Remarks: No data available

permethrin (ISO):

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Pow: > 4.49
Remarks: No data available

Mobility in soil

Components:

permethrin (ISO):

Distribution among environmental compartments : Remarks: immobile

permethrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Permethrin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Permethrin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Permethrin)
Class : 9

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Permethrin)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Permethrin)
Remarks : Display "inhalation hazard" mark on package in accordance with TDG 4.23.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified butan-1-ol
Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl) ether
ethylene oxide
propylene oxide

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIIC : Not in compliance with the inventory
DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version 1.11	Revision Date: 02/17/2025	SDS Number: 50000489	Date of last issue: 12/09/2022 Date of first issue: 11/07/2017
-----------------	------------------------------	-------------------------	---

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

Canadian lists

The following substance(s) is/are subject to a Significant New Activity Notification:
propylene oxide 75-56-9

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

CAUTION

Causes eye irritation, Avoid contact with skin, eyes and clothing., Harmful if swallowed, Harmful if inhaled, This pesticide is toxic to fish and other wildlife., This product is highly toxic to bees.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET

according to the Hazardous Products Regulations



POUNCE 384 EC

Version	Revision Date:	SDS Number:	Date of last issue: 12/09/2022
1.11	02/17/2025	50000489	Date of first issue: 11/07/2017

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet