According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name CLEANCROP® CHICANE

Other means of identification

Product code 50003065

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide

stance/Mixture

Recommended restrictions

on use

Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

<u>Supplier Address</u> FMC Agro Limited

Rectors Lane, Pentre

Flintshire CH5 2DH United Kingdom

Telephone: + 44 1244 537370 E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call: England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency: England and Wales: 111 Scotland: 84 54 24 2424

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

Hazard pictograms :

¥2>

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in

accordance with local regulations.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
clomazone (ISO)	81777-89-1	Acute Tox. 4; H302	>= 30 - < 50
, ,		Acute Tox. 4; H332	
	613-340-00-5	Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
Calcium chloride dihydrate	10035-04-8	Eye Irrit. 2; H319	>= 1 - < 10
sodium nitrate	7631-99-4	Ox. Sol. 2; H272	>= 1 - < 10
	231-554-3	Acute Tox. 4; H302	
		Eye Irrit. 2; H319	
Lignosulfonic acid, sodium salt, sul-	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10
fomethylated			
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0.0025 - <
	220-120-9	Skin Irrit. 2; H315	0.025
	613-088-00-6	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2; H411	
		M-Factor (Acute	
		aquatic toxicity): 10	
		specific concentra-	
		tion limit	
		Skin Sens. 1A;	
		H317	
		>= 0.036 %	

For explanation of abbreviations see section 16.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Do not leave the victim unattended.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : When fed to animals, the active ingredient in this product

caused decreased activity, tearing eyes, bleeding from the

nose and incoordination.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Immediate medical attention is required in case of ingestion.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Halogenated compounds Nitrogen oxides (NOx)

Carbon oxides

Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age conditions

The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be availa-

ble.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Marine water	0.000403 mg/l
	Sewage treatment plant	1.03 mg/l
	Fresh water sediment	0.0499 mg/l
	Marine sediment	0.00499 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

17.03.2025 50003065 Date of first issue: 01.05.2020 1.1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour opaque, brown

slight, aromatic, hydrocarbon-like Odour

Odour Threshold not determined 8.99 (22.5 °C) pΗ

> Concentration: 1 % (1% solution in water)

6.16 (21 °C)

(undiluted) not determined Melting point/freezing point

Boiling point/boiling range

not determined

Flash point > 93 °C

Method: closed cup

Evaporation rate not determined Upper explosion limit / Upper not determined

flammability limit

not determined

Lower explosion limit / Lower

flammability limit Vapour pressure

Not available for this mixture.

Relative vapour density not determined Relative density 1.171 (20 °C)

Solubility(ies)

Water solubility No data available Solubility in other solvents No data available

Partition coefficient: n-

Not available for this mixture.

octanol/water

Auto-ignition temperature 392 °C

Decomposition temperature

Viscosity

not determined

Viscosity, dynamic 136 - 837 mPa.s (20 °C)

97 - 644 mPa.s (40 °C)

It is a non-newtonian fluid; viscosity decreases with increasing

shear rate.

Viscosity, kinematic No data available Explosive properties Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

9.2 Other information

Flammability (liquids) No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Surface tension : 43.5 mN/m, 25 °C, GLP: yes

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Protect from frost, heat and sunlight.

Heating of the product will produce harmful and irritant va-

pours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.21 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

Components:

clomazone (ISO):

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Acute oral toxicity : LD50 (Rat, female): 768 mg/kg

Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2,000 mg/kg Method: OECD Test Guideline 423

Target Organs: Liver

Assessment: The component/mixture is moderately toxic after

single ingestion.

LD50 (Rat, female): 1,564 mg/kg

Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat): > 5.02 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

LC50 (Rat, female): 4.23 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: EPA OPP 81 - 3 Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Method: US EPA Test Guideline OPP 81-2

Assessment: The component/mixture is minimally toxic after

single contact with skin. Remarks: no mortality

Calcium chloride dihydrate:

Acute oral toxicity : LD50 (Rat, male): 2,120 mg/kg

Method: OECD Test Guideline 401

Remarks: mortality

LD50 (Rat, female): 2,361 mg/kg Method: OECD Test Guideline 401

Remarks: mortality

LD50 (Rat, male and female): 2,301 mg/kg

Method: OECD Test Guideline 401

Symptoms: Lethargy, Necrosis, Gastrointestinal disturbance,

respiratory tract irritation Remarks: mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Remarks: no mortality

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3,430 mg/kg

Method: OECD Test Guideline 401

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0.527 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male and female): 490 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

clomazone (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight or no skin irritation.

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404 Remarks : May cause mild irritation.

Minimal effects that do not meet the threshold for classifica-

tion.

Calcium chloride dihydrate:

Species : Rabbit

Method : OECD Test Guideline 404

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Result : No skin irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 405

Result : No eye irritation

Components:

clomazone (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation

GLP : yes

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

Minimal effects that do not meet the threshold for classifica-

tion.

Calcium chloride dihydrate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

sodium nitrate:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Eye irritation

Lignosulfonic acid, sodium salt, sulfomethylated:

Result : Eye irritation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

Species : Rabbit

Method : EPA OPP 81-4

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

Components:

clomazone (ISO):

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Species : Guinea pig

Assessment : Not a skin sensitizer.

Method : US EPA Test Guideline OPP 81-6

Result : Not a skin sensitizer.

sodium nitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

Lignosulfonic acid, sodium salt, sulfomethylated:

Species : Guinea pig

Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Species : Guinea pig Method : FIFRA 81.06

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

clomazone (ISO):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Rat

Method: OECD Test Guideline 473

Result: negative

Calcium chloride dihydrate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: Metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

sodium nitrate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Mouse Application Route: Oral Result: negative

Lignosulfonic acid, sodium salt, sulfomethylated:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Cell type: Liver cells

Application Route: Ingestion

Exposure time: 4 h

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

clomazone (ISO):

Species : Rat, male and female

Application Route : Oral Exposure time : 2 Years Result : negative

Species : Mouse

Method : OECD Test Guideline 453

15/31

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Result : negative

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Not classified based on available information.

Components:

clomazone (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral Symptoms: Maternal effects

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral Symptoms: Maternal effects

Result: negative

Calcium chloride dihydrate:

Effects on foetal develop-

ment

Species: Rabbit

Application Route: Oral

Dose: 1.69, 7.85, 35.6, 169 mg/kg/d Duration of Single Treatment: 13 d

General Toxicity Maternal: NOAEL: > 169 mg/kg bw/day Embryo-foetal toxicity: NOAEL: > 169 mg/kg bw/day

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

sodium nitrate:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Application Route: Oral

Result: negative

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male

Application Route: Ingestion

General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight

General Toxicity F1: NOAEL: 48 mg/kg body weight

Fertility: NOAEL: 112 mg/kg bw/day

Symptoms: No effects on reproduction parameters

Method: OPPTS 870.3800

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Components:

Calcium chloride dihydrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Repeated dose toxicity

Components:

clomazone (ISO):

Species : Rat, male and female

NOEL : 1000 ppm Application Route : Oral Exposure time : 90 days

Symptoms : increased liver weight

Species : Rat

LOAEL : 400 mg/kg

Exposure time : 90 d

Method : OECD Test Guideline 408

Symptoms : Liver effects

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

NOAEL : 15 mg/kg Application Route : Ingestion Exposure time : 28 d

Method : OECD Test Guideline 407

Symptoms : Irritation

Species : Rat, male and female

NOAEL : 69 mg/kg Application Route : Ingestion Exposure time : 90 d

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : This product contains microencapsulated active ingredients.

The toxicity of encapsulated substances is always lower than that of the substances themselves. It approaches the toxicity of the substances only in cases where grinding actions break

up the capsules, thus freeing the active ingredients.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity,

tearing eyes, bleeding from the nose and incoordination.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 64.8 mg/l

Exposure time: 96 h

Remarks: (Data on the product itself)

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Americamysis bahia (mysid shrimp)): > 24 mg/l

Exposure time: 96 h

Remarks: Active ingredient

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Diatom)): > 49.8 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201 Remarks: (Data on the product itself)

NOEC (Navicula pelliculosa (Diatom)): 4.51 mg/l

Exposure time: 72 h

Remarks: (Data on the product itself)

ErC50 (Lemna gibba (duckweed)): > 11.4 mg/l

Exposure time: 7 d

Remarks: (Data on the product itself)

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Remarks: According to calculation method of Regulation (EC)

No 1272/2008.

Components:

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6.3 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 40.8 mg/l

Exposure time: 48 h

EC50 (Daphnia (water flea)): 5.2 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12.7 mg/l

Exposure time: 48 h Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9.8 mg/l

Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0.57 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l

Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4.1 mg/l

Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0.136 mg/l

Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l

Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.05 mg/l

End point: Growth rate Exposure time: 120 h

NOEC (algae): 0.05 mg/l Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13.9 mg/l

Exposure time: 7 d

EC50 (algae): 0.136 mg/l Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC: 2.3 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: flow-through test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

NOEC: 2.29 mg/l Exposure time: 57 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 2.2 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.032 mg/l Exposure time: 28 d

Species: Americamysis bahia (mysid shrimp)

Test Type: flow-through test

NOEC: 1.25 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: static test

M-Factor (Chronic aquatic

toxicity)

1

Toxicity to soil dwelling or-

ganisms

LC50: 156 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

LD50: > 2,510 mg/kg

Species: Anas platyrhynchos (Mallard duck)

LC50: > 5620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LD50: > 2000

Species: Coturnix japonica (Japanese quail)

NOEC: 94 mg/kg

End point: Reproduction Test Species: Colinius virginianus

LC50: > 85.29

Species: Apis mellifera (bees)

LC50: > 100

Species: Apis mellifera (bees)

Remarks: Contact

Calcium chloride dihydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,630 mg/l

Exposure time: 96 h Test Type: static test

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 2,400 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): 2,900 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

EC50: 610 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

sodium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 8,600 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 : > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 157 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l

Exposure time: 96 h

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7

mg/l

Exposure time: 96 h Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

1

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

degradable components, which may not be degradable in

waste water treatment plants.

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.

Remarks: Substance/product is moderately persistent in the

environment.

Primary degradation half-lives vary with circumstances, from a

few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 5 %

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

17.03.2025 50003065 Date of first issue: 01.05.2020 1.1

Exposure time: 28 d

Method: OECD Test Guideline 301E

1,2-benzisothiazol-3(2H)-one:

Biodegradability Result: rapidly biodegradable

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

clomazone (ISO):

Bioaccumulation Bioconcentration factor (BCF): 27 - 40

Remarks: Low potential for bioaccumulation

log Pow: 2.61 - 2.69 (20 - 21 °C)

Partition coefficient: n-

pH: 4 - 10

octanol/water

Method: Regulation (EC) No. 440/2008, Annex, A.8

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation Remarks: Low potential for bioaccumulation

Partition coefficient: n-

octanol/water

log Pow: -3.45

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 56 d

Bioconcentration factor (BCF): 6.62 Method: OECD Test Guideline 305

Remarks: Substance is not persistent, bioaccumulative, and

toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 0.7 (20 °C)

pH: 7

log Pow: 0.99 (20 °C)

pH: 5

12.4 Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Components:

clomazone (ISO):

Distribution among environ-

mental compartments

Koc: 300 ml/g, log Koc: 2.47

Remarks: Moderately mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments

Koc: 9.33 ml/g, log Koc: 0.97 Method: OECD Test Guideline 121 Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

clomazone (ISO):

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Endocrine disrupting poten-

tial

The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Do not re-use empty containers.

Packaging that is not properly emptied must be disposed of as

the unused product.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clomazone)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clomazone)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clomazone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Clomazone)

IATA : Environmentally hazardous substance, liquid, n.o.s.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

(Clomazone)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

acetic acid (Number on list 3)

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

Not applicable

Control of Major Accident Hazards Regulations E1

2015 (COMAH)

ENVIRONMENTAL HAZARDS

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TECI: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

Classification of the mixture: Classification procedure:

Aquatic Chronic 1 H410 Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



CLEANCROP® CHICANE

Version Revision Date: SDS Number: Date of last issue: -

1.1 17.03.2025 50003065 Date of first issue: 01.05.2020

GB / 6N