

EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

This SDS adheres to the standards and regulatory requirements of the United Stated and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : EXPRESS[®] HERBICIDE

Tradename/Synonym : B10044203

DPX-L5300 75WG

SDS Number : 13000000493

Product Use : Herbicide

Manufacturer : FMC Corporation

2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Medical Emergency : 1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527 3887 (CHEMTREC - Alternate)

Other information : professional use

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

Skin : May cause: Irritation with discomfort or rash.

Eyes : May cause: Eye irritation, Discomfort, tearing, Blurred vision.

Inhalation

Sodium carbonate : May cause respiratory tract irritation.

Target Organ

Sodium carbonate : Respiratory Tract

Carcinogenicity



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Tribenuron methyl IUPAC name: methyl 2-[4-methoxy-6-methyl-1,3,5-triazin-2yl(methyl)carbamoylsulfamoyl]benzoate	101200-48-0	75 %
Sodium carbonate	497-19-8	4 %
Other Ingredients		21 %

SECTION 4. FIRST AID MEASURES

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : Remove person to fresh air. If signs/symptoms continue, get medical

attention. Artificial respiration and/or oxygen may be necessary. Call a poison

control center or doctor for treatment advice.

Ingestion : Obtain medical attention. DO NOT induce vomiting unless directed to do so

by a physician or poison control center. If victim is conscious: Rinse mouth

with water.

General advice : Never give anything by mouth to an unconscious person. See Section 1 for

emergency phone numbers.



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : Not applicable

Auto-ignition temperature : 400 °C (752 °F)

Lower explosion limit/ lower

flammability limit

: 0.365 mg/m³

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)

Unsuitable extinguishing

: High volume water jet, (contamination risk)

media

Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus.

(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and

3/8



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 13000000493

change into clean clothing. Remove clothing/PPE immediately if material gets

inside. Wash thoroughly and put on clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Store in a cool, dry place. Keep out of the reach of

Stable under recommended storage conditions.

: < 50 °C (< 122 °F) Storage temperature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation.

Personal protective equipment

Respiratory protection

: Half mask with a particle filter P2 (EN 143) Hand protection Material: Nitrile rubber

Glove thickness: 0.4 - 0.7 mm Wearing time: 480 min

Additional protection: Take note of the information given by the producer concerning permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

: Safety glasses Eye protection

Skin and body protection

Protective measures

: Lightweight protective clothing

The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or

physical damage or if contaminated. Only protected handlers may be in the

area during application.

Exposure Guidelines Exposure Limit Values

None established.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

Form : solid, granular Color : light brown Odor : mild, sweet

: 8.0 at 10 g/l 25 °C (77 °F) pΗ Melting point/range Not available for this mixture.
 730 kg/m³

Bulk density Water solubility : dispersible

SECTION 10. STABILITY AND REACTIVITY

: No decomposition if stored and applied as directed. Stability

: Processing temperature > 140 °C (> 284 °F) Conditions to avoid

> Decomposes slowly on exposure to water. To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form

explosive mixtures in air.

Incompatibility : None reasonably foreseeable.

Hazardous decomposition

products

: Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

Hazardous reactions : No dangerous reaction known under conditions of normal use.

Polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

GRANSTAR® HERBICIDE Dermal LD₅₀

: > 5,000 mg/kg , Rat

Oral LD₅₀ : > 5,000 mg/kg , Rat

Skin irritation slight irritation, Rabbit

Eye irritation slight irritation, Rabbit

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral Rat 28 d

5/8

FMC

EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

No adverse effect has been observed in chronic toxicity tests.

Tribenuron methyl

Inhalation 4 h LC_{50} : > 6.0 mg/l , Rat

Skin sensitization : Causes sensitisation., Guinea pig

Carcinogenicity : Not classifiable as a human carcinogen.

An increased incidence of tumours was observed in laboratory

animals. Target(s):

Mammary glands

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Sodium carbonate

Inhalation 4 h LC_{50} : 1.15 mg/l , Rat

Target Organs: Respiratory Tract

Respiratory irritation

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Evidence suggests this substance does not cause genetic damage in

animals.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

EXPRESS[®] HERBICIDE

96 h LC₅₀ : Oncorhynchus mykiss (rainbow trout) 260 mg/l

96 h LC₅₀ : Lepomis macrochirus (Bluegill sunfish) 340 mg/l

48 h EC_{50} : Daphnia magna (Water flea) > 1,000 mg/l

6/8



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

21 d : NOEC Oncorhynchus mykiss (rainbow trout) > 560 mg/l

21 d : NOEC Daphnia magna (Water flea) 120 mg/l

Tribenuron methyl

120 h EC₅₀ : Pseudokirchneriella subcapitata (microalgae) 0.0208 mg/l

14 d EC₅₀ : Lemna gibba (duckweed) 0.00424 mg/l

Environmental Fate

Sodium carbonate

Biodegradability : The methods for determining biodegradability are not applicable to

inorganic substances.

Bioaccumulation : Does not bioaccumulate.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Container disposal: : Container Refilling and Disposal:

Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

Environmental Hazards : Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron methyl)

Class : 9
Packing group : III
Labelling No. : 9MI

IMDG UN number : 3077



EXPRESS® HERBICIDE

Version 1.0

Revision Date 08/01/2019 Ref. 130000000493

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Tribenuron methyl)

Class : 9
Packing group : III
Labelling No. : 9

Not regulated as a hazardous material by DOT.

SECTION 15. REGULATORY INFORMATION SARA 313 Regulated Chemical(s): Tribenuron methyl

Title III hazard classification:

Acute Health Hazard: No Chronic Health Hazard: Yes

Fire: No

Reactivity/Physical hazard: No

Pressure: No

SECTION 16. OTHER INFORMATION

SDS preparation date : 08/01/2019

® Registered trademark of FMC Corporation

Contact Person : FMC Corporation

2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.