

Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	4525	Page 1 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019
Safety data sheet according to EU Reg. 1907/2006 as amended Supersedes December 2018		Supersedes December 2018

SAFETY DATA SHEET 4525, GLYPHOSATE 450 g/I SL

Revision: Sections containing a revision or new information are marked with a .

+370 687 53378

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

4525, GLYPHOSATE 450 g/I SL 1.1. Product identifier **ENVISION** Trade name 1.2. Relevant identified uses of the substance or mixture and uses advised against Can be used as herbicide only. 1.3. Details of the supplier of the safety FMC Agricultural Solutions A/S data sheet Thyborønvej 78 DK-7673 Harboøre Denmark SDS.Ronland@fmc.com 1.4. Emergency telephone number + 45 97 83 53 53 (24 h; for emergencies only) *Company* **Medical emergencies:** Luxembourg: +352 8002 5500 Austria: +43 1 406 43 43 Netherlands: +31 30 274 88 88 Belgium: +32 70 245 245 Bulgaria: +359 2 9154 409 Norway: +47 22 591300 Poland: +48 22 619 66 54 Cyprus: 1401 +48 22 619 08 97 Czech Republic: +420 224 919 293 Portugal: 808 250 250 (in Portugal only) +420 224 915 402 Denmark: +45 82 12 12 12 +351 21 330 3284 Romania: +40 21318 3606 England and Wales: 111 Scotland: +8454 24 24 24 Estonia: +372 7943500 Slovakia: +421 2 54 77 4 166 France: +33 (0) 1 45 42 59 59 Slovenia: +386 41 650 500 Finland: +358 9 471 977 South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.) Greece: 30 210 77 93 777 Spain: +34 91 562 04 20 Hungary: +36 80 20 11 99 Sweden: +46 08-331231 Ireland (Republic): +353 1 837 9964 Italy: +39 02 6610 1029 112 Switzerland: 145 Latvia: +371 670 42 473 Turkey: 114 112 U.S.A. & Canada: +1 800 / 331 3148 Lithuania: +370 523 62052 All other countries: +1 651 / 632 6793 (Collect)



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 2 of 13
Product name	4525, GLYPHOSATE 450 g/I SL	
		July 2019

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or

mixture None

Health hazards The product has mildly irritating properties.

all green plants.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Hazard pictogramsNoneSignal wordNoneHazard statementsNonePrecautionary statementsNone

Supplementary hazard statements

EUH210 Safety data sheet available on request.

EUH401 To avoid risks to human health and the environment, comply with the

instructions of use.

or vPvB.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. **Mixtures** See section 16 for full text of hazard statements.

The product contains 607 g/l of the pure active ingredient glyphosate as its isopropylamine salt, equivalent to 450 g/l of the free acid

glyphosate.

Glyphosate Content: 37% by weight

CAS name Glycine, N-(phosphonomethyl)-

IUPAC name(s) N-(Phosphonomethyl)glycine

 ISO name/EU name
 Glyphosate

 EC no. (EINECS no.)
 213-997-4

 EU index no.
 607-315-00-8

Classification of the ingredient Eye damage: Category 1 (H318)

Hazards to the aquatic environment, chronic: Category 2 (H411)



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 3 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

Structural formula	ноосс	O H ₂ NHCH ₂ —P	ОН	
Glyphosate isopropylamine salt CAS name CAS no. IUPAC name EU name Common name Other name(s) EC no. (EINECS no.) EU index no. Classification of the ingredient Structural formula	Glycine, 38641-94 - N-(phosp Glyphosa Glyphosa 254-056- 015-184- Hazards	thonomethyl)gly the isopropylami te-isopropylam 8 00-8 to the aquatic er	vcine, compound ine salt monium	with 2-propanamine (1:1) I with 2-propylamine (1:1) onic: Category 2 (H411) CH(CH ₃) ₂
Reportable ingredients	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Poly(oxy-1,2-ethanediyl), α-phosphono-ω-butoxy-, isopropylamine salt	max. 4	431040-31-2	None	Skin Corr. 1C (H314) Eye Dam. 1 (H318)
2-(2-(2-Butoxyethoxy)ethoxy)ethanol	max. 1	143-22-6	205-592-6	Eye Dam. 1 (H318)
Alcohols, C8-10 (even numbered), ethoxylated	max. 1	71060-57-6	None	Acute Tox. 4 (H302) Eye Dam. 1 (H318)

SECTION 4: FIRST AID MEASURES

4.2. Most important symptoms and

effects, both acute and delayed

4.1.	Description of first aid measures Inhalation	If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
	Skin contact	Remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. See physician if irritation develops.
	Eye contact	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. Get medical attention immediately.
	Ingestion	Immediately rinse mouth and drink milk or water. Do not induce vomiting. If vomiting does occur, rinse mouth and drink fluids again. Call a doctor or get medical attention.

Primarily irritation.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 4 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required in case of eye contact.

It may be helpful to show this safety data sheet to physician.

Note to physician

The irritating effects of this product can be treated as usual against effects of acids or acid fumes. Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are carbon monoxide, carbon dioxide, phosphorus pentoxide and nitrogen oxides

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, sealable vessels (not metal) for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

- 1. use personal protection equipment; see section 8
- 2. call emergency telephone no.; see section 1
- 3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and boots.

Stop the source of the spill immediately if safe to do so. Avoid and reduce mist formation as much as possible. Personal exposure by splashing must be avoided.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 5 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

If appropriate, surface water drains should be covered. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, bentonite, attapulgite or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with detergent and rinse with water. Absorb wash liquid with absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See subsection 8.2. for personal protection. See section 13 for disposal.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

In an industrial environment, it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Avoid contact with eyes, skin or clothing. Avoid breathing vapour or spray mist. Wash thoroughly after handling. Remove contaminated clothing immediately. Then wash thoroughly and put on clean clothing.

The product or its spray solutions should be stored in stainless steel, aluminium, fiberglass, plastic or plastic-lined containers only. See subsection 10.5.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage.

Store in closed, labelled containers. The storage room should be



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 6 of 13
Product name	4525, GLYPHOSATE 450 g/I SL	
		July 2019

constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. **Specific end use(s)**

This product is a registered pesticide, which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. **Control parameters** To our knowledge, personal exposure limits have not been established

for glyphosate or any other component in this product. However, personal exposure limits defined by local regulations may exist and

must be observed.

Glyphosate free acid

EFSA has established an AOEL of 0.2 mg/kg bw/day

PNEC, aquatic 0.028 mg/l

8.2. **Exposure controls** When used in a closed system, personal protection equipment will not

be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-

hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be

recommended for spraying as well.

Res

Respiratory protection

The product is not likely to present an airborne exposure concern during normal handling, but in the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a

universal filter type including particle filter.



Protective gloves

Wear heavy duty, natural rubber gloves. The breakthrough times of these gloves for glyphosate are unknown, but it is expected that they will give adequate protection. It is recommended to limit the work to

be done manually.



Eye protection

Wear safety glasses, goggles or face shield. It is recommended to have an eye wash fountain immediately available in the workplace when

there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant



Thyborønvej 78 DK-7673 Harboøre Denmark

+45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	4525	Page 7 of 13
Product name	4525, GLYPHOSATE 450 g/I SL	
		July 2019

material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Yellow liquid Appearance

Slight amine-like odour Odour

Odour threshold Not determined

Undiluted: 5.1 at 25°C pH

1% solution in water: 5.05 at 25°C

Melting point/freezing point Below 0°C Initial boiling point and boiling range Above 100°C Above 100°C if any Flash point Evaporation rate Not determined Flammability (solid/gas) Not applicable (liquid)

Upper/lower flammability or

explosive limits Not determined Vapour pressure 9.9 x 10³ Pa at 55°C Not determined Vapour density Relative density Not determined

Density: 1.201 g/ml at 20°C

Solubility of glyphosate isopropylamine salt at 20°C in Solubility(ies)

Not oxidising

dichloromethane 0.184 g/lmethanol 15.88 g/l

Solubility of glyphosate free acid in water: 10.5 g/l at 20°C.

Do not store this product in galvanised or unlined steel containers.

Partition coefficient n-octanol/water

Glyphosate free acid: $log K_{ow} = -3.3$ Not determined Autoignition temperature Not determined Decomposition temperature 126.7 mPa.s at 20°C Viscosity Explosive properties Not explosive Oxidising properties

9.2. Other information

Miscibility The product is miscible with water.

SECTION 10: STABILITY AND REACTIVITY

10.5. Materials to avoid

10.1.	Reactivity	To our knowledge, the product has no special reactivities.
10.2.	Chemical stability	The product is stable during normal handling and storage at ambient temperatures.
10.3.	Possibility of hazardous reactions	None known
10.4.	Conditions to avoid	Heating of the product will produce harmful and irritant vapours.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 8 of 13
Product name	4525, GLYPHOSATE 450 g/I SL	
		July 2019

Stainless steel may be used. The product or its spray solutions may react with such containers to produce hydrogen gas which could flash or explode if ignited.

To our knowledge, no specific effects have been observed after single

The following has been measured on the active ingredient glyphosate: In long-term studies with glyphosate free acid, the first minor effects (body weight and liver weight changes) were noted in rats at exposure

10.6. **Hazardous decomposition products** See subsection 5.2.

♣ SE	♣ SECTION 11: TOXICOLOGICAL INFORMATION				
11.1.	Information on toxicological effects	* = Based on available data, the classification criteria are not met.			
	Product Acute toxicity	The product is practically non-toxic. * However, it should always be treated with the usual care of handling chemicals.			
		No significant adverse health effects are expected if only small amounts (less than a mouthful) are swallowed. Ingestion of similar formulations has been reported to produce gastrointestinal discomfort with nausea, vomiting and diarrhoea. Ingestion of large quantities of a similar product has been reported to result in hypotension and lung oedema.			
	The acute toxicity of the product is m	easured as:			
	Route(s) of entry - ingestion	LD_{50} , oral, rat: > 2000 mg/kg (method OECD 401)			
	- skin	LD_{50} , dermal, rat: $> 4000 \text{ mg/kg}$ (method OECD 402)			
	- inhalation	LC_{50} , inhalation, rat: > 4.72 mg/l/4 h (method OECD 403) (measured on a similar product; no signs of toxicity at this concentration)			
	Skin corrosion/irritation	Not irritating to skin (method OECD 404). *			
	Serious eye damage/irritation	Not irritating to eyes (method OECD 405). *			
	Respiratory or skin sensitisation	Not sensitising (method OECD 406). *			
	Germ cell mutagenicity	The product contains no ingredients known to be mutagenic. *			
	Carcinogenicity	The product contains no ingredients known to be carcinogenic. * However, in demographic studies it was found that glyphosate formulations may have carcinogenic effects. These results are widely debated and discussions have not yet come to a final conclusion.			
	Reproductive toxicity	The product contains no ingredients known to have adverse effects on			

reproduction. *

exposure. *

STOT – single exposure

STOT – repeated exposure



FMC Agricultural Solutions A/S Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 9 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

		levels of 60 - 100 mg glyphosate/kg bw/day. No signs of toxicity were found at any level, including the highest exposure level of 4800 mg glyphosate/kg bw/day. *	
Aspiration hazard		The product does not present an aspiration hazard. *	
Symptoms and effect delayed		Mild irritation may occur.	
Glyphosate isopro		The substance is practically non-toxic. *	
The acute toxicity of	f the substance is r	neasured as:	
Route(s) of entry	- ingestion	LD_{50} , oral, rat: > 2000 mg/kg (method FIFRA 81.01)	
	- skin	LD ₅₀ , dermal, rat: > 4000 mg/kg (method FIFRA 81.02)	
	- inhalation	LC_{50} , inhalation, rat: > 4.72 mg/l/4 h (method FIFRA 81.03) (no signs of toxicity at this concentration)	
Skin corrosion/irrita	tion	Not irritating to skin (method FIFRA 81.05). *	
Serious eye damage.	/irritation	Not irritating to eyes (method FIFRA 81.04). *	
Respiratory or skin	sensitisation	Not sensitising (method FIFRA 81.06). *	
Glyphosate Toxicokinetics, metabolism and distribution		After oral intake, glyphosate is rapidly absorbed but only to a limited extent (approx. 30%). Metabolism is very limited and excretion is rapid and nearly complete. Distribution is generally low with residues occurring in all tissues. There is no evidence of accumulation.	
Acute toxicity		The substance is practically non-toxic. * The acute toxicity of the substance is measured as:	
Route(s) of entry	- ingestion	LD_{50} , oral, rat: > 5000 mg/kg (method OECD 401)	
	- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg (method OECD 402)	
	- inhalation	LC_{50} , inhalation, rat: > 5 mg/l/4 h (method OECD 403) (no signs of toxicity at this concentration)	
Skin corrosion/irritation		Not irritating to skin (method FIFRA 81.05). *	
Serious eye damage/irritation		Irritating to eyes (method FIFRA 81.04).	
Respiratory or skin sensitisation		Not sensitising (method OECD 406). No allergic effects on humans have been reported. *	
Carcinogenicity		No indications of carcinogenic effects were found in 8 studies on glyphosate and no study on glyphosate itself has shown possible carcinogenic effects.	



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 10 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

SECTION 12: ECOLOGICAL INFORMATION				
SECT	TION 12: ECOLO	JGICAL INFORMA	ATION	
12.1.	Toxicity			refore expected to be harmful to all ful to fish and aquatic invertebrates. birds and soil micro- and
	The ecotoxicity of	of the product is meas	ured as:	
	- Fish	Rainbow trout (On	corhynchus mykiss)	96 h-LC ₅₀ : > 1000 mg/l
	- Invertebrates	Daphnids (Daphnid	a magna)	48 h-EC ₅₀ : > 1000 mg/l
	- Algae	Green algae (Pseuc	dokirchneriella subcapitata)	72-h IC ₅₀ : 105.8 mg/l
	- Plants	Duckweed (Lemna	gibba)	7-day NOEC: 3.19 mg/l
	- Birds	Japanese quail (Co.	turnix coturnix japonica)	LD_{50} : > 3340 mg/kg
	- Earthworms	Eisenia foetida		14-day LD ₅₀ : > 10000 mg/kg soil
	- Bees	Honeybee (Apis me	ellifera africanised)	LD_{50} , acute oral: > 100 µg/bee
12.2.	Persistence and degradability		Glyphosate is not readily biodegradable. It undergoes slow degradation in the environment and in waste water treatment plants. No adverse effects are found at concentrations up to 100 mg/l in waste water treatment plants. Degradation is mainly microbiological and aerobic, but anaerobic degradation does also occur. Primary degradation half-lives in the environment vary much with circumstances, but are usually around 3 - 30 days in aerobic soil and water. The product contains minor amounts of not readily biodegradable ingredients, which may not be degradable in a waste water treatment plant.	
12.3.	Bioaccumulative	e potential	See section 9 for octanol-water pa	rtition coefficient.
			Glyphosate is not expected to bio bioaccumulation of glyphosate, bo systems, only low bioaccumulation	oth in marine and freshwater
12.4.	Mobility in soil		In the environment glyphosate is a deactivated by adsorption to clay p to soil.	not mobile, but is rapidly particles. Glyphosate binds strongly
12.5.	Results of PBT assessment	and vPvB	The substance does not meet the c	riteria for being PBT or vPvB.
12.6.	Other adverse e	ffects	Other relevant hazardous effects in	n the environment are not known.
SECT	TION 13: DISPOS	SAL CONSIDERAT	IONS	
2201	DECITOR DESIGNATION			

13.1. Waste treatment methods

Remaining quantities of the material and empty but unclean packaging



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 11 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

should be regarded as hazardous waste.

Disposal of waste and packagings must always be in accordance with all applicable local regulations.

possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with

flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage or

disposal. Do not discharge to sewer systems.

following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.

- 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
- 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
- 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/IMDG/IATA/ICAO classification

14.1.	UN number	Not classified as hazardous material for transport
14.2.	UN proper shipping name	Not applicable
14.3.	Transport hazard class(es)	Not applicable
14.4.	Packing group	Not applicable
14.5.	Environmental hazards	The product may be harmful in the environment.
14.6.	Special precautions for user	Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.
14.7.	Transport in bulk according to Annex II of MARPOL and the IBC code	The product is not transported in bulk by ship.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 12 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

To our knowledge, no specific regulations apply.

All ingredients are covered by EU chemical legislation.

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this

product.

SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet	Minor co	rrections only.
List of abbreviations	AOEL	Acceptable Operator Exposure Level
	CAS	Chemical Abstracts Service
	Dir.	Directive
	DNEL	Derived No Effect Level
	EC	European Community
	EC_{50}	50% Effect Concentration
	EFSA	European Food Safety Authority
	EINECS	European INventory of Existing Commercial Chemical Substances
	FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
	GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
	IBC	International Bulk Chemical code
	ISO	International Organisation for Standardization
	IUPAC	International Union of Pure and Applied Chemistry
	LC_{50}	50% Lethal Concentration
	LD_{50}	50% Lethal Dose
	MARPO	L Set of rules from the International Maritime Organisation
		(IMO) for prevention of sea pollution
	NOEC	No Observed Effect Concentration
	OECD PBT	Organisation for Economic Cooperation and Development Persistent, Bioaccumulative, Toxic
	PNEC	Predicted No Effect Concentration
	Reg.	Regulation
	SL	Soluble concentrate
	STOT	Specific Target Organ Toxicity
	vPvB	very Persistent, very Bioaccumulative
	WHO	World Health Organisation
References		sured on the formulation and acute toxicity data measured on
		e ingredient are unpublished company data. Other data for the are taken from the EU evaluation of the substance.
Method for classification	Test data	
Used hazard statements	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	4525	Page 13 of 13
Product name	4525, GLYPHOSATE 450 g/l SL	
		July 2019

H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.
EUH401	To avoid risks to human health and the environment,
	comply with the instructions of use.
This mate	rial should only be used by persons who are made aware of

its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Agricultural Solutions A/S / GHB

Advice on training