

Product Name: PrecisionPac® DB-878 Herbicide (PCP#32955)

PrecisionPac® DB-878 Herbicide is considered a mechanical mixture of two individual products. Attached are the component product SDS which make up PrecisionPac® DB-878 Herbicide:

Express[®] 50 SG MUP PCP # 28176

MSDS Date: 03/01/2018

Ref: 130000012165

Dry Dicamba MUP PCP # 28735

MSDS Date: 01/29/2018

Ref: 130000148580

Please read the SDS in order to have a complete understanding of all the risks associated with each product before use.

Manufacturer/Distributor:

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 USA

Telephone Numbers:

Product Information: 1-215-299-6000

Medical Emergency: 1-800-331-3148 (USA & Canada)

Preparation Date: 01/29/2019

Member of CropLife Canada

®/TM Registered trademarks/trademarks of FMC Corporation or an affiliate.



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Express® 50 SG MUP

Tradename/Synonym : B11646119

DPX-L5300 50SG Tribenuron methyl 50SG Affinity 2 Herbicide Affinity 50 SG Granstar 50 SG

Tribenuron methyl: Methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-

yl)methylamino]carbonyl]amino]sulfonyl]benzoate

Express® SG MUP

SDS Number : 130000012165

Product Use : Herbicide

Manufacturer : FMC Corporation

2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Medical Emergency : 1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1800 / 424 9300 (CHEMTREC - U.S.A.) 1703 / 741-5970 (CHEMTREC - International) 1703 / 527 3887 (CHEMTREC - Alternate)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

Tribenuron methyl : May cause allergic skin reaction.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Tribenuron methyl	101200-48-0	50 %
Other Ingredients		50 %

SECTION 4. FIRST AID MEASURES

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Inhalation : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Remove person to fresh air. If signs/symptoms continue, get medical

attention. Artificial respiration and/or oxygen may be necessary. Call a poison

control center or doctor for treatment advice.

Ingestion : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

See Section 1 for emergency phone numbers. See Label for Additional

Precautions and Directions for Use.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : Not applicable

Fire and Explosion Hazard : Not a fire or explosion hazard. Under severe dusting conditions, this material

may form explosive mixtures in air.

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus.

(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Wash the outside of gloves before removing. Remove personal protective equipment immediately after handling this product. As

soon as possible, wash thoroughly and change into clean clothing.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Storage : Store in original container. Do not contaminate water, other pesticides,

fertilizer, food or feed in storage. Store in a cool, dry place. Keep out of the

reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Use only with adequate ventilation.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Shoes plus socks

Chemical resistant gloves made of any waterproof material, such as

polyethylene or polyvinyl chloride.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of any waterproof material

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Notify workers of the application by warning them orally or by posting warning signs at entrances to treated areas.

Exposure Guidelines
Exposure Limit Values

No data available



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid, granular Color : light brown

Odor : mild

pH : 8.4 - 9.4 at 10 g/l 20 °C (68 °F)

(1% solution in water)

Oxidizing Substance : The product is not oxidizing.

Bulk density : 640 kg/m3

packed

Water solubility : soluble

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.

Conditions to avoid : None reasonably foreseeable.

Incompatibility : No materials to be especially mentioned.

Hazardous reactions : Polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Express® SG herbicide

Dermal LD50 : > 5,000 mg/kg, Rat

Oral LD50 : > 5,000 mg/kg, Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Sensitisation : The product is a skin sensitiser, sub-category 1B., Guinea pig

Tribenuron methyl

Inhalation 4 h LC50 : > 6.0 mg/l, Rat

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

5/8



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

exceed those expected under labeled usage conditions.

Oral - feed Mouse 90 d

Reduced body weight gain

Oral Rat 28 d

Reduced body weight gain

Carcinogenicity : Not classifiable as a human carcinogen.

An increased incidence of tumours was observed in laboratory

animals. Target(s): Mammary glands

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Express[®] SG herbicide

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 120 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (microalgae) > 0.080 mg/l

48 h EC50 : Daphnia (water flea) > 120 mg/l

Additional ecological information : Do not apply directly to water, or to areas where surface water is

present, or to intertidal areas below the mean high water mark. Do not

contaminate water when cleaning equipment or disposing of

equipment washwaters or rinsate.

SECTION 13. DISPOSAL CONSIDERATIONS



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Container disposal: : Container Refilling and Disposal:

Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron methyl)

Class : 9
Packing group : III
Labelling No. : 9MI

IMDG UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Tribenuron methyl)

Class : 9
Packing group : III
Labelling No. : 9

Not regulated as a hazardous material by TDG.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

SECTION 15. REGULATORY INFORMATION

PCP Registration # : 28176



Express® 50 SG MUP

Version 1.0

Revision Date 03/01/2018 Ref. 130000012165

Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 03/01/2018

® Registered trademark of FMC Corporation

Contact person : FMC Corporation

2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Significant change from previous version is denoted with a double bar.

SAFETY DATA SHEET

Dry Dicamba MUP

SDS #: 130000148580-A **Revision date**: 2018-01-29

Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Dry Dicamba MUP

Other means of identification

Product Code(s) 130000148580-A

PCP # 28735

Recommended use of the chemical and restrictions on use

Recommended Use: To be used as an active ingredient in herbicides only

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1800 / 424 9300 (CHEMTREC - U.S.A.) 1703 / 741-5970 (CHEMTREC - International) 1703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

Dry Dicamba MUP

SDS #: 130000148580-A **Revision date:** 2018-01-29

Version 1

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P281 - Use personal protective equipment as required

P273 - Avoid release to the environment

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention

P391 - Collect spillage

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Harmful to aquatic life with long lasting effects.

Excessive dust formation may pose a dust explosion hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Sodium 3,6-dichloro-o-anisate	1982-69-0	77 - 78.5

Synonyms are provided in Section 1.

4	FIRST	MFΔ	SUR	FS

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a physician or poison control center immediately. Have person sip a glass of water if

able to swallow. Do not induce vomiting unless told to do so by a poison control center or

doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may occur after several hours; therefore medical observation for at

least 48 hours after the accident is warranted.

Indication of immediate medical attention and special treatment

needed, if necessary

Treatment is symptomatic and supportive. Show this material safety data sheet to the doctor in attendance.

Version 1

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical, carbon dioxide, water spray or regular foam. Cool containers with flooding

quantities of water until well after fire is out. Dike fire control water for later disposal; do not

scatter the material.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific Hazards Arising from the Chemical

Dust may form explosive mixture in air. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Burning chemicals may produce by-products more toxic than the original material.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available.

Static electricity might be sufficient to ignite dust clouds. Possibility of ignition will depend on the minimum ignition energy (MIE) and the type of operations undertaken with the material. MIE values are not provided in this SDS.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Evacuate non-essential personnel. Keep people away from and upwind of spill/leak. Isolate

and post spill area. Avoid dust formation. Do not breathe dust. Ensure adequate ventilation. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains. Keep out of waterways.

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike far ahead of spill to collect runoff

water. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for cleaning up

Use clean non-sparking tools to collect material and place it into loosely covered plastic

containers for later disposal. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for

disposal according to local/national regulations (see Section 13).

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation. Avoid dust formation. Handle in accordance with good

industrial hygiene and safety practice. Wash hands before eating, drinking, chewing gum, using tobacco, or using toilet. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. Wash thoroughly after handling. Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and

water before reuse. Check regularly for leaks.

Storage Storage Store at 0° - 30 °C. Keep away from open flames, hot surfaces and sources of ignition.

Keep container tightly closed in a dry and well-ventilated place. Avoid contact with water or humidity. Keep away from direct sunlight. Keep out of reach of children and animals.

Incompatible products Strong acids, strong bases

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Version 1

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes. Wear impervious protective clothing,

including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Avoid contact with skin and clothing. Chemical resistent gloves and boots are

recommended.

Hand Protection Wear chemical protective gloves made of materials such as nitrile or neoprene. Please

observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion and the contact time.

Respiratory ProtectionUse only with adequate ventilation. Wear respirator with particle filter mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance No information available

Physical State Solid
Color Light brown
Odor Nearly odorless

Odor threshold No information available

oH 7.3 - 7.5

Melting point/freezing point

Boiling Point/Range

No information available
No information available

Flash point Not applicable

Evaporation Rate
Flammability (solid, gas)
Flammability Limit in Air

No information available
Not highly flammable

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Density
No information available
0.58 - 0.61 g/cm³ @ 20°C
No information available

Water solubility Soluble in water

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity, kinematic
Viscosity, dynamic

No information available
No information available
No information available
No information available

Explosive properties Product is not explosive, but the formation of explosive dust air mixtures are possible

Version 1

Oxidizing propertiesNo information availableMolecular weightNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks Incompatible materials Strong acids, strong bases.

Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 > 2000 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rat)

 LC50 Inhalation
 > 4.3 mg/L (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation

Slightly or non-irritating (rabbit).

Non-irritating.

Sensitization May cause sensitization by skin contact

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

MutagenicityNo known mutagenic or teratogenic effects.CarcinogenicityNo evidence of carcinogenicity from animal studiesReproductive toxicityNo toxicity to reproduction in animal studies.

Developmental toxicityNot teratogenic in animal studies.

STOT - single exposure May cause damage to organs. See listed target organs below.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effectsPossible risk of impaired fertilityAspiration hazardNo information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

Persistence and degradability Not readily biodegradable.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

Version 1

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be warn while bendling materials for waste disposal.

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOTNot regulated for transportation if shipped in Non Bulk packaging. The classification below

pertains to the shipment in Bulk packaging.

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s. (dicamba)

Hazard class 9
Packing Group III

Marine Pollutant Dicamba.

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (dicamba)

TDG

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Dicamba.

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (dicamba)

ICAO/IATA

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (dicamba)

IMDG/IMO

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Dicamba

Description UN3077, Environmentally hazardous substance, solid, n.o.s. (dicamba)

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Sodium 3,6-dichloro-o-anisate - 1982-69-0	1982-69-0	77 - 78.5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No

Version 1

Sudden release of pressure hazard No Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium 3,6-dichloro-o-anisate	X		
1982-69-0			

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium	Х	Х	X					
3,6-dichloro-o-anisate 1982-69-0								

CANADA

WHMIS Statement

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION	

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2018-01-29
Reason for revision: Initial Release

Version 1

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet