

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** SAFARI®

#### Other means of identification

**Product code** 50001015

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Can be used as herbicide only.  
stance/Mixture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier Address

FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Carcinogenicity, Category 2

H351: Suspected of causing cancer.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H351 Suspected of causing cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

triflurosulfuron-methyl

#### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version 1.1	Revision Date: 02.07.2025	SDS Number: 50001015	Date of last issue: - Date of first issue: 03.01.2018
----------------	------------------------------	-------------------------	--

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
triflusulfuron-methyl	126535-15-7 607-714-00-7	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Carc. 2; H351  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
Substances with a workplace exposure limit :			
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6 238-877-9		>= 10 - < 20
Sucrose	57-50-1 200-334-9		>= 10 - < 20

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection  
and use the recommended protective clothing  
Avoid inhalation, ingestion and contact with skin and eyes.  
If potential for exposure exists refer to Section 8 for specific  
personal protective equipment.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version 1.1	Revision Date: 02.07.2025	SDS Number: 50001015	Date of last issue: - Date of first issue: 03.01.2018
----------------	------------------------------	-------------------------	--

---

advice.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

- |                         |   |   |
|-------------------------|---|---|
| In case of skin contact | : | If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention if irritation develops and persists.                         |
| In case of eye contact  | : | Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.  |
| If swallowed            | : | Obtain medical attention.<br>If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.<br>Rinse mouth with water.<br>Never give anything by mouth to an unconscious person. |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |  |
|----------|---|--|
| Symptoms | : | Possibly irritation<br>Generally, sulphonylurea herbicides cause lethargy, confusion, dizziness, seizures and coma on ingestion. |
| Risks    | : | Suspected of causing cancer.   |

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |   |
|-----------|---|---|
| Treatment | : | Treat symptomatically.<br>Immediate medical attention is required in case of ingestion. |
|-----------|---|---|
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |  |
|--------------------------------|---|--|
| Suitable extinguishing media   | : | Dry chemical, CO2, water spray or regular foam.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams.<br>High volume water jet  |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |   |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
|---------------------------------------|---|---|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Fluorine compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Firefighters should wear protective clothing and self-contained breathing apparatus. Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : If it can be safely done, move undamaged containers away from the fire.

Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Ensure adequate ventilation.  
Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Pick up and transfer to properly labeled containers without creating dust.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Avoid dust formation. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands and face before breaks and immediately after handling the product.

General industrial hygiene practice. Do not breathe dust.  
Avoid contact with skin, eyes and clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Observe label precautions.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage (0 - 40°C). Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	TWA (Respirable dust)	1 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	0.1 mg/m <sup>3</sup>	2004/37/EC
Further information: Carcinogens or mutagens				
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	GB EH40
		STEL	20 mg/m <sup>3</sup>	GB EH40

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	Workers	Inhalation	Long-term systemic effects	2.16 mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	Fresh water	597.97 mg/l
	Marine water	141.26 mg/l
	Fresh water sediment	31.33 mg/kg dry weight (d.w.)
	Marine sediment	3.13 mg/kg dry weight (d.w.)
	Air	10 mg/m <sup>3</sup>
	Intermittent use (freshwater)	597.97 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version 1.1	Revision Date: 02.07.2025	SDS Number: 50001015	Date of last issue: - Date of first issue: 03.01.2018
----------------	------------------------------	-------------------------	--

	Intermittent use (marine water)	141.26 mg/l
--	---------------------------------	-------------

### 8.2 Exposure controls

#### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Eye/face protection      | : | Eye wash bottle with pure water<br>Tightly fitting safety goggles<br>Wear face-shield and protective suit for abnormal processing problems.  |
| Hand protection          | : |  |
| Material                 | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.  |
| Remarks                  | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.  |
| Skin and body protection | : | Dust impervious protective suit<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.  |
| Respiratory protection   | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.<br>Equipment should conform to EN 143  |
| Filter type              | : | Particulates type (P)  |
| Protective measures      | : | Plan first aid action before beginning work with this product.<br>Always have on hand a first-aid kit, together with proper instructions.<br>Wear suitable protective equipment.<br>When using do not eat, drink or smoke.<br><br>In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                              |   |  |
|------------------------------|---|--|
| Physical state               | : | solid                                    |
| Form                         | : | powder                                   |
| Colour                       | : | brown                                    |
| Odour                        | : | odourless                                |
| Odour Threshold              | : | No data available                        |
| pH                           | : | 8.3 (20 °C)<br>Concentration: 10 g/l 1 % |
| Melting point/freezing point | : | Decomposition                            |



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Boiling point/boiling range	:	Decomposition
Flash point	:	Not applicable
Evaporation rate	:	Not available for this mixture.
Flammability (solid, gas)	:	Does not sustain combustion.

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not available for this mixture.
Relative vapour density	:	not determined
Relative density	:	
Density	:	No data available
Bulk density	:	0.73 g/m3 loose 0.79 g/m3 packed
Solubility(ies)		
Water solubility	:	Miscible
Solubility in other solvents	:	No data available

Partition coefficient: n-octanol/water	:	Not available for this mixture.
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Not available for this mixture.
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

### 9.2 Other information

Surface tension	:	Not applicable
Molecular weight	:	Not applicable
Minimum ignition energy	:	250 - 500 mJ
Particle size	:	No data available
Particle Size Distribution	:	No data available
Self-ignition	:	> 140 °C not auto-flammable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Hazardous reactions : No decomposition if stored and applied as directed.  
Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Avoid extreme temperatures  
Avoid dust formation.  
Heating of the mixture may evolve harmful and irritant vapours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	: LC50 (Rat): > 6.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The component/mixture is minimally toxic after single contact with skin.

#### Components:

##### **triflusulfuron-methyl:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
---------------------	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402

### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Acute oral toxicity : LD0 (Rat, male): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: no mortality

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: no mortality

Acute dermal toxicity : LD0 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: no mortality

### **Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Product:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### **Components:**

#### **triflusulfuron-methyl:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Species : reconstructed human epidermis (RhE)  
Result : No skin irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes

#### Components:

##### **triflusulfuron-methyl:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Product:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Animal test did not cause sensitization by skin contact.
GLP	:	yes

Assessment	:	Causes serious eye damage.
------------	---	----------------------------

#### Components:

##### **triflusulfuron-methyl:**

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

Exposure routes	:	Inhalation
Species	:	Rat
Result	:	Does not cause respiratory sensitisation.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Germ cell mutagenicity- Assessment	:	Contains no ingredient listed as a mutagen
------------------------------------	---	--

#### Components:

##### **triflusulfuron-methyl:**

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
-----------------------	---	--

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
-----------------------	---	---

Test Type: gene mutation test  
Method: QSAR  
Result: negative

Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo	:	Test Type: dominant lethal test Species: Rat (male) Application Route: Oral Result: negative
----------------------	---	---

Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	---	--

### Carcinogenicity

Suspected of causing cancer.

#### Components:

##### **triflusulfuron-methyl:**

Species	:	Rat, male
---------	---	-----------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Dose	:	> 30 mg/kg/ bw/day
Method	:	OECD Test Guideline 453
Symptoms	:	Leydig-cell adenoma
Carcinogenicity - Assessment	:	The observed tumors do not appear to be relevant for men.

### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	101 days
Dose	:	100 mg/kg bw/day
NOAEL	:	100 mg/kg bw/day
Method	:	OECD Test Guideline 453
Result	:	negative
Target Organs	:	Stomach
Tumor Type	:	Leiomyosarcoma
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Reproductive toxicity - Assessment	:	Contains no ingredient listed as toxic to reproduction
------------------------------------	---	--

#### Components:

### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Effects on fertility	:	Species: Rabbit, female Application Route: Oral Dose: 9, 42, 195, 900 mg/kg bw/day General Toxicity - Parent: NOAEL: > 900 mg/kg body weight General Toxicity F1: NOAEL: > 900 mg/kg body weight Result: negative
Effects on foetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: 0, 16, 74, 350, 1600 mg/kg bw/day Duration of Single Treatment: 20 d General Toxicity Maternal: NOAEL: >= 1,600 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 1,600 mg/kg bw/day Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

##### **triflusulfuron-methyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **triflusulfuron-methyl:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

#### Components:

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Species : Rat, male and female  
NOAEL : 100 mg/kg  
Application Route : Oral - feed  
Exposure time : 101 d  
Dose : 100 mg/kg bw/day

Species : Rat, male and female  
NOAEL : 2 mg/m<sup>3</sup>  
LOAEL : 6 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Test atmosphere : dust/mist  
Exposure time : 20 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Dose : 0, 2, 6, 18 mg/m<sup>3</sup>

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Product:

The mixture does not have properties associated with aspiration hazard potential.

### Components:

#### triflusulfuron-methyl:

No aspiration toxicity classification

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish	: LC50 (Fish): 150 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 1,200 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.430 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes  EC50 (Lemna gibba (duckweed)): 0.0043 mg/l Exposure time: 14 d Method: ASTM E 1415-91 GLP: yes
Toxicity to soil dwelling organisms	: LC50: > 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 GLP: yes Remarks: (Data on the product itself) Information source: Internal study report
Toxicity to terrestrial organisms	: LD50: > 100 µg/bee Exposure time: 48 h End point: Acute oral toxicity



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: Information source: Internal study report

LD50: > 100 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP:yes  
Remarks: Information source: Internal study report

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.  
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### **triflusulfuron-methyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 730 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 884 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

ErC50 (Lemna gibba (gibbous duckweed)): 0.0035 mg/l  
Exposure time: 14 h  
Method: ASTM E 1415-91

EC50 (green algae): 0.62 mg/l  
Exposure time: 98 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 210 mg/l  
Exposure time: 21 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC: 11 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version 1.1	Revision Date: 02.07.2025	SDS Number: 50001015	Date of last issue: - Date of first issue: 03.01.2018
----------------	------------------------------	-------------------------	--

ic toxicity)	Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50: > 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LC50: > 2,250 mg/kg Species: Colinus virginianus (Bobwhite quail) Method: EPA OPP 71-1  LC50: > 5,620 mg/kg Species: Anas platyrhynchos (Mallard duck) Method: EPA OPP 71-1  LD50: > 25 µg/bee End point: Acute contact toxicity Species: Apis mellifera (bees)

### Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):

Toxicity to fish	: LC50 (Fish): 89,581.016 mg/l Exposure time: 96 h Method: QSAR
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 36,812.359 mg/l Exposure time: 48 h Method: QSAR
Toxicity to algae/aquatic plants	: NOEC (green algae): 918.089 mg/l Exposure time: 30 d Method: QSAR  EC50 (green algae): 7,202.7 mg/l Exposure time: 96 h Method: QSAR
Toxicity to fish (Chronic toxicity)	: NOEC: 1,412.648 mg/l Exposure time: 30 d Species: Fish Method: QSAR
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1,459.798 mg/l Exposure time: 30 d Species: Daphnia (water flea) Method: QSAR

### Sucrose:

Toxicity to fish	: Remarks: No data available
------------------	------------------------------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Estimation based on data obtained on active ingredient.  
Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### Components:

##### **triflusulfuron-methyl:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Hydrolyses readily.

##### **Sucrose:**

Biodegradability : Remarks: No data available

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### Components:

##### **triflusulfuron-methyl:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 0.96 (25 °C)  
pH: 7

log Pow: 2.3 (25 °C)  
pH: 5

log Pow: -0.07 (25 °C)  
pH: 9

##### **Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>):**

Bioaccumulation : Bioconcentration factor (BCF): 3.16  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: -9.4 (25 °C)  
pH: 7  
Method: QSAR

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: Moderately mobile in soil at low pH.  
Very mobile at high pH.  
Estimation based on data obtained on active ingredient.

#### Components:

##### **triflusulfuron-methyl:**

Distribution among environmental compartments : Remarks: Moderately mobile in soil at low pH.  
Very mobile at high pH.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : Environmental hazards  
Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

Do not apply where/when conditions favour runoff.  
See product label for additional application instructions relating to environmental precautions.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemi-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

cal or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as  
the unused product.  
Empty containers should be taken to an approved waste han-  
dling site for recycling or disposal.

## SECTION 14: Transport information

### 14.1 UN number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Triflusulfuron-methyl)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Triflusulfuron-methyl)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

**IATA** : 9

### 14.4 Packing group

#### ADN

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) E1 ENVIRONMENTAL HAZARDS

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

#### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.  METHYL 2-([4-(DIMETHYLAMINO)-6-(2,2,2-TRIFLUOROETHOXY)-1,3,5-TRIAZIN-2-YL]CARBAMOYL)SULFAMOYL)-3-METHYLBENZOATE Chlorite-group minerals dolomite
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

H351	:	Suspected of causing cancer.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2004/37/EC / TWA	:	Long term exposure limit
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information :

#### Classification of the mixture:

Carc. 2	H351
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

#### Classification procedure:

Calculation method
Based on product data or assessment
Based on product data or assessment

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## SAFARI®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	02.07.2025	50001015	Date of first issue: 03.01.2018

---

used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N