# **SAFETY DATA SHEET**

**CB-80** Insecticide

SDS #: 6545-A

**Revision date: 2021-01-29** 

Format: NA Version 2.02



## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name CB-80 Insecticide

Formula code 50000550

Other means of identification

Product Code(s) 6545-A

Synonyms Pyrethrins, PIPERONYL BUTOXIDE: Butylcarbityl(6-propylpiperonyl) ether,

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

Active Ingredient(s) Pyrethrins, Piperonyl Butoxide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

**Restrictions on Use:** Use as recommended by the label.

**Supplier Address** 

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

# 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 2

Version 2.02

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

### Warning

### **Hazard Statements**

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H223 - Flammable aerosol

H229 - Pressurized container: May burst if heated



#### **Precautionary Statements - Prevention**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P272 - Contaminated work clothing should not be allowed out of the workplace

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P280 - Wear eye protection/ face protection

### **Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

## **Precautionary Statements - Storage**

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

## **Precautionary Statements - Disposal**

P501 - Dispose of contents/container according to label directions

# Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
1,1-Difluoroethane	75-37-6	50-70

Version 2.02

Isopropanol	67-63-0	15-30
Petroleum distillates, hydrotreated light	64742-47-8	1-5
Piperonyl butoxide	51-03-6	4
Pyrethrins	8003-34-7	0.5

Synonyms are provided in Section 1.

4	FΙΙ	RST	- Δ	חו	M	F	<b>12</b>	IR	FS

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

**Skin Contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Central nervous system effects.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO<sub>2</sub>).

Large Fire Water spray. Foam.

**Unsuitable extinguishing media** Avoid heavy hose streams.

**Specific Hazards Arising from the** 

Chemical

Contents under pressure.

Hazardous Combustion Products None known.

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

Isolate fire area. Evaluate upwind. As in any fire, wear self-contained breathing apparatus and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

Page 3 / 10

Version 2.02

"Product and Company Identification" above.

**Environmental Precautions** Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Rinsate may be disposed at a waste water treatment plant.

## 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

**Storage** Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Packaging material Must only be kept in original packaging.

Incompatible products Strong oxidizing agents. Bases. Powdered earth metals.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Isopropanol	STEL 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	Mexico: TWA 200 ppm
(67-63-0)	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm	Mexico: STEL 400 ppm
			TWA: 980 mg/m <sup>3</sup>	
			STEL: 500 ppm	
			STEL: 1225 mg/m <sup>3</sup>	
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup>
(8003-34-7)			TWA: 5 mg/m <sup>3</sup>	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Isopropanol	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm
(67-63-0)	STEL: 400 ppm	TWA: 985 mg/m <sup>3</sup>		TWA: 492 mg/m <sup>3</sup>
		STEL: 500 ppm		STEL: 400 ppm
		STEL: 1230 mg/m <sup>3</sup>	STEL: 400 ppm	STEL: 984 mg/m <sup>3</sup>
Petroleum distillates,	TWA: 200 mg/m <sup>3</sup>	-	-	-
hydrotreated light	Skin			
(64742-47-8)				
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
(8003-34-7)				

## Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Version 2.02

**Skin and Body Protection** Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Appearance Yellow, Aerosolized liquid

Physical State
Color
Odor
Liquid Aerosol
Yellow
Pyrethrins

Odor threshold No information available No information available

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point 14.4 °C / 58 °F (Flame extension 5" - no flashback)

**Evaporation Rate**Flammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Relative density

No information available
No information available
No information available
7.29 lb/gal (0.874 g/cm <sup>3</sup>)

Specific gravity 0.8746

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** 

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Version 2.02

**Incompatible materials** Strong oxidizing agents. Bases. Powdered earth metals.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

#### 11. TOXICOLOGICAL INFORMATION

#### **Product Information**

 LD50 Oral
 2,370 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rabbit)

 LC50 Inhalation (dust)
 2.5 mg/L 4 hr (rat)

Eye ContactSlightly or non-irritating (rabbit)Skin ContactSlightly or non-irritating (rabbit)

Sensitization May cause sensitization by skin contact

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Isopropanol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
(67-63-0)			
Petroleum distillates,	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
hydrotreated light			- , ,
(64742-47-8)			
Piperonyl butoxide	= 4570 mg/kg (Rat) = 6150	= 1880 mg/kg (Rabbit)> 7950	> 5.9 mg/L (Rat)4 h
(51-03-6)	mg/kg (Rat)	mg/kg (Rat)	
Pyrethrins	= 200 mg/kg (Rat)	= 1350 mg/kg (Rat) = 2060	= 3.4 mg/L (Rat) 4 h
(8003-34-7)		mg/kg(Rabbit)= 300 mg/kg	
		( Rabbit )	

#### Information on toxicological effects

Symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Mutagenicity** Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

**Carcinogenicity Reproductive toxicity**Not recognized as carcing
No information available.

**Developmental toxicity** Isopropanol has been reported to cause teratogenicity in laboratory animals.

STOT - single exposure Not classified. STOT - repeated exposure Not classified.

Target organ effects Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight

and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group

showed preneoplastic changes, including enlargement of hepatocyte nuclei and

multinucleated cells. Kidney damage was also seen.

Aspiration hazard The product does not present an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

### Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Version 2.02

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	μg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
	96 h LC50: = 7.07 mg/L	•
	(Oncorhynchus mykiss) semi-static	
	96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L
		(Den-dronereides heteropoda)
	mg/L (Oncorhynchus mykiss) static	
	96 h LC50: = 45 mg/L (Pimephales	
	promelas) flow-through	
72 h EC50: > 1000 mg/L	96 h LC50: = 11130 mg/L	48 h EC50: = 13299 mg/L (Daphnia
		magna)
subspicatus)	. ,	
	,	
	72 h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96 h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96 h LC50: = 7.07 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: = 2.2 mg/L (Lepomis macrochirus) static 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through 72 h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96 h EC50: > 1000 mg/L (Pimephales promelas) static 96 h LC50: = 9640 mg/L (Pimephales

Persistence and degradability

No information available.

No information available.

Mobility

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

# 14. TRANSPORT INFORMATION

DOT

Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows.

#### **CB-80 Insecticide**

SDS #: 6545-A Revision date: 2021-01-29

Version 2.02

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U

**Description** UN1950, Aerosols, 2.1, Limited Quantity

# 15. REGULATORY INFORMATION

#### **U.S. Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	15-30	1.0
Piperonyl butoxide - 51-03-6	51-03-6	4	1.0

#### SARA 311/312 Hazard Categories

Acute health hazardYesChronic health hazardYesFire hazardYesSudden release of pressure hazardNoReactive HazardNo

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

ſ	Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances
- 1	Chemical name	i i i i azai u u u s su u stalices i tus	I EXITETITETY HAZATUUUS SUDSIAHUES I

Version 2.02

		RQs
Pyrethrins	1 lb	
8003-34-7	0.454 kg	

#### **FIFRA Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### **CAUTION**

Contains petroleum distillates. Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Prolonged or repeated contact with the skin may cause allergic reactions in some individuals

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,1-Difluoroethane 75-37-6	X	X	
Isopropanol 67-63-0	X	X	X
Piperonyl butoxide 51-03-6	X		
Pyrethrins 8003-34-7	X	X	X

## **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
1,1-Difluoroethane 75-37-6	X	Х	X	Χ	X	X	Х	X
Isopropanol 67-63-0	Х	Х	Х	Х	Х	Х	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Piperonyl butoxide 51-03-6	Х	Х	Х	Х	Х	Х	Х	Х
Pyrethrins 8003-34-7		Х	Х		Х	Х	Х	Х

#### **CANADA**

Not applicable

16. OTHER INFORMATION				

NFPA	Health Hazards 2	Flammability 3	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 3	Physical hazard 0	Personal Protection X

<sup>\*</sup>Indicates a chronic health hazard.

SDS #: 6545-A

Revision date: 2021-01-29 Version 2.02

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:** 2021-01-29

Reason for revision: SDS sections updated.

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**