## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

**Section 1: Identification** 

Product name : Glean® herbicide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019

6 Clayton Street, Newmarket

1023 Auckland New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:

0800 734 607 (Ixom)

Medical emergency:

0800 764 766 (NZ Poisons Information Centre) 0800 111174 (24 hour Medical Emergency) 0800 387668 (Transport Emergency)

Section 2: Hazard identification

**GHS Classification** 

Hazardous to the aquatic environment - acute hazard

Aquatic Acute1

Hazardous to the aquatic environment - chronic hazard

Aquatic Chronic1

Hazardous to soil organisms

**GHS** label elements

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Hazard pictograms :

\*\*\*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

H423 Harmful to the soil environment.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorsulfuron Technical	64902-72-3	75
sucrose	57-50-1	>= 1 -< 10

## Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately (show the label where possible).

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Wash contaminated clothing before re-use. If symptoms persist, call a physician.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

Rinse mouth.

If symptoms persist, call a physician.

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes.

Section 5: Fire-fighting measures

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical Water spray Foam

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod-

ucts

Hazardous combustion products

Sulphur oxides

Halogenated compounds

Carbon oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Hazchem Code : 2Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

For disposal considerations see section 13.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Try to prevent the material from entering drains or water

courses.

Methods and materials for

containment and cleaning up

Pick up and transfer to properly labeled containers without

creating dust.

Section 7: Handling and storage

Advice on protection against : Normal measures for preventive fire protection.

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

fire and explosion

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoid formation of respirable particles.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

## Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sucrose	57-50-1	WES-TWA	10 mg/m3	NZ OEL
		TWA	10 mg/m3	ACGIH

### Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Protective measures : Plan first aid action before beginning work with this product.

# Section 9: Physical and chemical properties

Physical state : solid

Form : dry, free flowing, water dispersible granules

Colour : light brown

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Odour : slight, acrid

Odour Threshold : No data available

pH : 4.4 - 5.4

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : 672 kg/m3

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

## Section 10: Stability and reactivity

## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Conditions to avoid : Exposure to moisture

Avoid extreme temperatures Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers

Hazardous decomposition

products

No decomposition if stored and applied as directed.

## **Section 11: Toxicological information**

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

### **Components:**

**Chlorsulfuron Technical:** 

Acute oral toxicity : LD50 (Rat, male): 5,545 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat, female): 6,293 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 3,400 mg/kg

Method: OECD Test Guideline 402

sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

**Components:** 

**Chlorsulfuron Technical:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

**Components:** 

**Chlorsulfuron Technical:** 

Species : Rabbit

Result : No eye irritation

Method : Directive 67/548/EEC, Annex V, B.5.

Remarks : May cause mild irritation.

Minimal effects that do not meet the threshold for classifica-

tion.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

Test Type : Buehler Test Species : Guinea pig

Method : OECD Test Guideline 406

Result : Animal test did not cause sensitization by skin contact.

GLP : yes

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

#### **Components:**

#### **Chlorsulfuron Technical:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OPPTS 870.2600
Result : Not a skin sensitizer.

### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### **Chlorsulfuron Technical:**

Genotoxicity in vitro : Test system: Chinese hamster ovary cells

Method: Regulation (EC) No. 440/2008, Annex, B.17

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Method: Regulation (EC) No. 440/2008, Annex, B.22

Result: negative

## Carcinogenicity

Not classified based on available information.

### Components:

### **Chlorsulfuron Technical:**

Carcinogenicity - Assess-

ment

The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions., A slight increased incidence in tumors was observed in one species, but not in other species, Not classifiable as a

human carcinogen.

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

### **Chlorsulfuron Technical:**

Reproductive toxicity - As-

: No toxicity to reproduction

sessment

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

## STOT - single exposure

Not classified based on available information.

## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

#### **Components:**

#### **Chlorsulfuron Technical:**

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## STOT - repeated exposure

Not classified based on available information.

**Product:** 

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

more information on target organs if applicable.

#### Repeated dose toxicity

## **Components:**

#### **Chlorsulfuron Technical:**

Species : Rat

NOAEL : 161 - 217 mg/kg

Application Route : Oral Exposure time : 90 day

Method : Regulation (EC) No. 440/2008, Annex, B.26 Remarks : No toxicologically significant effects were found.

# **Aspiration toxicity**

Not classified based on available information.

### **Section 12: Ecological information**

## **Ecotoxicity**

### **Product:**

Toxicity to algae/aquatic

EC50 (Scenedesmus capricornutum (fresh water algae)):

plants

Exposure time: 72 h

0.00024 mg/l

#### Components:

### **Chlorsulfuron Technical:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 250 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 370 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.068

mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.00042 mg/l

## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Exposure time: 14 d Method: OPPTS 850.4400

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.05

mg/l

Exposure time: 120 h

ErC50 (Lemna gibba (gibbous duckweed)): 0.00069 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 32 mg/l

Exposure time: 77 d

Method: US EPA Test Guideline OPP 72-4

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 202

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.61 mg/l

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0.1 mg/kg

End point: Acute contact toxicity Method: OECD Test Guideline 214

LD50 (Apis mellifera (bees)): > 0.013 mg/kg

End point: Acute oral toxicity Method: OECD Test Guideline 213

LC50 (Anas platyrhynchos (Mallard duck)): > 5,000 mg/kg

Exposure time: 8 d

Method: US EPA Test Guideline OPP 71-1

Remarks: Dietary

sucrose:

Toxicity to fish : Remarks: No data available

Persistence and degradability

**Components:** 

**Chlorsulfuron Technical:** 

Biodegradability : Result: Not readily biodegradable.

sucrose:

Biodegradability : Remarks: No data available

## Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

#### Bioaccumulative potential

### Components:

### **Chlorsulfuron Technical:**

Bioaccumulation : Remarks: See section 9 for octanol-water partition coefficient.

Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 0.33 (25 °C)

pH: 5.0

log Pow: -0.99 (25 °C)

pH: 7

log Pow: -1.41 (25 °C)

pH: 9

### Mobility in soil

## **Components:**

## **Chlorsulfuron Technical:**

Distribution among environmental compartments Remarks: Moderately mobile in soil at low pH.

Very mobile at high pH.

### Other adverse effects

No data available

## Section 13: Disposal considerations

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## **Section 14: Transport information**

## **International Regulations**

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorsulfuron)

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

Class : 9

Subsidiary risk : ENVIRONM.

Packing group : III

Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Chlorsulfuron)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen: :

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Chlorsulfuron)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**NZS 5433** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Chlorsulfuron)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# **Section 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

# **HSNO Approval Number**

HSR000231

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

ACVM Number: P003096

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

1-(2-CHLOROPHENYLSULFONYL)-3-(4-METHOXY-6-

METHYL-1,3,5-TRIAZIN-2-YL)UREA

D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### Section 16: Other information

Revision Date : 03.08.2023

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

# Glean® herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.2 03.08.2023 50000939 Date of first issue: 03.01.2018

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N