According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

12.01.2022 50000038 Date of first issue: 12.01.2022 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**TBM 500SG Product name** 

Other means of identification

**Product code** 50000038

**Synonyms** 130000012165 TRIBENURON METHYLE 50 SG, 50000038

> TBM 500SG, B11646119 L5300 50SG, AGHBTBM00237 TBM 500SG, H-15.1 EXPRESS 50SG, 50000038 TBM 50 SG, CAMEO, TRIMMER 50SG, CAMEO SX, GRANSTAR 50SX, FLUENCE 50SX, EXPRESS 50SG, EXPRESS 50SX, TRIMMER SX, FLUENCE 50SG, GRANSTAR 50SG, GRANSTAR PREMIA 50SX, EXPRESS SX, TAXI, THOR 50SX, THOR, POINTER SX, PREMIUM CLASSIC SX, TRIMMER 50SX, TRIMMER SG, EXPRESS, MONREV SX, GRANSTAR OLIVO, GRANSTAR SX, TAXI 50SX, FLUENCE, FLUENCE SX, TBM 500SG, SS PPAC EXPRESS W-TOT SOL. EXPRESS W/TOTAL SOL. EXPRESS SG. EXPRESS W-TOTAL SG, NC-0050 6.07G-AC, TRIBENURON SG,

GRANSTAR SX 50SG, LUXXUR, EXPRESS W-TOTAL SOL

Use of the Sub-Herbicide

stance/Mixture

Recommended restrictions

Use as recommended by the label.

### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** Cheminova Agro France S.A.S.

11 bis Quai Perrache

LYON, 69002

France

1.2 Relevant identified uses of the substance or mixture and uses advised against

Telephone: Tel 04 37 23 65 70 Telefax: Fax 04 78 71 08 46

E-mail address: SDS-Info@fmc.com, fmc.france@fmc.com

(E-Mail General Information)

## 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

BIG: +32 14 58 45 45 (24 hours a day, French, Dutch, Ger-

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

man, English)

Medical emergency: Poison centers in France: Paris: 01.40.05.48.48 Lyon: 04.72.11.69.11 Marseille: 04.91.75.25.25 Lille: 0800 59 59 59

ORFILA: +33 (0) 1 45 42 59 59 (poison control center) Company: 04.37.23.65.70, accessible from 8:30 am to 6:00

pm, Monday to Friday

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

effects.

exposure, Category 2 Ionged or repeated exposure. Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

ann 1

gory 1

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting

egory 1

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P314 Get medical advice/ attention if you feel unwell. P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P391 Collect spillage.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

## Hazardous components which must be listed on the label:

tribenuron-methyl (ISO)

### **Additional Labelling**

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

For special phrases (SP) and safety intervals, consult the label.

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Herbicide

Components

| Chemical name                    | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification  | Concentration<br>(% w/w) |
|----------------------------------|---|---|--------------------------|
| tribenuron-methyl (ISO)          | 101200-48-0<br>401-190-1<br>607-177-00-9              | Skin Sens. 1; H317<br>STOT RE 2; H373<br>(No specific target<br>organs noted)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br>M-Factor (Acute<br>aquatic toxicity): 100<br>M-Factor (Chronic<br>aquatic toxicity): 100 | >= 30 - < 50             |
| Phosphoric acid, trisodium salt, | 10101-89-0  | Skin Irrit. 2; H315   | >= 10 - < 20             |

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

| dodecahydrate    |                                       | Eye Irrit. 2; H319<br>STOT SE 3; H335<br>(Respiratory system) |             |
|------------------|---------------------------------------|---|-------------|
| sodium carbonate | 497-19-8<br>207-838-8<br>011-005-00-2 | Eye Irrit. 2; H319  | >= 1 - < 10 |

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Keep at rest.

Keep warm and in a quiet place.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on clothes, remove clothes.

If on skin, rinse well with water.

Wash off with soap and plenty of water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

## 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause damage to organs through prolonged or repeated

exposure.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media: Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Sulphur oxides Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against:

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label

approved by country-specific regulatory authorities.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

|  |         |                 | · ,                          |            |
|--|---------|-----------------|------------------------------|------------|
| Substance name   | End Use | Exposure routes | Potential health ef-         | Value      |
|  |         |                 | fects                        |            |
| Phosphoric acid,<br>trisodium salt, dodec-<br>ahydrate | Workers | Inhalation      | Long-term systemic effects   | 4,07 mg/m3 |
| sodium carbonate                                       | Workers | Inhalation      | Long-term local ef-<br>fects | 10 mg/m3   |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

| Substance name                   | Environmental Compartment | Value   |
|----------------------------------|---------------------------|---------|
| Phosphoric acid, trisodium salt, | Sewage treatment plant    | 50 mg/l |
| dodecahydrate                    | ·                         | _       |

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of dust exposure wear suitable personal respiratory

protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : solid, granules
Colour : light brown

Odour : mild

Odour Threshold : not determined

Melting point/freezing point : Not available for this mixture.

Initial boiling point and boiling:

range

Decomposition

Flammability : Not highly flammable, Does not sustain combustion., May

form explosive dust-air mixture.

Upper explosion limit / Upper

flammability limit

Not available for this mixture.

Lower explosion limit / Lower :

flammability limit

Not available for this mixture.

Flash point : not determined

Decomposition temperature : Not available for this mixture.

pH : 8,4 - 9,4 (20 °C)

Concentration: 10 g/l

In a 1% aqueous dispersion

Viscosity

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Vapour pressure : Not available for this mixture.

Relative density : Not available for this mixture.

Bulk density : 640 kg/m3packed

Relative vapour density : not determined

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The product is not oxidizing.

Self-ignition : not determined

Evaporation rate : Not available for this mixture.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardo us reactions : Dust may form explosive mixture in air. No decomposition if

stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Dust formation

moisture

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: Fixed Dose Method

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

**Components:** 

tribenuron-methyl (ISO):

Acute oral toxicity : LD50: > 5.000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 5,14 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Phosphoric acid, trisodium salt, dodecahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 420

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 0,83 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

no mortality

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

SDS Number: Version Revision Date: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

LC50 (Rat, male): 2,3 mg/l Acute inhalation toxicity

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity LD50 (Rabbit): > 2.000 mg/kg

Target Organs: Skin Symptoms: Erythema

### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species Rabbit

Assessment Not classified as irritant **OECD Test Guideline 404** Method

Result No skin irritation

**GLP** yes

May cause skin irritation and/or dermatitis. Remarks

**Components:** 

tribenuron-methyl (ISO):

Species Rabbit

Assessment Not classified as irritant Method **OECD Test Guideline 404** May cause mild irritation. Remarks

Based on available data, the classification criteria are not met.

Phosphoric acid, trisodium salt, dodecahydrate:

**Species** Rabbit Result

Skin irritation

Rabbit Species

Result No skin irritation

sodium carbonate:

Species Rabbit Exposure time 4 h

Method **OECD Test Guideline 404** 

Result No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species Rabbit

Not classified as irritant Assessment Method OECD Test Guideline 405

No eye irritation Result

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

GLP : yes

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

**Components:** 

tribenuron-methyl (ISO):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405 Remarks : May cause mild irritation.

Based on available data, the classification criteria are not met.

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Rabbit

Method : EPA OTS 798.4500

Result : Irritation to eyes, reversing within 21 days

sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

Species : Guinea pig
Assessment : Skin sensitisation
Method : Maximisation Test
Result : Causes sensitisation.

**Components:** 

tribenuron-methyl (ISO):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406 Result : Causes skin sensitization.

Phosphoric acid, trisodium salt, dodecahydrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Result Does not cause skin sensitisation. Remarks Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

**Product:** 

Genotoxicity in vitro Remarks: The product contains no ingredients known to be

mutagenic.

**Components:** 

tribenuron-methyl (ISO):

sessment

Germ cell mutagenicity- As- : Did not show mutagenic effects in animal experiments.

Phosphoric acid, trisodium salt, dodecahydrate:

Genotoxicity in vitro Test Type: gene mutation test

Method: OECD Test Guideline 490

Result: negative

Remarks: Based on data from similar materials

Test Type: Micronucleus test Method: OECD Test Guideline 487

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

sodium carbonate:

Test Type: reverse mutation assay Genotoxicity in vitro

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

**Product:** 

Remarks The product contains no ingredients known to be carcinogen-

ic.

**Components:** 

tribenuron-methyl (ISO):

Remarks No significant adverse effects were reported

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Carcinogenicity - Assess-

ment

: Did not show carcinogenic effects in animal experiments.

# Reproductive toxicity

Not classified based on available information.

**Product:** 

Effects on fertility : Remarks: The product contains no ingredients found to have

adverse effects on reproduction.

**Components:** 

tribenuron-methyl (ISO):

Reproductive toxicity - As-

sessment

No toxicity to reproduction

Animal testing did not show any effects on foetal development.. Did not show teratogenic effects in animal experiments.

Phosphoric acid, trisodium salt, dodecahydrate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral Dose: 1000 mg/kgbw

General Toxicity - Parent: NOAEL: 1.000 mg/kg bw/day General Toxicity F1: NOAEL: 1.000 mg/kg bw/day

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

Dose: 4.1,19,88.3,410mg/kgbw/day Duration of Single Treatment: 20 d

General Toxicity Maternal: NOAEL: > 410 mg/kg bw/day Embryo-foetal toxicity: NOAEL: > 410 mg/kg bw/day

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

sodium carbonate:

Effects on foetal develop-

ment

: Species: Rat

Application Route: Oral

Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram

Duration of Single Treatment: 6 - 15 d

General Toxicity Maternal: NOAEL: > 245 mg/kg body weight

Teratogenicity: NOAEL: > 245 mg/kg body weight

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

# STOT - single exposure

Not classified based on available information.

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

**Components:** 

tribenuron-methyl (ISO):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Phosphoric acid, trisodium salt, dodecahydrate:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Product:** 

Assessment : May cause damage to organs through prolonged or repeated

exposure.

**Components:** 

tribenuron-methyl (ISO):

Assessment : May cause damage to organs through prolonged or repeated

exposure.

sodium carbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

tribenuron-methyl (ISO):

Species : Rabbit LOAEL : 80 mg/kg

Target Organs : No specific target organs noted

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Remarks : Increased mortality or reduced survival

Phosphoric acid, trisodium salt, dodecahydrate:

Species : Dog, female

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



### **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

NOAEL : 492.77 mg/kg bw/day LOAEL : 1433.56 mg/kg bw/day

Application Route : Oral - feed Exposure time : 90 d

Dose : 129.31,492.77,1433.56mg/kgbw/d

Target Organs : Kidney

Remarks : Based on data from similar materials

Species : Dog, male

NOAEL : 322.88 mg/kg bw/day LOAEL : 1107.12 mg/kg bw/day

Application Route : Oral - feed

Exposure time : 90 d

Dose : 94.23,322.88,1107.12mg/kgbw/da

Target Organs : Kidney

Remarks : Based on data from similar materials

sodium carbonate:

 $\begin{array}{lll} \text{Species} & : & , \, \text{male and female} \\ \text{NOAEL} & : & > 0,01 \, \text{mg/kg} \end{array}$ 

Application Route : inhalation (dust/mist/fume)

Test atmosphere : dust/mist

### **Aspiration toxicity**

Not classified based on available information.

#### Product:

The mixture does not have properties associated with aspiration hazard potential.

### **Components:**

### tribenuron-methyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **Further information**

**Product:** 

Remarks : No data available

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

### **SECTION 12: Ecological information**

### 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 120 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)):

0,0162 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0,00652 mg/l

End point: Frond Exposure time: 7 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

### **Components:**

tribenuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 738 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 894 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0,068 mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0047 mg/l

Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0,001 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-:

icity)

100

Toxicity to fish (Chronic tox-:

icity)

NOEC: 560 mg/l

Exposure time: 21 d

Species: Oncorhynchus mykiss (rainbow trout)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

12.01.2022 50000038 Date of first issue: 12.01.2022 1.0

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 41 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

Toxicity to soil dwelling or-

ganisms

100

NOEC: 3,2 mg/kg Exposure time: 56 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

 $LD50: > 2.250 \, mg/kg$ 

Species: Colinus virginianus (Bobwhite quail)

LD50: > 5.620 ppm

Species: Colinus virginianus (Bobwhite quail)

Remarks: Dietary

LD50: > 5.620 ppm

Species: Anas platyrhynchos (Mallard duck)

Remarks: Dietary

LD50: >  $98.4 \mu g/bee$ Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees)

LD50:  $> 9.1 \,\mu g/bee$ Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees)

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects.

Phosphoric acid, trisodium salt, dodecahydrate:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

17 / 25

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Method: EU Method C3

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

NOEC (activated sludge): 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

LC50: > 3.500 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Remarks: Based on data from similar materials

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia (water flea)): 200 mg/l

Exposure time: 48 h Test Type: semi-static test

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Remarks: Estimation based on data obtained on active ingre-

dient.

Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water

treatment plants.

**Components:** 

tribenuron-methyl (ISO):

Biodegradability : Remarks: The product/substance is not persistent in the envi-

ronment.

Primary degradation half-lives vary with circumstances, from a

few days to a few weeks in aerobic water and soil.

Metabolites are considered as persistent.

sodium carbonate:

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

**Components:** 

tribenuron-methyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: -0,38

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

**Product:** 

Distribution among environmental compartments Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

### **Components:**

tribenuron-methyl (ISO):

Distribution among environmental compartments

Remarks: Under normal conditions the active ingredient/s is/are of high to intermediate mobility in soil. There is a poten-

tial for leaching to groundwater.

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This mixture contains no substance considered to be persis-

tent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bio-

accumulating (vPvB).

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

## **Product:**

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological infor-

mation

No other ecological effects to be specially mentioned.

See product label for additional application instructions relat-

ing to environmental precautions.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tribenuron-methyl)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Tribenuron-methyl)

## 14.3 Transport hazard class(es)

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

## 14.4 Packing group

### **ADN**

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III Labels : 9 EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: :

ger aircraft)

21 / 25

956

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Packing instruction (LQ) Y956 Packing group Ш

Labels Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous yes

Environmentally hazardous yes

RID

Environmentally hazardous ves

**IMDG** 

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous ves

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Not applicable

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro-E1 **ENVIRONMENTAL HAZARDS** 

pean Parliament and of the Council on the control of major-accident hazards involving

dangerous substances.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

Occupational Illnesses (R-

461-3, France)

Not applicable

Reinforced medical supervi: :

sion (R4624-18)

The product has no CMR properties

ICPE section (Installations classified for environmental protection; Environmental

code R511-9)

4510

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL 2-[4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL(METHYL)CARBAMOYLSULFAMOYL]BENZOATE D-Glucopyranose, 4-O-.beta.-D-galactopyranosyl-, monohy-

drate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



# **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer, IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

According to Commission Regulation (EU) 2020/878 of amending Regulation (EC) No 1907/2006



## **TBM 500SG**

Version Revision Date: SDS Number: Date of last issue: -

1.0 12.01.2022 50000038 Date of first issue: 12.01.2022

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Other information : see user defined free text

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method

STOT RE 2 H373 Based on product data or assessment Aquatic Acute 1 H400 Based on product data or assessment

Aguatic Chronic 1 H410 Calculation method

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

FR/6N