

Material group	73E/7131-01	Page 1 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017 Supersedes May 2014
Safety data sheet according to EU Reg. 1907/2006 as amended		

SAFETY DATA SHEET

CYREN C 36/200

Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC

Revision: Sections containing a revision or new information are marked with a ♣.

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. **Product identifier** **CYREN C 36/200**
Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC
 Contains: chlorpyrifos, cypermethrin and hydrocarbons,
 C10, aromatics, > 1% naphthalene
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** Can be used as insecticide only.
- 1.3. **Details of the supplier of the safety data sheet** **CHEMINOVA A/S**, a subsidiary of FMC Corporation
 Thyborønvej 78
 DK-7673 Harbøre
 Denmark
SDS.Ronland@fmc.com
- 1.4. **Emergency telephone number**
Company +45 97 83 53 53 (24 h; for emergencies only)
- Medical emergencies:
- | | |
|-------------------------------------|--|
| Austria: +43 1 406 43 43 | Netherlands: +31 30 274 88 88 |
| Belgium: +32 70 245 245 | Norway: +47 22 591300 |
| Bulgaria: +359 2 9154 409 | Poland: +48 22 619 66 54 |
| Cyprus: 1401 | +48 22 619 08 97 |
| Czech Republic: +420 224 919 293 | Portugal: 808 250 143 (in Portugal only) |
| +420 224 915 402 | +351 21 330 3284 |
| Denmark: +45 82 12 12 12 | Romania: +40 21318 3606 |
| France: +33 (0) 1 45 42 59 59 | Slovakia: +421 2 54 77 4 166 |
| Finland: +358 9 471 977 | Slovenia: +386 41 650 500 |
| Greece: 30 210 77 93 777 | Spain: +34 91 562 04 20 |
| Hungary: +36 80 20 11 99 | Sweden: +46 08-331231 |
| Ireland (Republic): +352 1 809 2166 | 112 |
| Italy: +39 02 6610 1029 | Switzerland: 145 |
| Lithuania: +370 523 62052 | United Kingdom: 0870 600 6266 (in the UK only) |
| +370 687 53378 | U.S.A. & Canada: +1 800 / 331-3148 (ProPharma) |
| Luxembourg: +352 8002 5500 | All other countries: +1 651 / 632-6793 (ProPharma - Collect) |

Material group	73E/7131-01	Page 2 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

♣ SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity: Category 4 (H302)
 Carcinogenicity: Category 2 (H351)
 Specific target organ toxicity – single exposure: Category 3 (H336)
 Aspiration toxicity: Category 1 (H304)
 Hazards to the aquatic environment, acute: Category 1 (H400)
 chronic: Category 1 (H410)

WHO classification Class II, moderately hazardous

Health hazards The product is harmful by ingestion and has irritating properties.

The active ingredient **chlorpyrifos** is a poison (cholinesterase inhibitors). It rapidly enters the body on contact with all skin surfaces and eyes.

Repeated exposures to cholinesterase inhibitors such as **chlorpyrifos** may, without warning, cause increased susceptibility to doses of any cholinesterase inhibitor.

Cypermethrin may in exceptional cases be an allergic sensitizer for certain individuals.

The product contains max. 7% of **naphthalene**, which is a suspected carcinogen.

Environmental hazards The product is very toxic to aquatic organisms.

2.2. Label elements

According to EU Reg. 1272/2008 as amended

Product identifier Cyren C 36/200
 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC
 Contains: chlorpyrifos, cypemethrin and hydrocarbons, C10, aromatics, > 1% naphthalene

Hazard pictograms (GHS07, GHS08, GHS09)



Signal word Danger

Hazard statements


H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H336 May cause drowsiness or dizziness.
 H351 Suspected of causing cancer.

Material group	73E/7131-01	Page 3 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

H410	Very toxic to aquatic life with long lasting effects.
Supplementary hazard statements	
EUH066	Repeated exposure may cause skin dryness and cracking.
EUH401	To avoid risks to human health and the environment, comply with the instructions of use.
Precautionary statements	
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing vapours.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves, protective clothing and eye protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container as hazardous waste.
2.3. Other hazards	None of the ingredients in the product meets the criteria for being PBT or vPvB.

♣ SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances	The product is a mixture, not a substance
3.2. Mixtures	See section 16 for full text of hazard statements.
<u>Active ingredients</u>	
Chlorpyrifos	Content: 21% w/w
CAS name	Phosphorothioic acid, O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) ester
CAS no.	2921-88-2
IUPAC name	O,O-Diethyl O-3,5,6-trichloro-2-pyridyl phosphorothioate
ISO name/EU name	Chlorpyrifos
EC no. (EINECS no.)	220-864-4
EU index no.	015-084-00-4
Classification of the ingredient	Acute oral toxicity: Category 3 (H301) Hazards to the aquatic environment, acute: Category 1 (H400) chronic: Category 1 (H410)
Structural formula	




Cypermethrin	Content: 4% by weight
CAS name	3-(2,2-Dichloroethenyl)-2,2-dimethylcyclopropanecarboxylic acid, cyano(3-phenoxyphenyl)methyl ester
CAS no.	52315-07-8
IUPAC name(s)	(RS)-α-Cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Material group	73E/7131-01	Page 4 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

ISO name (RS)- α -Cyano-3-phenoxybenzyl (1RS)-cis,trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
 Cypermethrin
 EU name Cypermethrin cis/trans +/- 40/60
 EC no. (EINECS no.) 257-842-9
 EU index no. 607-421-00-4
 Classification of the ingredient Acute oral toxicity: Category 4 (H302)
 Acute inhalation toxicity: Category 4 (H332)
 Specific target organ toxicity – single exposure: Category 3 (H335)
 Hazards to the aquatic environment, acute: Category 1 (H400)
 chronic: Category 1 (H410)

Structural formula



Reportable ingredients

	Content (% w/w)	CAS no.	EC no.	Classification
Hydrocarbons, C10, aromatics, > 1% naphthalene Reg. no. 01-2119464588-24	72		919-284-0	Carc. 2 (H351) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411)
Naphthalene	max. 7	91-20-3	EINECS no.: 202-049-5	Carc. 2 (H351) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Calcium dodecylbenzenesulphonate	max. 1.5	26264-06-2	EINECS no.: 247-557-8	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

If exposure has occurred, do not wait for symptoms to develop, but immediately start the procedures described below.

Inhalation

If exposure occurs, immediately remove from it. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

If breathing has stopped, immediately start artificial respiration and maintain until a physician takes charge of the exposed person.

Skin contact

Do not start with flushing with water, but wipe off with dry cloth or using talcum powder. Then wash with water and soap and apply

Material group	73E/7131-01	Page 5 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

lidocaine, fatty oil or cream. See physician immediately if feeling unwell.

Eye contact Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician immediately.

Ingestion Call a doctor or get medical attention immediately. Make the exposed person rinse mouth and then drink 1 or 2 glasses of water or milk. Induce vomiting only if:

1. a significant amount (more than a mouthful) has been ingested
2. patient is fully conscious
3. medical aid is not readily available
4. time since ingestion is less than one hour.

Let the patient induce vomiting by touching the back of the throat with a finger. If vomiting occurs, take care that vomit does not enter airways. Let the exposed person rinse mouth and drink fluids again.

4.2. **Most important symptoms and effects, both acute and delayed**

The first symptom to appear may be irritation. On contact, **cypermethrin** may cause feelings of burning, tingling or numbness in exposed areas (paraesthesia). Symptoms of cholinesterase inhibition (**chlorpyrifos**): nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

4.3. **Indication of any immediate medical attention and special treatment needed**

If there is any sign of poisoning, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to a mixed organophosphorus and pyrethroid insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

As soon as a feeling of tingling is noted in any skin area, it is recommended to immediately apply lidocaine or a vitamin E cream. For this purpose, lidocaine or vitamin E cream should be available at the workplace.

It may be helpful to show this safety data sheet to physician.

Notes to physician **Chlorpyrifos** is a cholinesterase inhibitor affecting the central and peripheral nervous systems producing respiratory depression.

Cypermethrin disturbs the nervous systems as well, causing unspecific reactions (at larger doses: tremors, convulsions and coma).

Material group	73E/7131-01	Page 6 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

The product contains petroleum distillates which may pose an aspiration pneumonia hazard.

Cypermethrin – contact If allowed to penetrate the skin, **cypermethrin** may cause an irritation similar to sunburn. The substance will be drawn into a non-polar environment such as a fat based oil or cream. Vitamin E cream has been reported to be beneficial. Water is highly polar and will not decrease, but may prolong the irritation. Hot water may increase the pain.

Cholinesterase inhibition – treatment Much information on (acetyl)cholinesterase inhibition by organophosphate insecticides and its treatment can be found on the internet.

Decontamination procedures such as whole body washing, gastric lavage and administration of activated charcoal are often required.

Antidote: If symptoms of cholinesterase inhibition (see subsection 4.2.) are present, administer atropine sulphate, which often is a lifesaving antidote, in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as possible. Repeat at 5 to 10 minute intervals until signs of atropinisation appear and maintain full atropinisation until all organophosphate is metabolised.

Obidoxime chloride (Toxogonin), alternatively pralidoxime chloride (2-PAM), may be administered as an adjunct to, but not a substitute for atropine sulphate. Treatment with oxime should be maintained as long as atropine sulphate is administered.

At first sign of pulmonary oedema the patient should be given supplementary oxygen and treated symptomatically.

Relapse can occur after initial improvement.
VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS, DEPENDING ON THE SEVERITY OF POISONING.

SECTION 5: FIRE-FIGHTING MEASURES

- | | |
|---|--|
| 5.1. Extinguishing media | Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams. |
| 5.2. Special hazards arising from the substance or mixture | The essential breakdown products are volatile, toxic, irritant, malodorous and inflammable compounds such as nitrogen oxides, hydrogen chloride, hydrogen sulphide, ethyl mercaptan, diethyl sulphide, sulphur dioxide, hydrogen cyanide, carbon monoxide, carbon dioxide, phosphorus pentoxide and various chlorinated organic compounds. |
| 5.3. Advice for firefighters | Use water spray to keep fire-exposed containers cool. Approach fire |

Material group	73E/7131-01	Page 7 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

♣ SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

1. use personal protection equipment; see section 8
2. call emergency telephone no.; see section 1
3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.

Stop the source of the spill immediately if safe to do so. Spills should be removed as soon as possible. Keep unprotected persons away from the spill area. Remove sources of ignition. Avoid and reduce vapour and mist formation as much as possible.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Use non-sparking tools and equipment. Surface water drains should be covered if appropriate. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, Fuller's earth or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with much water and soda lye. Absorb wash liquid onto absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

Material group	73E/7131-01	Page 8 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

- 6.4. **Reference to other sections** See subsection 8.2. for personal protection.
 See section 13 for disposal.

♣ SECTION 7: HANDLING AND STORAGE

- 7.1. **Precautions for safe handling** Keep away from sources of ignition.

In an industrial environment it is important to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Keep all unprotected persons and children away from working area.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use. Clothes that have been heavily drenched must be discarded as hazardous waste. Do not wash and reuse them.

Inhalation of vapours of the product can cause lowered consciousness, which increases the risks of operating machinery and driving.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

- 7.2. **Conditions for safe storage, including any incompatibilities**

The product is stable under normal conditions of warehouse storage.

The content is not affected when kept at 54°C for a period of 14 days. The product should never be heated above 55°C and also local heating above this temperature should be avoided. Protect against strong heat from sunshine or other source, e.g. fire.

Keep in tightly closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed

Material group	73E/7131-01	Page 9 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

and seed should not be present. A hand wash station should be available.

- 7.3. **Specific end use(s)** The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Personal exposure limits To our knowledge, no personal exposure limits have been established for cypermethrin.

		Year	
Chlorpyrifos	ACGIH (USA) TLV	2015	TWA 0.1 mg/m ³ , inhalable fraction and vapour Skin notation; BEI
	OSHA (USA) PEL	2015	Not established
	EU, 2000/39/EC as amended	2009	Not established
	Germany, MAK	2014	Not established; BAT
	HSE (UK) WEL	2011	8-h TWA 0.2 mg/m ³ STEL 0.6 mg/m ³ ; 15-minute reference period Skin notation
Naphthalene	ACGIH (USA) TLV	2015	TWA 10 ppm (52 mg/m ³) Skin notation; BEI
	OSHA (USA) PEL	2015	TWA 10 ppm (50 mg/m ³)
	EU, 2000/39/EC as amended	2009	Not established
	Germany, MAK	2014	Skin notation
	HSE (UK) WEL	2011	Not established
Aromatic hydrocarbons			100 ppm total hydrocarbon is recommended. The mixture contains trimethyl benzene. The ACGIH recommends a TLV-TWA of 25 ppm (123 g/m ³) for trimethyl benzene.
			However, other personal exposure limits defined by local regulations may exist and must be observed.
Monitoring methods			Persons working with this product for a longer period should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal.
Chlorpyrifos			
DNEL, systemic			0.01 mg/kg bw/day
PNEC, aquatic environment			14 ng/l

Material group	73E/7131-01	Page 10 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

Cypermethrin

DNEL, systemic 0.06 mg/kg bw/day
 PNEC, aquatic environment 3 ng/l

Aromatic hydrocarbons

DNEL, dermal 12.5 mg/kg bw/day
 DNEL, inhalation 151 mg/m³
 PNEC, aquatic environment Not applicable

Naphthalene

DNEL, dermal 3.57 mg/kg bw/day
 DNEL, inhalation 25 mg/m³
 PNEC, aquatic environment 2.4 µg/l

- 8.2. **Exposure controls** When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough times of these materials for the product are unknown. Generally, however, the use of protective gloves will give only partial protection against dermal exposure. Small tears in the gloves and cross-contamination can easily occur. It is recommended to shift the gloves frequently and to limit the work done manually. Wash hands with water and soap immediately after work is finished. Be careful to touch as little as possible with contaminated gloves and to clean everything that has been touched afterwards.



Eye protection

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.

Material group	73E/7131-01	Page 11 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

♣ SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance	Yellow liquid
Odour	Of aromatic hydrocarbons
Odour threshold	Not determined
pH	1% emulsion in water: 5.18
Melting point/freezing point	Below 0°C
Initial boiling point and boiling range	Not determined
	Chlorpyrifos : decomposes
	Cypermethrin : decomposes
	Aromatic hydrocarbons : 160 - 230°C
Flash point	65°C (Pensky-Martens closed cup test)
Evaporation rate	(Butyl acetate = 1)
	Aromatic hydrocarbons : 0.08
Flammability (solid/gas)	Not applicable (liquid)
Upper/lower flammability or explosive limits	Aromatic hydrocarbons : 0.6 - 7.0 vol% (≈ 0.6 - 7.0 kPa)
Vapour pressure	Chlorpyrifos : 2.7×10^{-3} Pa at 25°C 1.8 x 10 ⁻² Pa at 35°C
	Cypermethrin : 2.0×10^{-7} Pa at 20°C
	Aromatic hydrocarbons : < 1 kPa at 25°C
Vapour density	(Air = 1)
	Aromatic hydrocarbons : > 1
Relative density	Not determined
	Density: 0.985 g/ml at 20°C
Solubility(ies)	Solubility of chlorpyrifos in:
	ethyl acetate miscible
	toluene miscible
	hexane 774 g/l at 20°C
	water 0.94 mg/l at 25°C
	Cypermethrin : > 450 g/l at 20°C in acetone 103 g/l at 20°C in hexane 0.004 mg/l in water
Partition coefficient n-octanol/water	Chlorpyrifos : log K _{ow} = 4.7
	Cypermethrin : log K _{ow} = 6.6
	Aromatic hydrocarbons : some of the main components have log K _{ow} = 3.4 - 4.1 at 25°C by model calculation
Autoignition temperature	460°C (measured on a similar product)
Decomposition temperature	Not determined (however, see subsection 10.2.)

Material group	73E/7131-01	Page 12 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

Viscosity	Not determined
Explosive properties	Not explosive
Oxidising properties	Not oxidising

9.2. Other information

Miscibility	The product is emulsifiable in water.
-------------------	---------------------------------------

♣ SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	To our knowledge, the product has no special reactivities.
10.2. Chemical stability	Chlorpyrifos will decompose rapidly when heated to temperatures above 160°C, significantly increasing the risk of explosion. Direct local heating of the product such as electric heating or by steam must be avoided. The decomposition is to a considerable extent dependent on time as well as temperature due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as diethyl sulphide and ethyl mercaptan.
10.3. Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	Heating of the product will evolve harmful and irritant vapours.
10.5. Incompatible materials	Strong alkalis and strong oxidising compounds. The product can corrode metals (but does not meet the criteria for classification).
10.6. Hazardous decomposition products	See subsection 5.2.

♣ SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects	* = Based on available data, the classification criteria are not met.
<i>Product</i>	
Acute toxicity	The product is harmful by ingestion. It is considered as less harmful by skin contact. The acute toxicity is estimated from measurements on similar products as:
Route(s) of entry	
- ingestion	LD ₅₀ , oral, rat (male): 400 - 2000 mg/kg
- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg *
- inhalation	LC ₅₀ , inhalation, rat: > 5 mg/l/4 h *
Skin corrosion/irritation	Expected to be mildly irritating to skin. *
Serious eye damage/irritation	Expected to be mildly irritating to eyes. *
Respiratory or skin sensitisation ...	Not expected to be allergenic. Cypermethrin may in exceptional cases be an allergic sensitizer. *

Material group	73E/7131-01	Page 13 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

Germ cell mutagenicity	The product contains no ingredients known to be mutagenic. *
Carcinogenicity	The product contains naphthalene which is suspected of being carcinogenic.
Reproductive toxicity	The product contains no ingredients found to have adverse effects on reproduction. *
STOT – single exposure	May cause disturbance of central nervous system.
STOT – repeated exposure	The following was measured on the active ingredient chlorpyrifos : Target organ: nervous system (cholinesterase inhibition) LOAEL: 1 mg/kg bw/day in a 90-day rat study. At this exposure level, minor cholinesterase inhibition was found which generally does not result in observable effects or discomfort. A level for observable effects (LOEL) has not been determined. * The following is found for the active ingredient cypermethrin : Target organ: nervous system, liver, kidneys NOAEL: 400 ppm (20 mg/kg bw/day) in a 90-day rat study (method OECD 408) based on increased liver and kidney weight and clinical signs of neurotoxicity. *
Aspiration hazard	The product presents an aspiration pneumonia hazard.
Symptoms and effects, acute and delayed	Symptoms of cholinesterase inhibition: nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.
<u><i>Chlorpyrifos</i></u> Toxicokinetics, metabolism and distribution	Chlorpyrifos is rapidly absorbed and excreted following oral administration. It is widely distributed in the body and extensively metabolised. There is no evidence for accumulation.
Acute toxicity	The substance is toxic by ingestion. Toxicity by inhalation is not known. It is considered as less harmful by skin contact. The acute toxicity is measured as:
Route(s) of entry - ingestion	LD ₅₀ , oral, rat (male): 276 mg/kg (method FIFRA 81.01) LD ₅₀ , oral, rat (female): 350 mg/kg
- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg (method FIFRA 81.02) *
- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritation	Slightly irritating to skin (method FIFRA 81.05). *
Serious eye damage/irritation	Slightly irritating to eyes (method FIFRA 81.04). *

Material group	73E/7131-01	Page 14 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

Respiratory or skin sensitisation ... Not sensitising (method FIFRA 81.06). *

Cypermethrin

Toxicokinetics, metabolism and distribution

After oral intake, cypermethrin is primarily stored in fatty tissue. After termination of exposure, excretion is rapid, within 72 hours, mainly unchanged, but some metabolism occurs as well.

Acute toxicity Cypermethrin is harmful by ingestion and inhalation. It is considered as less harmful by skin contact. The acute toxicity is measured as:

Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: 287 mg/kg
	- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg *
	- inhalation	LC ₅₀ , inhalation, rat: 3.89 mg/l/4 h (EU method B.2)

Skin corrosion/irritation Moderately irritating to skin (EU method B.4). *

Serious eye damage/irritation Slightly irritating to eyes (EU method B.5). *

Respiratory or skin sensitisation ... Not sensitising (EU method B.6). Results from other studies are mixed. *

Hydrocarbons, C10, aromatics, > 1% naphthalene

Acute toxicity The substance is not considered as harmful. * The acute toxicity is measured as:

Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: > 5000 mg/kg (method similar to OECD 401)
	- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg (method similar to OECD 402)
	- inhalation	LC ₅₀ , inhalation, rat: > 4.7 mg/l/4 h (vapour; method similar to OECD 403)

Skin corrosion/irritation Mildly irritating to skin with prolonged exposure (method similar to OECD 404). *
 Can cause skin dryness.

Serious eye damage/irritation May cause mild, short-lasting discomfort to eyes (method similar to OECD 405). *

Respiratory or skin sensitisation ... To our knowledge, no indications of allergenic properties have been recorded. Measured on a similar substance: not a skin sensitizer (method similar to OECD 406). *

Carcinogenicity For petroleum solvents in general, IARC has considered the evidence for carcinogenicity as inadequate.

The product contains naphthalene, which is a suspected carcinogen.

Aspiration hazard Aromatic hydrocarbons present an aspiration hazard.

Material group	73E/7131-01	Page 15 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

Naphthalene

Acute toxicity		The substance is harmful by ingestion. The acute toxicity is measured as:
Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: > 2000 mg/kg (method OECD 401) *
		LD ₅₀ , oral, mouse: 710 mg/kg (method similar to OECD 401)
	- skin	LD ₅₀ , dermal, rat: > 2500 mg/kg *
	- inhalation	LC ₅₀ , inhalation, rat: > 0.4 mg/l/4 h (vapour; method similar to OECD 403)
Skin corrosion/irritation		Not irritating to skin (method similar to OECD 404). *
Serious eye damage/irritation		Not irritating to eyes (method similar to OECD 405). *
Respiratory or skin sensitisation ...		Not a skin sensitizer (method OECD 406). *
Carcinogenicity		Naphthalene is a suspected carcinogen (6 studies).
Aspiration hazard		Naphthalene presents an aspiration pneumonia hazard.

Calcium dodecylbenzenesulphonate

Acute toxicity		The substance is not considered as harmful by skin contact, ingestion and inhalation. * The acute toxicity is measured as:
Route(s) of entry	- ingestion	LD ₅₀ , oral, rat: 4000 mg/kg
	- skin	LD ₅₀ , dermal, rat: not available
	- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritation		Irritating to skin.
Serious eye damage/irritation		Irritating to eyes with the potential to cause permanent eye damage.

♣ SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity	The product is highly toxic to fish, aquatic invertebrates and insects. It is toxic to aquatic plants, but it is considered as less toxic to birds and not harmful to soil micro- and macroorganisms.
----------------------	---

The ecotoxicity measured on the active ingredients is:

			Cypermethrin	Chlorpyrifos
- Fish	Rainbow trout (<i>Oncorhynchus mykiss</i>)	96-h LC ₅₀	2.8 µg/l	3 µg/l
		21-day NOEC		1.8 µg/l
	Fathead minnow (<i>Pimephales promelas</i>)	34-day NOEC	0.03 µg/l	
- Invertebrates	Daphnids (<i>Daphnia magna</i>)	48-h EC ₅₀	0.3 µg/l	1.7 µg/l
		21-day NOEC	0.04 µg/l	0.056 µg/l

Material group	73E/7131-01	Page 16 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

- Algae	Green algae (<i>Pseudokirchneriella subcapitata</i>)	96-h IC ₅₀	> 0.1 mg/l	0.48 mg/l
- Birds	Mallard duck (<i>Anas platyrhynchos</i>)	LD ₅₀		75.6 mg/kg
	Bobwhite quail (<i>Colinus virginianus</i>)	14-day LD ₅₀ , dietary	> 5620 mg/kg	
- Earthworms	<i>Eisenia foetida foetida</i>	14-day LC ₅₀	> 100 mg/kg dry soil	
- Bees	Honey bees (<i>Apis mellifera</i>)	LD ₅₀ , acute oral	0.035 µg/bee	0.36 µg/bee
		LD ₅₀ , contact	0.020 µg/bee	0.07 µg/bee

12.2. Persistence and degradability

Chlorpyrifos is biodegradable, but does not meet the criteria for being readily biodegradable. It undergoes degradation in the environment and in waste water treatment plants. No adverse effects are found at concentrations up to 100 mg/l in waste water treatment plants. Degradation occurs both aerobically and anaerobically, biologically as well as abiologically.

Primary degradation half-lives of **chlorpyrifos** vary with circumstances, but are usually around 4 - 10 weeks in soil and water. pH has a major influence. Degradation will increase at higher pH.

Approximately the same is valid for **cypermethrin**. It degrades somewhat slower. Primary degradation usually takes a few months in the environment.

Aromatic hydrocarbons are not readily biodegradable. However, they are expected to be degraded in the environment at a moderate rate. When evaporated, they are expected to degrade rapidly in the air.

The product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

12.3. Bioaccumulative potential

See section 9 for octanol-water partition coefficients.

Chlorpyrifos has the potential to bioaccumulate, but is rapidly excreted (with half-life 2 - 3 days). The bioaccumulation factor of chlorpyrifos is measured to be 1375 for whole fish (rainbow trout).

Cypermethrin has the potential to bioaccumulate as well, but in view of its high acute toxicity to aquatic organisms, bioaccumulation is not relevant.

Aromatic hydrocarbons have a moderate potential to bioaccumulate if continuous exposure is maintained. Most components can be metabolised by many organisms, bacteria, fungi, etc. Bioaccumulation factors (BCFs) of some of the main components are 246 - 810 (by model calculation).

Material group	73E/7131-01	Page 17 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

- 12.4. **Mobility in soil** Both **chlorpyrifos** and **cypermethrin** are not mobile in the environment, but are strongly absorbed to soil.
- Aromatic hydrocarbons** are not mobile in the environment, but they are highly volatile and will rapidly evaporate to the air if released onto water or on the surface of soil. They float and can migrate to sediment.
- 12.5. **Results of PBT and vPvB assessment** None of the ingredients meets the criteria for being PBT or vPvB.
- 12.6. **Other adverse effects** Other relevant hazardous effects in the environment are not known.

♣ SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.
- Disposal of waste and packagings must always be in accordance with all applicable local regulations.
- Disposal of product According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.
- Chlorpyrifos and cypermethrin are rapidly hydrolysed in water by heating and adjusting the pH to > 8.0..
- Disposal of packaging Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.
- It is recommended to consider possible ways of disposal in the following order:
1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

Material group	73E/7131-01	Page 18 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

♣ SECTION 14: TRANSPORT INFORMATION

ADR/RID/IMDG/IATA/ICAO classification

- 14.1. **UN number** 3082
- 14.2. **UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (chlorpyrifos, cypermethrin and alkyl(C3-C5)benzenes)
- 14.3. **Transport hazard class(es)** 9
- 14.4. **Packing group** III
- 14.5. **Environmental hazards** Marine pollutant
- 14.6. **Special precautions for user** Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.
- 14.7. **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code** The product is not transported in bulk by ship.

♣ SECTION 15: REGULATORY INFORMATION

- 15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture** Seveso category (Dir. 2012/18/EU): dangerous for the environment
- The employer shall assess any risks to the safety or health and any possible effect on the pregnancies or breastfeeding of workers and decide what measures should be taken (Dir. 92/85/EEC).
- The Young Worker Directive (94/33/EC) prohibits people under the age of 18 to work with this product.
- All ingredients are covered by EU chemical legislation.
- 15.2. **Chemical safety assessment** A chemical safety assessment is not required to be included for this product.

♣ SECTION 16: OTHER INFORMATION

- Relevant changes in the safety data sheet Minor corrections only
- List of abbreviations ACGIH American Conference of Governmental Industrial Hygienists
- BAT Biologische Arbeitsstoff-Toleranzwert
- BEI Biological Exposure Index
- CAS Chemical Abstracts Service
- Dir. Directive
- DNEL Derived No Effect Level

Material group	73E/7131-01	Page 19 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

EC	Emulsifiable Concentrate, or European Community
EC ₅₀	50% Effect Concentration
EINECS	European INventory of Existing Commercial Chemical Substances
FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
HSE	Health & Safety Executive, UK
IARC	International Agency for Research on Cancer
IBC	International Bulk Chemical code
IC ₅₀	50% Inhibition Concentration
ISO	International Organisation for Standardisation
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	50% Lethal Concentration
LD ₅₀	50% Lethal Dose
LOAEL	Lowest Observed Adverse Effect Level
LOEL	Lowest Observed Effect Level
MAK	Maximale Arbeitsplatz-Konzentration
MARPOL	Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
NOEC	No Observed Effect Concentration
n.o.s.	Not otherwise specified
OECD	Organisation for Economic Development and Cooperation
OSHA	Occupational Safety and Health Administration
PBT	Persistent, Bioaccumulative, Toxic
PEL	Personal Exposure Limit
PNEC	Predicted No Effect Concentration
Reg.	Registration, or Regulation
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TLV	Threshold Limit Value
TWA	Time Weighted Average
vPvB	very Persistent, very Bioaccumulative
WEL	Workplace Exposure Limit
WHO	World Health Organisation

References	Data measured on similar products are unpublished company data. Data on ingredients are available from published literature and can be found several places.
Method for classification	Acute oral toxicity: read across Carcinogenicity: calculation rules Specific target organ toxicity – single exposure: calculation method Aspiration toxicity: read across Hazards to the aquatic environment: calculation rules
Used hazard statements	H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways.

Material group	73E/7131-01	Page 20 of 20
Product name	CYREN C 36/200 Cypermethrin 36 g/l + Chlorpyrifos 200 g/l EC	October 2017

H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness and cracking.
EUH401	To avoid risks to human health and the environment, comply with the instructions of use.

Advice on training This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB