



Version **Revision Date:** SDS Number: Date of last issue: -

03.03.2025 50000117 Date of first issue: 03.03.2025 3.1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VERIMARK®

Manufacturer or supplier's details

: FMC QUÍMICA DO BRASIL LTDA. Company

AVENIDA DR. JOSÉ BONIFÁCIO Address

> COUTINHO NOGUEIRA 150 - 1º ANDAR - JARDIM MADALENA.

CAMPINAS SP BRASIL TELEFONE: (19) 2042-4500

Brazil: 0800 34 35 450 (24 hours) Emergency telephone

+55-2139581449 (CHEMTREC)

Recommended use of the chemical and restrictions on use

Recommended use Insecticide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Specific target organ toxicity - : Category 2

repeated exposure

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms





Signal Word WARNING

Hazard Statements H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements Prevention:

> P260 Do not breathe mist or vapors. P273 Avoid release to the environment.

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cyantraniliprole	736994-63-1	Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in attend-

ance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

VERIMARK®



Version **Revision Date:** SDS Number: Date of last issue: -

50000117 Date of first issue: 03.03.2025 3.1 03.03.2025

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Bromine compounds Nitrogen oxides (NOx)

Carbon oxides

Chlorinated compounds Hydrogen chloride Hydrogen cyanide

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

Use a water spray to cool fully closed containers.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment. Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

Environmental precautions Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Avoid formation of respirable particles.

Dispose of rinse water in accordance with local and national

regulations.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, includ-

ing the inside, before re-use.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with important labor, without access of upput box.

ed and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not

be present. A hand wash station should be available.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment. When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : off-white

Odor : odorless

Odor Threshold : No data available

pH : 4,42 - 4,46

Concentration: 1 % Method: CIPAC MT 75.3 (1% solution in water)

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 98 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : > 800 °C

No data available

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1,08 g/cm3

Method: Regulation (EC) No. 440/2008, Annex, A.3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1.916 mPa.s (20 °C)

Method: CIPAC MT 192

30 rpm

1.588 mPa.s (40 °C) Method: CIPAC MT 192

30 rpm

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : 33,3 mN/m, 22,5 °C

Molecular weight : Not applicable

Particle size : No data available

Particle Size Distribution : $D50 = 1,37 \mu m$

 $D90 = 3,48 \mu m$

Measurement method: CIPAC MT 187

SECTION 10. STABILITY AND REACTIVITY

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Protect from frost, heat and sunlight.

Heating of the mixture may evolve harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity





Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : slight irritation

Components:

Cyantraniliprole:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit Result : slight irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Components:

Cyantraniliprole:

Species : Rabbit Result : slight irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

GLP : yes

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node test

Species : Mouse

Assessment : Not a skin sensitizer.

Method : OECD Test Guideline 429

Result : Did not cause sensitization on laboratory animals.

Components:

Cyantraniliprole:

Test Type : Local lymph node test

Routes of exposure : Dermal Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Buehler Test Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

GLP : yes

Test Type : Magnussen-Kligman test

Routes of exposure : Dermal Species : Guinea pig

Method : OECD Test Guideline 406 Result : Causes skin sensitization.

GLP : yes

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Remarks : see user defined free text

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Components:

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: reverse mutation assay Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

VERIMARK®



Version **Revision Date:** SDS Number: Date of last issue: -

50000117 Date of first issue: 03.03.2025 3.1 03.03.2025

Components:

Cyantraniliprole:

Rat, male and female **Species**

Application Route Ingestion Exposure time 2 Years

NOAEL 200 - 2.000 ppm

Method **OECD Test Guideline 453**

Result negative

Species Mouse, male and female

Application Route Ingestion Exposure time 18 month(s) NOAEL 7.000 ppm

OECD Test Guideline 451 Method

Result negative

Carcinogenicity - Assess-

cinogen ment

Weight of evidence does not support classification as a car-

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Test Type: Pre-natal Effects on fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: negative

Test Type: Pre-natal Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day

Symptoms: Maternal effects. Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment The substance or mixture is not classified as specific target

organ toxicant, single exposure.

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : ANVISA assessment

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat

NOAEL : > 1.000 mg/kg

Application Route : Oral Exposure time : 28 Days

Method : OECD Test Guideline 407 Symptoms : increased liver weight

Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female NOAEL : 6,9 - 168 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 1091,8 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3100

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 3,08 - 3,48 mg/kg bw/day

Application Route : Ingestion Exposure time : 90 Days

Method : OPPTS 870.3150

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female NOAEL : 8,3 - 106,6 mg/kg bw/day

Application Route : Ingestion Exposure time : 2 yr

Method : OPPTS 870.4300





Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female NOAEL : 768,8 - 903,8 mg/kg bw/day

Application Route : Ingestion Exposure time : 18 Months Method : OPPTS 870.4200

Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female NOAEL : 5,67 - 6 mg/kg bw/day

Application Route : Ingestion Exposure time : 1 yr

Method : OPPTS 870.4100

Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female

NOAEL : 1000 mg/kg Application Route : Dermal Exposure time : 28 Days

Method : OECD Test Guideline 410

GLP : yes Symptoms : Irritation

Remarks : Effects are of limited toxicological significance.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): ca. 39 mg/l

Exposure time: 96 h

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,209 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 66,3

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to soil dwelling or-

ganisms

(Eisenia fetida (earthworms)): > 1.000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): 9,5 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

NOEL (Apis mellifera (bees)): < 1 µg a.i./bee

Exposure time: 72 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

NOEL (Apis mellifera (bees)): 0,11 µg a.i./bee

Exposure time: 72 h

End point: Acute oral toxicity

Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 2,45 µg/bee

Exposure time: 72 h

End point: Acute oral toxicity

Method: OECD Test Guideline 213

NOEL (Colinus virginianus (Bobwhite quail)): 2020 mg a.i./kg

End point: Acute oral toxicity Method: EPA OPP 71-1

LD50 (Colinus virginianus (Bobwhite quail)): > 2020 mg a.i./kg

End point: Acute oral toxicity Method: EPA OPP 71-1

LR50 (Aphidius rhopalosiphi): 0,143 g a.s./h

Exposure time: 48 h

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Components:

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPP 72-1

GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13

mg/l

Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,278 mg/l

Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0,060 mg/l

Exposure time: 7 d

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2,9

mg/l

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,11 mg/l

Exposure time: 21 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 1,01 mg/l

Exposure time: 90 d

Test Type: Early Life-Stage

Method: US EPA Test Guideline OPP 72-4

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,00656 mg/l

End point: Growth Exposure time: 21 d

Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

LOEC (Daphnia magna (Water flea)): 0,00969 mg/l

End point: Growth Exposure time: 21 d Test Type: Static-Renewal

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

NOEC (Daphnia magna (Water flea)): 0,00447 mg/l

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0,72 mg/l

End point: reproduction Exposure time: 35 d

Test Type: flow-through test

Method: US EPA Test Guideline OPP 72-4

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to soil dwelling or-

ganisms

NOEC (Eisenia fetida (earthworms)): 1.000 mg/kg

Exposure time: 14 d

Method: OECD Test Guideline 222

GLP: yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 0,0934 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity Method: OECD Test Guideline 214

GLP: yes

LD50 (Apis mellifera (bees)): > 0,1055 μg/bee

Exposure time: 48 h

End point: Acute oral toxicity Method: OECD Test Guideline 213

GLP: yes

LD50 (Colinius virginianus): > 2.250 mg/kg

End point: Acute oral toxicity

Method: US EPA Test Guideline OPPTS 850.2100

GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 1.000 ppm

End point: Reproduction Test Method: OECD Test Guideline 206

GLP: yes

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9,09 - 37,7 d

Remarks: Fresh water

Degradation half life (DT50): 76,6 - 119 d

Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d

Remarks: total system

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Remarks: No data available

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 1,97 (22 °C)

pH: 4

log Pow: 2,07 (22 °C)

pH: 7

log Pow: 1,74 (22 °C)

pH: 9

Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Distribution among environ-

mental compartments

Koc: 241 ml/g, log Koc: 2,38

Kd: 3,73 ml/g

Remarks: Mobile in soils

Other adverse effects

Product:

VERIMARK®



Version **Revision Date:** SDS Number: Date of last issue: -

03.03.2025 50000117 Date of first issue: 03.03.2025 3.1

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

The product should not be allowed to enter drains, water Waste from residues

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging It is prohibited to reuse, bury, burn or sell packaging.

> Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to 1/4 of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by

perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer: Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

Class 9

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Cyantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Cyantraniliprole)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This MSDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.





Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans

Palygorskite 12174-11-7

Brazil. List of chemicals controlled by the Federal Po- : Not applicable

lice

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Cyantraniliprole Palygorskite

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 03.03.2025

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

VERIMARK®



Version Revision Date: SDS Number: Date of last issue: -

3.1 03.03.2025 50000117 Date of first issue: 03.03.2025

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN