



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name ETHOS® XB INSECTICIDE/FUNGICIDE

Other means of identification

Product code 50001476

Chemical nature Mixture

Recommended use of the chemical and restrictions on use

Recommended use Insecticide and fungicide

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity

- single exposure

Category 1 (Central nervous system)

Specific target organ toxicity

Specific larger organitoxi

- repeated exposure

Category 1 (Central nervous system)

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.

H317 May cause an allergic skin reaction.

H370 Causes damage to organs (Central nervous system). H372 Causes damage to organs (Central nervous system)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	15.67
Bacillus amyloliquefaciens	68038-60-8	5





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

ammonium sulphate	7783-20-2	>= 5 - <= 10
D-Glucopyranose, oligomeric, C9-11-	132778-08-6	>= 1 - < 5
alkyl glycosides		
Poly(oxy-1,2-ethanediyl), .alpha	68186-36-7	>= 1 - < 5
tridecylomegahydroxy-, phos-		
phate, potassium salt		

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

Seek medical advice.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Do NOT induce vomiting.

Give small amounts of water to drink.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed or if inhaled.

May cause an allergic skin reaction.

Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- : Thermal decomposition can lead to release of irritating gases

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

ucts and vapors.

Carbon oxides

Fluorinated compounds Chlorinated compounds Hydrogen chloride Hydrogen fluoride

Ammonia Sulfur oxides Sulphuric acid

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Wear suitable protective equipment.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : 4.25 (72 °F / 22 °C)

In a 1% aqueous dispersion

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : $> 212 \,^{\circ}\text{F} / 100 \,^{\circ}\text{C}$

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 9.5989 lb/gal (72.5 °F / 22.5 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 929.3 mPa.s (75.4 °F / 24.1 °C)

607.4 mPa.s (111.4 °F / 44.1 °C)





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): ca. 1,103 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant

Result : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Mild eye irritant

Assessment : Not classified as irritant

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : May cause sensitization by skin contact.

Result : Causes skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test

Species: Drosophila melanogaster (vinegar fly)

Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat

Method: OECD Test Guideline 486

Result: negative

ammonium sulphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male)

Application Route: Intraperitoneal injection

Exposure time: 4 d Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years

NOAEL : 3 mg/kg bw/day

Result : negative

Species : Mouse, male

Application Route : Oral

Exposure time : 18 month(s)
NOAEL : 7.6 mg/kg bw/day

Result : positive

Symptoms : malignant tumors

ammonium sulphate:

Species : Rat, male
Application Route : Oral
Exposure time : 2 y

Dose : 564, 1288 mg/kg food Method : OECD Test Guideline 453

Result : negative

Species : Rat, female

Application Route : Oral Exposure time : 2 y

Dose : 649, 1371 mg/kg food Method : OECD Test Guideline 453

Result : negative

Carcinogenicity - Assess- : Weight of evidence does not support classification as a car-

ment cinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Bifenthrin:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 3 mg/kg bw/day General Toxicity F1: NOAEL: 5 mg/kg bw/day

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day

Teratogenicity: NOAEL: 2.7 mg/kg bw/day

Symptoms: Maternal effects. Result: No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 1 mg/kg bw/day

Teratogenicity: NOAEL: 2 mg/kg bw/day

Result: No teratogenic effects.

ammonium sulphate:

Effects on fertility : Species: Rat

Application Route: Oral Dose: 250, 750, 1500 mg/kg

General Toxicity Parent: LOAEL: 250 mg/kg body weight

Fertility: NOAEL: 1,500 mg/kg body weight

Method: OECD Test Guideline 422

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on fetal development : Species: Rat

Application Route: Oral Dose: 250, 750, 1500 mg/kg

Developmental Toxicity: NOAEL: 1,500 mg/kg body weight

Method: OECD Test Guideline 415

Result: negative

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Causes damage to organs (Central nervous system).





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Bifenthrin:

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

ammonium sulphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Bifenthrin:

Species : Rat, male and female

NOEL : 100 ppm Application Route : Oral - feed Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

Species : Dog, male and female NOEL : 2.5 mg/kg bw/day

Application Route : Oral - feed Exposure time : 13 w : Tremors

ammonium sulphate:

Species : Rat, female NOAEL : 284 mg/kg Application Route : Oral

Exposure time : 1 y

Dose : 48, 284, 1490 mg/kg
Method : OECD Test Guideline 453
Symptoms : Liver effects, kidney effects

Species : Rat, male
NOAEL : 256 mg/kg
Application Route : Oral

Exposure time : 1 y

Dose : 42, 256, 1527 mg/kg Method : OECD Test Guideline 453





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Symptoms : Liver effects, kidney effects

Species : Rat

NOAEC : 0.3 mg/l

Application Route : Inhalation

Exposure time : 14 d

Number of exposures : 8 h/d

Dose : 0.3 mg/L

Symptoms : No adverse effects.

Aspiration toxicity

Not classified based on available information.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bifenthrin:

Toxicity to fish : LC50 (Salmo gairdneri): 0.15 µg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.11 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 0.822 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l

Exposure time: 21 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0013 µg/l

Exposure time: 21 d

NOEC (Daphnia magna (Water flea)): 0.00095 µg/l

Exposure time: 21 d

Toxicity to soil dwelling or: LD50 (Eisenia fetida (earthworms)): > 16 mg/kg

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

ganisms Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 1,800 mg/kg

LD50 (Apis mellifera (bees)): 0.044 - 0.11 µg/bee

End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): 0.1 µg/bee

End point: Acute oral toxicity

LD50 (Anas platyrhynchos (Mallard duck)): > 2,150 mg/kg

Bacillus amyloliquefaciens:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): >8.1*10^10

CFU/L

Exposure time: 30 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): >2.3*10^10 CFU/L

Exposure time: 21 d

Toxicity to terrestrial organ-

isms

LC50 (Apis mellifera (bees)): 1 x 10^9 CFU/mL

Exposure time: 48 h

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg

ammonium sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 169 mg/l

Exposure time: 48 h

EC50 (Daphnia): 121.7 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 2,700 mg/l

Exposure time: 18 h

EC50 (Chlorella vulgaris (Fresh water algae)): 1,605 mg/l

Exposure time: 5 d

Toxicity to fish (Chronic tox-

icity)

EC10 (Lepomis macrochirus (Bluegill sunfish)): 5.29 mg/l

Exposure time: 30 d

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

EC10 (Hyalella azteca (Amphipod)): 3.12 mg/l

Exposure time: 70 d

Test Type: semi-static test

Toxicity to microorganisms : EC50 (activated sludge): 1,618 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials





Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 2.95 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): 26.2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (Diatom)): 9.05 mg/l

Exposure time: 72 h Method: ISO 10253

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 560 mg/l

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

ammonium sulphate:

Biodegradability : Result: Not biodegradable

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Biodegradability : Result: Readily biodegradable.

Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, potassium salt:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 1,709

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

See section 9 for octanol-water partition coefficient.

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Partition coefficient: n-

octanol/water

: log Pow: 6

ammonium sulphate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -5.1 (77 °F / 25 °C)

log Pow: 0.48 (77 °F / 25 °C)

D-Glucopyranose, oligomeric, C9-11-alkyl glycosides:

Partition coefficient: n- : log Pow: 3.7

octanol/water Method: OECD Test Guideline 117

Mobility in soil

Components:

Bifenthrin:

Distribution among environ-

mental compartments

Koc: 236610 ml/g, log Koc: 5.37

Remarks: immobile

Stability in soil

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.





Version **Revision Date:** SDS Number: Date of last issue: -

01/09/2023 50001476 Date of first issue: 01/09/2023 1.0

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Bifenthrin)

Class 9 Packing group Ш Labels 9

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Bifenthrin)

964

964

9 Class Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

> N.O.S. (Bifenthrin)

Class 9

Ш Packing group Labels 9

F-A. S-F EmS Code Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Bifenthrin)

9 Class Packing group Ш

Labels CLASS 9 **ERG Code** 171 Marine pollutant no

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

Bifenthrin 82657-04-3 >= 10 - < 20 %

ammonium sul- 7783-20-2 >= 5 - < 10 %

phate

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetic acid 64-19-7 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

acetic acid 64-19-7 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

ammonium sulphate 7783-20-2 Quartz (SiO2) 14808-60-7

Pennsylvania Right To Know





Version **Revision Date:** SDS Number: Date of last issue: -

01/09/2023 50001476 Date of first issue: 01/09/2023 1.0

> 7732-18-5 water Bifenthrin 82657-04-3 ammonium sulphate 7783-20-2 Bacillus amyloliquefaciens 68038-60-8 D-Glucopyranose, oligomeric, C9-11-alkyl glycosides 132778-08-6

acetic acid 64-19-7

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane 556-67-2

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane 556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TCSI Not in compliance with the inventory

TSCA Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL This product contains the following components that are not

on the Canadian DSL nor NDSL.

2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-

CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE

Bacillus amyloliquefaciens

ENCS Not in compliance with the inventory

ISHL Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS Not in compliance with the inventory

IECSC Not in compliance with the inventory

NZIoC Not in compliance with the inventory

TECI Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

ETHOS® XB INSECTICIDE/FUNGICIDE




Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the

ETHOS® XB INSECTICIDE/FUNGICIDE



Version Revision Date: SDS Number: Date of last issue: -

1.0 01/09/2023 50001476 Date of first issue: 01/09/2023

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet