SAFETY DATA SHEET

SIPP-OLIGOMAX

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: 10248-2-A

Revision date: 2018-07-20

Format: EU Version 1.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) 10248-2-A

Product Name SIPP-OLIGOMAX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A soluble fertilizer for use in agriculture and horticulture

Restrictions on useUse as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

Contact point Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 (H315)
Serious eye damage/eye irritation	Category 1 (H318)
Specific target organ toxicity — repeated exposure	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)

2.2. Label elements

Hazard pictograms

SDS #: 10248-2-A **Revision date**: 2018-07-20

Version 1.01



Signal Word Danger

Hazard Statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P260 - Do not breathe dust

P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

The product is a mixture, not a substance.

3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
AMMONIUM IRON(III) CITRATE	214-686-6	1185-57-5	30-60	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	No data available
MANGANESE SULPHATE MONOHYDRATE	232-089-9	10034-96-5	10-30	Eye Dam. 1: H318; STOT RE 2: H373; Aquatic Chronic 2: H411	01-2119456624-35- XXXX
Zinc sulfate	231-793-3	7733-02-0	10-30	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27- XXXX
BORIC ACID, SODIUM SALT, PENTAHYDRATE	234-522-7	12046-75-2	1-10	Repr. 2: H361d	01-2119970731-35- XXXX
DICOPPER CHLORIDE TRIHYDROXIDE	215-572-9	1332-65-6	<1	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	01-2119966120-46- XXXX

Additional Information

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

SDS #: 10248-2-A

Revision date: 2018-07-20 Version 1.01

hospital for specialist examination.

Skin Contact Immediately remove all stained or splashed clothing that is not adhering to the skin. Drench

the affected skin with running water for 10 minutes or longer if substance is still on skin.

Consult a doctor if necessary.

Inhalation Remove person from exposure ensuring one's own safety while doing so. Consult a doctor

if necessary.

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Possible systemic effects via inhalation or ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be released in fire situations.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

For personal protection see section 8. Stop leak if you can do it without risk. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

For emergency responders

Use personal protection recommended in Section 8.

SDS #: 10248-2-A

Revision date: 2018-07-20

Version 1.01

6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Equipment

should contain high efficiency filter. Transfer to a closable, labeled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of

disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing. Avoid dust formation in confined areas.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific Use(s)

No data available.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany
MANGANESE SULPHATE	TWA 0.5 mg/m ³	-	=	=	=
MONOHYDRATE	_				
10034-96-5					
DICOPPER CHLORIDE	=	TWA 1 mg/m ³ ;	=	=	-
TRIHYDROXIDE		STEL 2 mg/m ³			
1332-65-6		_			
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark
MANGANESE SULPHATE	=	-	=	TWA 0.02 mg/m ³	=
MONOHYDRATE					
10034-96-5					

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

SDS #: 10248-2-A **Revision date**: 2018-07-20

Version 1.01

Engineering measures Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

materials such as nitrile or neoprene.

Skin and Body Protection Wear protective gloves/clothing.

Respiratory Protection Respiratory protective device with particle filter class P2S (EN143).

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Dry powder

Appearance No information available Odour Barely perceptible

Colour Brown

Odour threshold No information available

pH 5.3 @ 1 g/L

Melting point/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash pointNo information availableEvaporation RateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density
Specific gravity
No information available
No information available
No information available
No information available
Specific gravity
No information available

Water solubility Soluble in water

No information available Solubility in other solvents **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Viscosity, kinematic No information available No information available Viscosity, dynamic **Explosive properties** No information available **Oxidising properties** Non-oxidizing (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions

10.2. Chemical stability

SDS #: 10248-2-A

Revision date: 2018-07-20

Version 1.01

Stable under recommended storage conditions.

Explosion data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerization does not occur.

Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidising agents, Strong acids, Strong bases.

10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

LD50 Oral

> 2000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50	
MANGANESE SULPHATE	2400 mg/kg (Rat)		>4.98 mg/L (4 hr) (Rat)	
MONOHYDRATE				
Zinc sulfate	1710 mg/kg (Rat)	>2000mg/kg (Rat)		
BORIC ACID, SODIUM SALT,	2330 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>2.03 mg/L (5hr) (Rat)	
PENTAHYDRATE			-	
DICOPPER CHLORIDE	1398 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	4.74 mg/L (4 hr) (Rat)	
TRIHYDROXIDE				

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.
No information available.
No information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Symptoms Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

SDS #: 10248-2-A **Revision date**: 2018-07-20

Version 1.01

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and $\,$

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 2.72 (calculated) mg/L

DAPHNID (Daphnia magna): 48H LC50 = 2.83 (calculated) mg/L

RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 2.03 (calculated) mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
MANGANESE SULPHATE	ALGAE (Desmodesmus	RAINBOW TROUT (Oncorhynchus	DAPHNID (Daphnia magna): 48H
MONOHYDRATE	subspicatus: 72H ErC50 = 61.0 mg/L	mykiss): 96H LC50 = 9.75 mg/L	LC50 = 30.1 mg/L
Zinc sulfate	72 h EC50: = 0.056 mg/L (Pseudokirchneriella subcapitata) static 72 h EC50: = 64.8 mg/L (Chlorella vulgaris) 96 h EC50: = 2.4 mg/L (Chlorella vulgaris)	96 h LC50: = 0.162 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.03 - 0.05 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: 0.34 - 0.93 mg/L (Oncorhynchus mykiss) static 96 h LC50: 0.23 - 0.48 mg/L (Pimephales promelas) 96 h LC50: 49.23 - 64.16 mg/L (Poecilia reticulata) semi-static 96 h LC50: 16.85 - 27.18 mg/L (Cyprinus carpio) static 96 h LC50: 3 - 4.6 mg/L (Lepomis macrochirus) flow-through 96 h LC50: = 0.63 mg/L (Poecilia reticulata) static 96 h LC50: = 0.63 mg/L (Poecilia reticulata) static 96 h LC50: 0.48 - 1.72 mg/L (Poecilia reticulata) static 96 h LC50: 0.06 mg/L (Pimephales promelas) static 96 h LC50: 0.218 - 0.42 mg/L (Pimephales promelas) flow-through 96 h LC50: 0.168 - 0.25 mg/L (Pimephales promelas) semi-static 96 h LC50: = 0.15 mg/L (Cyprinus carpio) semi-static	48 h EC50: = 0.75 mg/L (Daphnia magna) 48 h EC50: 0.538 - 0.908 mg/L (Daphnia magna) Static
BORIC ACID, SODIUM SALT, PENTAHYDRATE	(Agmenellum quadruplicatum) 10d NOEC >=100 mg.B/l	(Pimephales promelas) 32d NOEC 11.2 mg.B/l	(Daphnia magna) 21d LOEC 56 mg.B/l
	(Pseudokirchneriella subcapitata) 72H EbC50 40 mg.B/l	(Pimephales promelas) 96H LC50 79.7 mg.B/l	(Daphnia magna) 48H LC50 133 mg.B/l
DICOPPER CHLORIDE TRIHYDROXIDE	ALGAE (Raphidocelis supcapitata) 72H ErC50 0.238 mg/L	96 h LC50: = 0.082 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: 0.29 - 0.55 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 2940 mg/L (Cyprinus carpio) static 96 h LC50: > 180 mg/L (Lepomis macrochirus) static	DAPHNID (Daphnia magna) 48H LC50 0.067 mg/L

12.2. Persistence and degradability

No information available.

SDS #: 10248-2-A

Revision date: 2018-07-20

Version 1.01

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility

Soluble in water.

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Toxic to aquatic organisms.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Empty containers should be taken to an approved waste handling site for recycling or **Contaminated Packaging**

disposal.

NOTE: The user's attention is drawn to the possible existence of specific European, OTHER INFORMATION

national or local regulations regarding disposal.

Section 14: TRANSPORT INFORMATION

IMDG/IMO

14.1 UN/ID no UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANGANESE 14.2 Proper Shipping Name

SULPHATE MONOHYDRATE; ZINC SULPHATE; COPPER OXYCHLORIDE)

14.3 Hazard class Ш 14.4 Packing Group 14.5 Marine Pollutant Yes **Environmental Hazard** Yes

14.6 Special Provisions Special precautions: No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk tankers.

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANGANESE 14.2 Proper Shipping Name

SULPHATE MONOHYDRATE; ZINC SULPHATE; COPPER OXYCHLORIDE)

14.3 Hazard class 9 Ш 14.4 Packing Group 14.5 Environmental Hazard Yes

SDS #: 10248-2-A **Revision date**: 2018-07-20

Version 1.01

14.6 Special Provisions Special precautions: No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANGANESE

SULPHATE MONOHYDRATE; ZINC SULPHATE; COPPER OXYCHLORIDE)

 14.3 Hazard class
 9

 14.4 Packing Group
 III

 14.5 Environmental Hazard
 Yes

14.6 Special Provisions Special precautions: No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

14.1 UN/ID no UN3077

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MANGANESE

SULPHATE MONOHYDRATE; ZINC SULPHATE; COPPER OXYCHLORIDE)

14.3 Hazard class914.4 Packing GroupIII14.5 Environmental HazardYes

14.6 Special Provisions Special precautions: No special precautions.

Tunnel code: E Transport category: 3

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations This product is a Seveso category/named substance in Annex I of Council

Directive96/82/EC.

European Union

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
AMMONIUM IRON(III) CITRATE 1185-57-5	Х	X	Х		X	X	X	Х
MANGANESE SULPHATE MONOHYDRATE 10034-96-5				Х	Х		X	Х
Zinc sulfate 7733-02-0	Х	Х	X	Х	Х	X	Х	Х

SDS #: 10248-2-A

Revision date: 2018-07-20

Version 1.01

DICOPPER CHLORIDE	Х	Х	Х	Х	Х	Х	Х
TRIHYDROXIDE							
1332-65-6							

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

Not applicable

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H302 + H332 - Harmful if swallowed or if inhaled

H315 - Causes skin irritation

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects H411 - Toxic to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

Ceiling: Maximum limit value:

DNEL: Derived No Effect Level (DNEL)

EINECS: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

LC50: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

SVHC: Substances of Very High Concern for Authorisation:

TWA: time weighted average

vPvB: very Persistent and very Bioaccumulative

Revision date: 2018-07-20

Reason for revision: Format Change.

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Prepared By

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

SDS #: 10248-2-A

Revision date: 2018-07-20

Version 1.01

End of Safety Data Sheet