

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SUCCESSOR® T

Other means of identification

Product code 50000675

Unique Formula Identifier (UFI) : TYSY-P2CA-AN49-QP7R

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Manufacturer or supplier's details

Supplier Address

Cheminova Deutschland GmbH & Co. KG
Stader Elbstrasse 26
21683 Stade
Germany

Telephone: +49 (0) 4141 9204 0
Telefax: +45 (0) 4141 9204 206
E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Germany: +49-69643508409 (CHEMTREC)
0800-181-7059 (CHEMTREC)

Medical emergency:
Germany: +49 (0) 551 19240

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. Disposal: P501 Dispose of contents/container as hazardous waste in

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

accordance with local regulations.

Hazardous components which must be listed on the label:

pethoxamide (ISO)
terbuthylazine (ISO)
ethanediol
calcium dodecylbenzenesulphonate

Additional Labelling

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains pethoxamide (ISO), 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pethoxamide (ISO)	106700-29-2 616-145-00-3	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute	>= 25 - < 30

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0 Revision Date: 23.10.2024 SDS Number: 50000675 Date of last issue: -
Date of first issue: 23.10.2024

		aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	
		Acute toxicity estimate	
		Acute oral toxicity: 983 mg/kg	
terbutylazine (ISO)	5915-41-3 227-637-9 613-323-00-2	Acute Tox. 4; H302 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
		Acute toxicity estimate	
		Acute oral toxicity: 1.000 mg/kg	
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5 265-198-5 649-424-00-3	Asp. Tox. 1; H304 EUH066	>= 10 - < 20
Tristyrylphenol ethoxylates	99734-09-5	Aquatic Chronic 3; H412	>= 2,5 - < 10
ethanediol	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	>= 1 - < 10
Alcohols, C9-11-iso-, C10-rich, ethoxylated	78330-20-8	Acute Tox. 4; H302 Eye Dam. 1; H318	>= 1 - < 3
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413	>= 1 - < 3
		Acute toxicity estimate	
		Acute oral toxicity: 1.300 mg/kg	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0 Revision Date: 23.10.2024 SDS Number: 50000675 Date of last issue: -
Date of first issue: 23.10.2024

naphthalene	91-20-3 202-049-5 601-052-00-2	Flam. Sol. 2; H228 Acute Tox. 4; H302 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 710 mg/kg	$\geq 0,1 - < 0,25$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 2; H330 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 $\geq 0,036 \%$ Acute toxicity estimate Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	$\geq 0,0025 - < 0,025$
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314	$\leq 0,0002$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

		<div>Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071</div> <div>M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100</div> <div>specific concentration limit Skin Corr. 1C; H314 ≥ 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 ≥ 0,0015 % Eye Dam. 1; H318 ≥ 0,6 %</div> <div>Acute toxicity estimate Acute oral toxicity: 200 mg/kg Acute inhalation toxicity (dust/mist): 0,33 mg/l Acute dermal toxicity: 87 mg/kg</div>	
--	--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|--|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| If inhaled | : Remove to fresh air. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

- | | |
|-------------------------|--|
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do NOT induce vomiting.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---|
| Risks | : Harmful if swallowed.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure. |
|-------|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically.
Immediate medical attention is required in case of ingestion. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams.
High volume water jet |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|--|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulphur oxides
Nitrogen oxides (NOx)
Hydrogen chloride
Chlorinated compounds |

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary. |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers. |
| Further information | : | Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | | |
|----------------------|---|--|
| Personal precautions | : | Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Remove all sources of ignition.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
|----------------------|---|--|

6.2 Environmental precautions

- | | | |
|---------------------------|---|---|
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform |
|---------------------------|---|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use. Collect as much of the spill as possible with a suitable absorbent material. Pick up and transfer to properly labelled containers. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat.

Storage class (TRGS 510) : 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0 Revision Date: 23.10.2024 SDS Number: 50000675 Date of last issue: -
Date of first issue: 23.10.2024

Recommended storage temperature : > 0 - < 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanediol	107-21-1	TWA	20 ppm 52 mg/m ³	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	40 ppm 104 mg/m ³	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		MAK	10 ppm 26 mg/m ³	DE DFG MAK
	Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Vapour and aerosols)	10 ppm 26 mg/m ³	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
naphthalene	91-20-3	TWA	10 ppm 50 mg/m ³	91/322/EEC
	Further information: Indicative			
	Further information: Substances that are considered to be carcinogenic for man because sufficient data from long-term animal studies or evidence from animal studies substantiated by evidence from epidemiological studies indicate that they can contribute to cancer risk., Danger of absorption through the skin, Substances which are suspected of being germ cell mutagens because of their genotoxic effects in mammalian somatic cells in vivo; in exceptional cases, substances for which there are no in vivo data but which are clearly mutagenic in vitro and structurally related to known in vivo mutagens			
		AGW (Vapour and aerosols, inhalable frac-	0,4 ppm 2 mg/m ³	DE TRGS 900

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0 Revision Date: 23.10.2024 SDS Number: 50000675 Date of last issue: -
Date of first issue: 23.10.2024

	tion)	
	Peak-limit: excursion factor (category): 4;(l)	
	Further information: Skin absorption, When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pethoxamide (ISO)			Systemic effects	0,02 mg/kg
ethanediol	Workers	Inhalation	Long-term local effects	35 mg/m3
	Workers	Dermal	Long-term systemic effects	106 mg/kg
	Consumers	Inhalation	Long-term local effects	7 mg/m3
	Consumers	Dermal	Long-term systemic effects	53 mg/kg
naphthalene	Workers	Inhalation	Long-term systemic effects	25 mg/m3
	Workers	Inhalation	Long-term local effects	25 mg/m3
	Workers	Dermal	Long-term systemic effects	3,57 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m3
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0,02 mg/m3
	Workers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Inhalation	Long-term local effects	0,02 mg/m3
	Consumers	Inhalation	Acute local effects	0,04 mg/m3
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg
	Consumers	Oral	Acute systemic effects	0,11 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
pethoxamide (ISO)		0,29 µg/l
ethanediol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	199,5 mg/l
	Fresh water sediment	37 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0 Revision Date: 23.10.2024 SDS Number: 50000675 Date of last issue: -
Date of first issue: 23.10.2024

		weight (d.w.)
	Marine sediment	3,7 mg/kg dry weight (d.w.)
	Soil	1,53 mg/kg dry weight (d.w.)
naphthalene	Fresh water	0,0024 mg/l
	Intermittent use/release	0,020 mg/l
	Marine water	0,0024 mg/l
	Sewage treatment plant	2,9 mg/l
	Fresh water sediment	0,0672 mg/kg dry weight (d.w.)
	Marine sediment	0,0672 mg/kg dry weight (d.w.)
	Soil	0,0533 mg/kg dry weight (d.w.)
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0,00339 mg/l
	Intermittent use/release	0,00339 mg/l
	Marine water	0,00339 mg/l
	Sewage treatment plant	0,23 mg/l
	Fresh water sediment	0,027 mg/kg
	Marine sediment	0,027 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures

: Plan first aid action before beginning work with this product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Always have on hand a first-aid kit, together with proper instructions.

Wear suitable protective equipment.

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light brown, opaque
Odour	: aromatic
Odour Threshold	: not determined
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Flash point	: Not determined, but expected to be > 95°C
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined
pH	: 5,02 Concentration: 1 % Based on data from a similar product.
Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Solubility(ies)	
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Relative density	: No data available
Density	: ca. 1,06 g/cm ³
Relative vapour density	: Not available for this mixture.
Particle characteristics	
Particle size	: Not applicable
Particle Size Distribution	: Not applicable
Shape	: Not applicable

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Self-ignition	: No autoignition
Evaporation rate	: not determined
Miscibility with water	: dispersible
Molecular weight	: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures
Avoid formation of aerosol.
Heat, flames and sparks.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 300 - 2.000 mg/kg
Method: OECD Test Guideline 420
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 4,95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is minimally toxic after short term inhalation.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

single contact with skin.
Remarks: Based on data from similar materials

Components:

pethoxamide (ISO):

Acute oral toxicity	: LD50 (Rat, male): 983 mg/kg Method: US EPA Test Guideline OPP 81-1 Symptoms: Tremors, Breathing difficulties GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 4,16 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: US EPA Test Guideline OPP 81-3 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration. no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: US EPA Test Guideline OPP 81-2 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

terbuthylazine (ISO):

Acute oral toxicity	: LD50 (Rat): 1.000 - 1.590 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4,688 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

toxicity

Tristyrylphenol ethoxylates:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

ethanediol:

Acute inhalation toxicity	: LC0 (Rat, male and female): > 2,5 mg/l Exposure time: 6 h Test atmosphere: dust/mist Remarks: no mortality
Acute dermal toxicity	: LD50 (Mouse, male and female): > 3.500 mg/kg

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Acute oral toxicity	: Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---

calcium dodecylbenzenesulphonate:

Acute oral toxicity	: LD50 (Rat, male and female): 1.300 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: Remarks: Not classified
Acute dermal toxicity	: LD50 (Rat, male and female): > 2000 milligram per kilogram Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

naphthalene:

Acute oral toxicity	: LD50 (Mouse, female): 710 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC0 (Rat, male and female): > 0,4 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 16.000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	: LD50 (Rat, male and female): 490 mg/kg Method: OECD Test Guideline 401 Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)
Acute inhalation toxicity	: Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008 Remarks: Based on EU Harmonised classification - Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	: LD50 Oral (Rat, female): 200 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC50 (Rat, male and female): 0,33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 (Rabbit, male): 87 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Method	: OECD Test Guideline 404
Result	: Moderate skin irritation
Remarks	: Based on data from similar materials Repeated exposure may cause skin dryness or cracking. Based on available data, the classification criteria are not met.

Components:

pethoxamide (ISO):

Species	: Rabbit
---------	----------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	slight irritation

terbuthylazine (ISO):

Result	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	Repeated exposure may cause skin dryness or cracking.
Result	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

Tristyrylphenol ethoxylates:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

ethanediol:

Species	:	Rabbit
Result	:	No skin irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species	:	Rabbit
Exposure time	:	4 h
Assessment	:	No skin irritation
Remarks	:	Minimal effects that do not meet the threshold for classification.

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

naphthalene:

Species	:	Rabbit
Result	:	No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species	:	Rabbit
Exposure time	:	72 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Method	: OECD Test Guideline 404
Result	: Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405
Result	: Mild eye irritant
Remarks	: Based on data from similar materials

Components:

pethoxamide (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: US EPA Test Guideline OPP 81-4
Result	: slight irritation

terbuthylazine (ISO):

Result	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

Tristyrylphenol ethoxylates:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

ethanediol:

Species	: Rabbit
Result	: No eye irritation

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species	: Rabbit
Method	: Draize Test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Result : Irreversible effects on the eye

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

naphthalene:

Species : Rabbit
Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

Species : Rabbit
Method : EPA OPP 81-4
Result : Irreversible effects on the eye

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from a similar product.

Components:

pethoxamide (ISO):

Exposure routes : Dermal
Species : Guinea pig
Method : US EPA Test Guideline OPPTS 870.2600
Result : May cause sensitisation by skin contact.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Assessment : Harmful if swallowed.
May cause an allergic skin reaction.

terbuthylazine (ISO):

Assessment : Not a skin sensitizer.
Remarks : Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type : Maximisation Test
Species : Guinea pig
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

ethanediol:

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Result : Does not cause skin sensitisation.

calcium dodecylbenzenesulphonate:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

naphthalene:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Species : Guinea pig
Method : FIFRA 81.06
Result : May cause sensitisation by skin contact.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Result	: The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity- Assessment	: Contains no ingredient listed as a mutagen
------------------------------------	--

Components:

pethoxamide (ISO):

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
	Test Type: In Vivo Rat Liver DNA Repair Test Species: Rat Application Route: Oral Result: negative

terbutylazine (ISO):

Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
------------------------------------	--

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Bone marrow chromosome aberration Species: Rat Application Route: inhalation (vapour) Result: negative

Tristyrylphenol ethoxylates:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Remarks: No data available

ethanediol:

Genotoxicity in vitro	: Test Type: reverse mutation assay
-----------------------	-------------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Method: OPPTS 870.5100
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Rat
Application Route: Oral
Result: negative

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : In vivo tests did not show mutagenic effects

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

naphthalene:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

pethoxamide (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years
LOAEL : 17 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

terbuthylazine (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 12 month(s)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

NOAEC : 1,8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

ethanediol:

Species : Mouse
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

naphthalene:

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

pethoxamide (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat
General Toxicity - Parent: NOAEL: 14 mg/kg bw/day
Fertility: NOAEL: 112 mg/kg bw/day
Result: negative

Effects on foetal develop- : Test Type: Developmental toxicity study

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

ment

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 75 mg/kg bw/day
Developmental Toxicity: NOAEL: 75 mg/kg bw/day
Symptoms: Maternal effects
Result: negative

Test Type: Developmental toxicity study
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day
Developmental Toxicity: NOEL: 50 mg/kg bw/day
Symptoms: Maternal effects
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

terbuthylazine (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Effects on fertility : Species: Rat
Application Route: Dermal
General Toxicity - Parent: NOEL: 250 mg/kg body weight
General Toxicity F1: NOEL: 250 mg/kg body weight

Effects on foetal development : Species: Rat
Application Route: Dermal
General Toxicity Maternal: NOEL: 250 mg/kg body weight
Teratogenicity: NOEL: 250 mg/kg body weight

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

naphthalene:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Inhalation
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Not classified based on available information.

Components:

pethoxamide (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Components:

pethoxamide (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

terbuthylazine (ISO):

Assessment : May cause damage to organs through prolonged or repeated exposure.

ethanediol:

Exposure routes : Oral
Target Organs : Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

pethoxamide (ISO):

Species : Rat
LOAEL : 36.2 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 90 Days
Method : OECD Test Guideline 408
Remarks : Effects are of limited toxicological significance.

terbuthylazine (ISO):

Species : Mouse
NOEL : 2,97 mg/kg
Application Route : Oral
Exposure time : 2 yr

Species : Rat
NOEL : 0,35 mg/kg
Application Route : Oral
Exposure time : 2 yr

Species : Dog
NOEL : 0,4 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Application Route	: Oral
Exposure time	: 1 yr
Species	: Rat
NOAEL	: 2,1 mg/kg
Exposure time	: 90 Days
Target Organs	: No specific target organs noted

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rat, male and female
NOAEC	: 0,9 - 1,8 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 12 Months

ethanediol:

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Species	: Dog
NOAEL	: > 2.200 - < 4.400 mg/kg
Application Route	: Dermal
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 410

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Species	: Rat
NOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 90 d

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 90 d

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Species	:	Rat, male and female
NOAEL	:	100 mg/kg bw/day
LOAEL	:	200 mg/kg bw/day
Application Route	:	Oral - gavage
Exposure time	:	28 - 54 Days
Method	:	OECD Test Guideline 422
Remarks	:	Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation

Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species	:	Dog
NOAEL	:	22 mg/kg
Application Route	:	Oral

Species	:	Rat
NOAEL	:	16,3 - 24,7 mg/kg
Application Route	:	Skin contact

Species	:	Rat
NOAEL	:	2.36 mg/m ³
Application Route	:	Inhalation

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Remarks : Based on data from a similar product.

Components:

pethoxamide (ISO):

No aspiration toxicity classification

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Neurological effects

Components:

pethoxamide (ISO):

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6,4 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,2 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,168 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials
- EC50 (Lemna gibba (duckweed)): 0,147 mg/l
Exposure time: 7 d
Remarks: Based on data from similar materials
- Toxicity to soil dwelling organisms : LC50: 320 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Remarks: Based on data from similar materials
- Toxicity to terrestrial organisms : LC50: > 200 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Remarks: Information given is based on data obtained from similar product.
- LC50: > 200 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)
Remarks: Information given is based on data obtained from similar product.

Components:

pethoxamide (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- NOEC (Oncorhynchus mykiss (rainbow trout)): 1,7 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 6,6 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 20 - 25 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes NOEC (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: EC50 (Selenastrum capricornutum (green algae)): 0,00195 mg/l Exposure time: 72 h EbC50 (Lemna minor (duckweed)): 0,0079 mg/l Exposure time: 14 d GLP: yes ErC50 (Lemna minor (duckweed)): 0,018 mg/l Exposure time: 14 d GLP: yes ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,004 mg/l Exposure time: 120 h Test Type: static test NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0012 mg/l Exposure time: 120 h Test Type: static test
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to microorganisms	: EC50 (Anabaena flos-aquae (cyanobacterium)): 9,4 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	: NOEC: 1,1 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 2,8 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: 527 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: 84.4 -120.5
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 200 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

LD50: ca. 1.500 - 2.100 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: EPA OPP 71-1

terbuthylazine (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia (water flea)): 69,3 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 0,012 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)): 0,0128 mg/l
Exposure time: 14 d

EC50 (Microcystis aeruginosa (blue-green algae)): 0,102 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,09 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,019 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Toxicity to soil dwelling organisms : LC50: > 141,7 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: 1.236 mg/kg
Species: Colinus virginianus (Bobwhite quail)

LD50: > 22,6 µg/bee
End point: Acute oral toxicity
Species: Apis mellifera (bees)

LD50: > 32 µg/bee
End point: Acute contact toxicity
Species: Apis mellifera (bees)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Tristyrylphenol ethoxylates:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms :
Remarks: No data available

ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72.860 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: IC50 (Pseudokirchneriella subcapitata (green algae)): 10.940 mg/l Exposure time: 96 h
Toxicity to microorganisms	: (activated sludge): > 1.995 mg/l Exposure time: 30 min Method: ISO 8192
Toxicity to fish (Chronic toxicity)	: 1.500 mg/l Exposure time: 28 d Species: Menidia peninsulae (tidewater silverside)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: 33.911 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 8,5 mg/l Exposure time: 96 h
------------------	---

calcium dodecylbenzenesulphonate:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): 500 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

naphthalene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,16 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0,4 - 0,5 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l
Exposure time: 24 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,37 mg/l
Exposure time: 40 d
Species: Oncorhynchus kisutch (coho salmon)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,59 mg/l
Exposure time: 125 d
Species: Daphnia pulex (Water flea)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

M-Factor (Chronic aquatic toxicity) : 1

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l
Exposure time: 96 h
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,16 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

		NOEC (Daphnia magna (Water flea)): 0,1 mg/l Exposure time: 21 d
		EC50 (Daphnia magna (Water flea)): 0,18 mg/l Exposure time: 21 d
Toxicity to algae/aquatic plants	:	NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
		NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to microorganisms	:	NOEC (activated sludge): 0,91 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes
		EC50 (activated sludge): 4,5 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,02 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
		Chronic Toxicity Value: 0,18 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	100

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: Product contains minor amounts of not readily bio-
------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

degradable components, which may not be degradable in waste water treatment plants.

Components:

pethoxamide (ISO):

Biodegradability : Remarks: Not readily biodegradable.

terbuthylazine (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Tristyrylphenol ethoxylates:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301

ethanediol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 10 d
Method: OECD Test Guideline 301A

Alcohols, C9-11-iso-, C10-rich, ethoxylated:

Biodegradability : Result: Readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

naphthalene:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 67 %
Exposure time: 12 d

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

pethoxamide (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,96 (20 °C)
pH: 5

terbuthylazine (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,4 (25 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72
Method: QSAR

Tristyrylphenol ethoxylates:

Partition coefficient: n-octanol/water : Remarks: No data available

ethanediol:

Partition coefficient: n-octanol/water : log Pow: -1,36

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

naphthalene:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3,7

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Bioaccumulation : Exposure time: 28 d
Bioconcentration factor (BCF): < 54
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : Pow: 0,75

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

pethoxamide (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil :

terbuthylazine (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	naphthalene
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
----	---

Water hazard class (Germany)	:	WGK 3 highly hazardous to water Classification according to AwSV, Annex 1 (5.2)
TA Luft List (Germany)	:	5.2.1: Total dust: Not applicable 5.2.2: Inorganic substances in powdered form: Not applicable 5.2.4: Inorganic substances in gaseous form:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version 1.0	Revision Date: 23.10.2024	SDS Number: 50000675	Date of last issue: - Date of first issue: 23.10.2024
----------------	------------------------------	-------------------------	--

Not applicable
5.2.5: Organic Substances:
Not applicable
5.2.7.1.1: Carcinogenic substance:
Not applicable
5.2.7.1.1: Quartz fine dust PM4:
Not applicable
5.2.7.1.1: Formaldehyde:
Not applicable
5.2.7.1.2: Germ cell mutagens:
Not applicable
5.2.7.1.3: Substances toxic to reproduction:
Not applicable
5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances:
Not applicable

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 106700-29-2 Ethanol, 2,2',2''-nitrilotris-, compd. with .alpha.-[2,4,6-tris(1-phenylethyl)phenyl]-.omega.-hydroxypoly(oxy-1,2-ethanediyl) phosphate terbuthylazine (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H228	:	Flammable solid.
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
EUH066	:	Repeated exposure may cause skin dryness or cracking.
EUH071	:	Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Flam. Sol.	:	Flammable solids
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
91/322/EEC	:	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2000/39/EC / TWA	:	Limit Value - eight hours

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

2000/39/EC / STEL	:	Short term exposure limit
91/322/EEC / TWA	:	Limit Value - eight hours
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



SUCCESSOR® T

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.10.2024	50000675	Date of first issue: 23.10.2024

this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

DE / 6N