# SAFETY DATA SHEET

# **NUTRILEAF OLIVAR**

This safety data sheet complies with the requirements of: Regulation (EC) No. 453/2010 and Regulation (EC) No. 1272/2008



SDS #: NP-0216-A

Revision date: 2018-07-19

Format: EU Version 1.02

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Code(s) NP-0216-A

Product Name NUTRILEAF OLIVAR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: A soluble fertilizer for use in agriculture and horticulture

**Restrictions on use**Use as recommended by the label.

1.3. Details of the supplier of the safety data sheet

Manufacturer FMC Agro Limited

Rectors Lane Pentre Flintshire CH5 2DH United Kingdom

Tel: + 44 (0) 1244 537370 E-mail: fmc.agro.uk@fmc.com

For further information, please contact:

**Contact point** Tel: +44(0)1244 537370

Email: fmc.agro.uk@fmc.com

1.4. Emergency telephone number

Emergency telephone Tel: +44(0)1244 537370 (Office hours only)

# Section 2: HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 1 (H318)
Reproductive toxicity	Category 1B (H360FD)
Chronic aquatic toxicity	Category 2 (H411)
Oxidising Solids	Category 3

## 2.2. Label elements

**Hazard pictograms** 

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02



# **Hazard Statements**

H272 - May intensify fire; oxidiser

H318 - Causes serious eye damage

H360FD - May damage fertility. May damage the unborn child

H411 - Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking

P220 - Keep/Store away from clothing/ combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of contents/container as hazardous waste.

#### 2.3. Other hazards

This product is not identified as a PBT/vPvB substance.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

The product is a mixture, not a substance.

#### 3.2 Mixture containing the following hazardous ingredients:

Chemical name	EC-No	CAS-No	Weight percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
POTASSIUM NITRATE	231-818-8	7757-79-1	>60	Ox. Sol. 3 (H272)	No data available
Boric acid	233-139-2	10043-35-3	1-10	Repr. 1B (H360FD)	01-2119486683-25- XXXX
Zinc sulfate	231-793-3	7733-02-0	1-10	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27- XXXX

#### **Additional Information**

For the full text of the H-, R- and EUH- phrases mentioned in this Section, see Section 16.

# **Section 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Transfer to

hospital for specialist examination.

**Skin Contact** Immediately remove all stained or splashed clothing that is not adhering to the skin. Wash

off immediately with soap and plenty of water. If symptoms persist, call a doctor.

Inhalation Remove person from exposure ensuring one's own safety while doing so. If symptoms

persist, call a doctor.

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

Ingestion

Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.

# 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure. May cause permanent eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Indication of immediate medical attention and special treatment needed, if necessary

Eye bathing equipment should be available on the premises. Show this safety data sheet to the doctor in attendance.

# Section 5: FIREFIGHTING MEASURES

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers / tanks with water spray.

#### Unsuitable extinguishing media

No information available

#### 5.2. Special hazards arising from the substance or mixture

Oxidising. Toxic fumes may be released in fire situations.

# 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

# Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

For personal protection see section 8. Stop leak if you can do it without risk. Avoid dust formation. In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Keep people away from and upwind of spill/leak. In the case of large spills (1 ton or more), alert the appropriate authorities.

For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

# For emergency responders

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** 

Cover powder spill with plastic sheet or tarp to minimise spreading.

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

Methods for cleaning up

Clean up with an electrically protected vacuum cleaner or by wet-brushing. Transfer to a closable, labeled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Handling

Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage

Protect from freezing. Store above 5°C. Keep in a dry, cool and well-ventilated place. Keep away from direct sunlight. Keep away from heat. Keep out of reach of children and animals. Keep away from food, drink and animal feedingstuffs.

## 7.3. Specific end use(s)

## Specific Use(s)

No data available.

## **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Chemical name	European Union	The United Kingdom	France	Spain	Germany	
POTASSIUM NITRATE	5 mg/m³ (8hr TWA)	-	-	-	-	
7757-79-1	(respirable dust)					
Boric acid	-	-	-	TWA 2 mg/m <sup>3</sup>	-	
10043-35-3				STEL 6 mg/m <sup>3</sup>		
Chemical name	Italy	Portugal	The Netherlands	Finland	Denmark	
Boric acid	-	TWA 2 mg/m <sup>3</sup>	=	-	=	
10043-35-3		STEL 6 mg/m <sup>3</sup>				
		C(A4)				
Chemical name	Austria	Switzerland	Poland	Norway	Ireland	
Boric acid	-	SS-B**	=	-	=	
10043-35-3		TWA 1.8 mg/m <sup>3</sup>				
		STEL 1.8 mg/m <sup>3</sup>				

**Derived No Effect Level (DNEL)**No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering measures** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Provide emergency on-site eyewash.

Hand Protection Protective gloves. Impervious butyl rubber gloves. Wear chemical protective gloves made of

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

materials such as nitrile or neoprene.

**Skin and Body Protection** Wear protective gloves/clothing.

**Respiratory Protection** Respiratory protective device with particle filter.

Environmental exposure controls Refer to specific Member State legislation for requirements under Community

environmental legislation.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State Dry powder

AppearanceNo information availableOdourNo information available

Colour Blue

Odour threshold No information available

**pH** 4.7 (1% solution)

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit
Vapour pressure
Vapour density

No information available
No information available
No information available
No information available

Specific gravity 0.98 - 1.02 Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available Oxidising properties Oxidising (by EC criteria)

9.2. Other information

Softening point
Molecular weight
VOC content (%)
Density
Bulk density
No information available

# **Section 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

None under normal use conditions

## 10.2. Chemical stability

Stable under recommended storage conditions.

## **Explosion data**

Sensitivity to Mechanical Impact No information available.
Sensitivity to Static Discharge No information available.

# 10.3. Possibility of hazardous reactions

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

## **Hazardous polymerisation**

Hazardous polymerization does not occur.

#### Hazardous reactions

None under normal processing. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Heat. Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5. Incompatible materials

Strong acids, Reducing agents.

## 10.6. Hazardous decomposition products

May emit toxic fumes under fire conditions.

# **Section 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

## **Acute toxicity**

#### **Product Information**

.

LD50 Oral > 2000 mg/kg (rat) (Calculated Estimated Acute Toxicity - EAT)

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
POTASSIUM NITRATE	3750 mg/kg (Rat)		
	1901 mg/kg (Rabbit)		
Boric acid	>2600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.12 mg/L (Rat) 4 h
Zinc sulfate	1710 mg/kg (Rat)	>2000mg/kg (Rat)	_

Skin corrosion/irritation
Serious eye damage/eye irritation
Sensitisation
Mutagenicity
Carcinogenicity
No information available.
No information available.
No information available.
No information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

**Symptoms** Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

May cause permanent eye damage.

**Aspiration hazard** No information available.

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** ALGAE (Pseudokirchneriella subcapitata): 72H IC50 = 7.50 mg/L (calculated)

DAPHNIDS (Daphnia magna): 48H EC50 = 49.2 mg/L (calculated)

RAINBOW TROUT (Oncorhynchus mykiss): 96H LC50 = 5.56 mg/L (calculated)

 Boric acid (10043-35-3)

 Active Ingredient(s)
 Duration
 Species
 Value
 Units

 48 h LC50
 Daphnia magna
 133
 mg/l

 96 h EC50
 Algae
 24
 mg/l

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates		
POTASSIUM NITRATE	-	96hr LC50: 180 mg/L	48hr EC50: 490 mg/L		
Boric acid	-	72 h LC50: = 1020 mg/L (Carassius	48 h EC50: 115 - 153 mg/L		
		auratus) flow-through	(Daphnia magna)		
Zinc sulfate	72 h EC50: = 0.056 mg/L	96 h LC50: = 0.162 mg/L	48 h EC50: = 0.75 mg/L (Daphnia		
	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss)	magna) 48 h EC50: 0.538 - 0.908		
	static 72 h EC50: = 64.8 mg/L	flow-through 96 h LC50: 0.03 - 0.05	mg/L (Daphnia magna) Static		
	(Chlorella vulgaris) 96 h EC50: =	mg/L (Oncorhynchus mykiss)			
	2.4 mg/L (Chlorella vulgaris)	semi-static 96 h LC50: 0.34 - 0.93			
		mg/L (Oncorhynchus mykiss) static			
		96 h LC50: 0.23 - 0.48 mg/L			
		(Pimephales promelas) 96 h LC50:			
		49.23 - 64.16 mg/L (Poecilia			
		reticulata) semi-static 96 h LC50:			
		16.85 - 27.18 mg/L (Cyprinus			
		carpio) static 96 h LC50: 3 - 4.6			
		mg/L (Lepomis macrochirus)			
		flow-through 96 h LC50: = 0.63			
		mg/L (Poecilia reticulata) 96 h			
		LC50: 0.48 - 1.72 mg/L (Poecilia			
		reticulata) static 96 h LC50: = 0.06			
		mg/L (Pimephales promelas) static			
		96 h LC50: 3.55 - 6.32 mg/L			
		(Lepomis macrochirus) static 96 h			
		LC50: 0.218 - 0.42 mg/L			
		(Pimephales promelas) flow-through			
		96 h LC50: 0.168 - 0.25 mg/L			
		(Pimephales promelas) semi-static			
		96 h LC50: = 0.15 mg/L (Cyprinus			
		carpio) semi-static			

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

# 12.4. Mobility in soil

# Mobility in soil

No information available.

**Mobility** 

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

Version 1.02

Soluble in water.

## 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Toxic to aquatic organisms.

# **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from residues / unused

products

Transfer to a suitable container and arrange for collection by specialised disposal company. Do not contaminate ponds, waterways or ditches with chemical or used containers. Do not

discharge to sewer systems.

Contaminated Packaging Clean container with water. Dispose of rinse water in accordance with local and national

guidelines. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

EWC Waste Disposal No 02 01 08

OTHER INFORMATION NOTE: The user's attention is drawn to the possible existence of specific European,

national or local regulations regarding disposal.

# **Section 14: TRANSPORT INFORMATION**

IMDG/IMO

**14.1 UN/ID no** UN1479

**14.2 Proper Shipping Name** OXIDIZING SOLID, N.O.S.

(POTASSIUM NITRATE; ZINC (II) SULPHATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Marine PollutantYesEnvironmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

14.7 Transport in bulk according to The product is not transported in bulk tankers.

Annex II of MARPOL and the IBC

Code

RID

**14.1 UN/ID no** UN1479

**14.2 Proper Shipping Name** OXIDIZING SOLID, N.O.S.

(POTASSIUM NITRATE; ZINC (II) SULPHATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Environmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

ADR/RID

**14.1 UN/ID no** UN1479

**14.2 Proper Shipping Name** OXIDIZING SOLID, N.O.S.

(POTASSIUM NITRATE; ZINC (II) SULPHATE)

**SDS #**: NP-0216-A **Revision date**: 2018-07-19

**Version** 1.02

14.3 Hazard class5.114.4 Packing GroupIII14.5 Environmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

ICAO/IATA

**14.1 UN/ID no** UN1479

**14.2 Proper Shipping Name** OXIDIZING SOLID, N.O.S.

(POTASSIUM NITRATE; ZINC (II) SULPHATE)

14.3 Hazard class5.114.4 Packing GroupIII14.5 Environmental HazardYes

**14.6 Special Provisions** No special precautions.

Tunnel code: E Transport category: 3

# Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Not applicable

# **European Union**

# Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

# **Persistent Organic Pollutants**

Not Applicable

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not Applicable

#### International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
POTASSIUM NITRATE 7757-79-1	Х	Х	Х	Х	Х	Х	Х	Х
Boric acid 10043-35-3	Х	Х	X	Х	Х	Х	Х	Х
Zinc sulfate 7733-02-0	Х	Х	Х	Х	Х	Х	Х	X

## 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# **Section 16: OTHER INFORMATION**

Key or legend to abbreviations and acronyms used in the safety data sheet

**SDS #**: NP-0216-A

**Revision date: 2018-07-19** 

Version 1.02

# Full text of R-phrases referred to under sections 2 and 3

Not applicable

#### Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidiser H302 - Harmful if swallowed

H318 - Causes serious eye damage

H360FD - May damage fertility. May damage the unborn child H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: CAS (Chemical Abstracts Service)

**Ceiling:** Maximum limit value:

**DNEL:** Derived No Effect Level (DNEL)

**EINECS**: EINECS (European Inventory of Existing Chemical Substances)

GHS: Globally Harmonised System (GHS)

IATA: International Air Transport Association (IATA)
ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods (IMDG)

**LC50**: LC50 (lethal concentration)

LD50: LD50 (lethal dose)

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

STEL: Short term exposure limit

**SVHC**: Substances of Very High Concern for Authorisation:

**TWA:** time weighted average

vPvB: very Persistent and very Bioaccumulative

**Revision date:** 2018-07-19

Reason for revision: Format Change.

#### **Disclaimer**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

# Prepared By

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**