

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALTACOR®

Other means of identification

Product code 50000012

Unique Formula Identifier (UFI) : K2YW-32R4-8N46-5AVY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC France
11 bis Quai Perrache
69002 LYON
France

Telephone: 04 37 23 65 70

E-mail address: SDS-Info@fmc.com, fmc.france@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Company emergency number - BIG (24 hours):
+32 14 58 45 45

Medical emergency:
Poison centers in France:
Paris: 01.40.05.48.48
Lyon: 04.72.11.69.11
Marseille: 04.91.75.25.25
Lille: 0800 59 59 59
ORFILA: +33 (0) 1 45 42 59 59 (poison control center)
Company: 04.37.23.65.70, accessible from 8:30 am to 6:00 pm, Monday to Friday

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/boots.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and re-entry interval, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1 Revision Date: 05.06.2025 SDS Number: 50000012 Date of last issue: 31.03.2023
Date of first issue: 31.03.2023

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	Eye Irrit. 2; H319	>= 1 - < 10
Substances with a workplace exposure limit :			
kaolin	1332-58-7 310-194-1		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

- | | | |
|-------------------------|---|---|
| In case of skin contact | : | If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|---|
| Treatment | : | Treat symptomatically.
Immediate medical attention is required in case of ingestion. |
|-----------|---|---|
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams.
High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO _x)
Carbon oxides
Bromine compounds
Chlorine compounds
Hydrogen cyanide
Hydrogen chloride
Sulphur oxides |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |
| Specific extinguishing methods | : | Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | | |
|----------------------|---|---|
| Personal precautions | : | If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
|----------------------|---|---|

6.2 Environmental precautions

- | | | |
|---------------------------|---|---|
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
|---------------------------|---|---|

6.3 Methods and material for containment and cleaning up

- | | | |
|-------------------------|---|---|
| Methods for cleaning up | : | Keep in suitable, closed containers for disposal. |
|-------------------------|---|---|

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Advice on safe handling | : | Smoking, eating and drinking should be prohibited in the ap- |
|-------------------------|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

plication area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.
For personal protection see section 8.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not breathe dust. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	VME	10 mg/m ³	FR VLE
Further information: Permissible limit values (circular)				
		TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
Further information: Carcinogens or mutagens				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1 Revision Date: 05.06.2025 SDS Number: 50000012 Date of last issue: 31.03.2023
Date of first issue: 31.03.2023

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Chlorantraniliprole	Water	0,00045 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Equipment should conform to EN 143
- Filter type : Particulates type (P)
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : solid
- Form : granular
- Colour : light brown
- Odour : slight, sweet
- Odour Threshold : No data available
- Melting point/ range : Not available for this mixture.
- Boiling point/boiling range : Not applicable
- Flammability : Not expected to be ignitable
- Upper explosion limit / Upper flammability limit : Not available for this mixture.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 150 °C Method: Pensky-Martens closed cup - PMCC
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	7 - 10 (25 °C) Concentration: 10 g/l 1 % In a 1% aqueous dispersion
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	0,7 - 0,86 g/cm ³ packed
Relative vapour density	:	Not applicable
Particle characteristics	:	
Particle size	:	1 - 1,4 mm
Particle Size Distribution	:	No data available
Shape	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Self-ignition	:	> 155 °C
Metal corrosion rate	:	Not corrosive to metals
Evaporation rate	:	Not applicable
Miscibility with water	:	partly miscible
Surface tension	:	70,05 mN/m, 10 g/l, 25 °C, GLP: yes
Molecular weight	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Dust may form explosive mixture in air.No decomposition if used as directed.
---------------------	---	--

10.4 Conditions to avoid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1	Revision Date: 05.06.2025	SDS Number: 50000012	Date of last issue: 31.03.2023 Date of first issue: 31.03.2023
----------------	------------------------------	-------------------------	---

Conditions to avoid : Avoid dust formation.
Avoid extreme temperatures
Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes

LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 425

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

GLP: yes
Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2.000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat, male and female): > 5,0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: GB 15670-1995
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5.000 mg/kg
Method: GB 15670-1995
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

Lignosulfonic acid, sodium salt, sulfomethylated:

Acute oral toxicity : LD50 (Rat, female): > 10 g/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

kaolin:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 LD50: > 2.000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50: 5,07 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg LD50: > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
GLP	:	yes

Components:

Chlorantraniliprole:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	Information source: Internal study report

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Species	:	Rabbit
Method	:	GB 15670-1995
Result	:	No skin irritation
GLP	:	yes

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	:	No skin irritation
--------	---	--------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

kaolin:

Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Minimal effects that do not meet the threshold for classification.

Components:

Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes
Remarks	: Information source: Internal study report

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: Slight or no eye irritation
GLP	: yes

Lignosulfonic acid, sodium salt, sulfomethylated:

Result	: Eye irritation
--------	------------------

kaolin:

Method	: OECD Test Guideline 405
Result	: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Product:

Test Type	:	Local lymph node test
Species	:	Mouse
Method	:	OECD Test Guideline 406
Result	:	Animal test did not cause sensitization by skin contact.

Components:

Chlorantraniliprole:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Remarks	:	Information source: Internal study report
---------	---	---

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

Lignosulfonic acid, sodium salt, sulfomethylated:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

kaolin:

Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	---	--

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative GLP: yes
----------------------	---	---

Components:

Chlorantraniliprole:

Genotoxicity in vitro	:	Test Type: reverse mutation assay
-----------------------	---	-----------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1	Revision Date: 05.06.2025	SDS Number: 50000012	Date of last issue: 31.03.2023 Date of first issue: 31.03.2023
----------------	------------------------------	-------------------------	---

Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Lignosulfonic acid, sodium salt, sulfomethylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1.076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1.155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Exposure time : 1 Years
NOAEL : 1.164 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: NOAEL: 20.000 ppm
General Toxicity F1: NOAEL: 20.000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day
Developmental Toxicity: NOEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Lignosulfonic acid, sodium salt, sulfomethylated:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

kaolin:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

kaolin:

Remarks : No significant adverse effects were reported

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

Chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Lignosulfonic acid, sodium salt, sulfomethylated:

Remarks : No data available

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 Days
Method : OECD Test Guideline 408

Species : Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

NOAEL	:	8.000 mg/kg
Application Route	:	Oral - feed
Exposure time	:	28 Days
Method	:	OECD Test Guideline 407
GLP	:	yes
Species	:	Rat
NOAEL	:	300 mg/kg
Application Route	:	Dermal
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410
GLP	:	yes
Species	:	Rat
NOAEL	:	20.000 mg/kg
Application Route	:	Oral - feed
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
GLP	:	yes
Remarks	:	Information source: Internal study report
Species	:	Mouse
NOAEL	:	7.000 mg/kg
Application Route	:	Oral - feed
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
GLP	:	yes
Remarks	:	Information source: Internal study report

kaolin:

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Chlorantraniliprole:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Neurological effects

Components:

Chlorantraniliprole:

Remarks : No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 3,2 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,029 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 5,0 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron- : NOEC: 0,00447 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1	Revision Date: 05.06.2025	SDS Number: 50000012	Date of last issue: 31.03.2023 Date of first issue: 31.03.2023
----------------	------------------------------	-------------------------	---

ic toxicity)	Species: Daphnia magna (Water flea) Remarks: Information refers to the main component.
Toxicity to soil dwelling organisms	: NOEC: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 Method: OECD Test Guideline 217 Remarks: No significant adverse effect on carbon mineralization. Method: OECD Test Guideline 216 Remarks: No significant adverse effect on nitrogen mineralization.
Toxicity to terrestrial organisms	: LD50: > 2.250 mg/kg Exposure time: 14 d Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPPTS 850.2100 GLP:yes LD50: 340,5 µg/bee Exposure time: 48 h End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213 GLP:yes LD50: 285,7 µg/bee Exposure time: 48 h End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214 GLP:yes

Components:

Chlorantraniliprole:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (Hyalomma azteca (Amphipod)): 0,26 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (Ceriodaphnia dubia (water flea)): 0,0067 - 0,011 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h NOEC (Lemna gibba (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l Exposure time: 72 h ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 72 h Method: US EPA Test Guideline OPP 122-2 & 123-2 GLP: yes Remarks: Information source: Internal study report EbC50 (Lemna gibba (duckweed)): > 2 mg/l End point: Frond Exposure time: 14 d Test Type: static test Method: US EPA Test Guideline OPP 122-2 & 123-2 GLP: yes Remarks: Information source: Internal study report NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes NOEC (Skeletonema costatum (Diatom)): > 14,6 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1	Revision Date: 05.06.2025	SDS Number: 50000012	Date of last issue: 31.03.2023 Date of first issue: 31.03.2023
----------------	------------------------------	-------------------------	---

End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15,1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 1,28 mg/l
Exposure time: 36 d
Species: *Cyprinodon variegatus* (sheepshead minnow)

NOEC: 0,110 mg/l
Exposure time: 28 d
Species: *Oncorhynchus mykiss* (rainbow trout)
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00447 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207
GLP: yes

Remarks: No significant adverse effect on nitrogen mineralization.
No significant adverse effect on carbon mineralization.

NOEC:
100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Species: *Hypoaspis aculeifer*
Method: OECD Test Guideline 207

EC50:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

>100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Species: *Hypoaspis aculeifer*
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 4,0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0,005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 104,1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in acetone

LD50: > 0,0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: *Apis mellifera* (bees)
Remarks: Active substance dissolved in water

LD50: > 2.250 mg/kg
Species: *Poephila guttata* (zebra finch)

Lignosulfonic acid, sodium salt, sulfomethylated:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 615 mg/l
Exposure time: 96 h

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms :
Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C)
pH: 9

Degradation half life (DT50): 0,3 d (50 °C)
pH: 9

Degradation half life (DT50): > 31 d
pH: 5

Lignosulfonic acid, sodium salt, sulfomethylated:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version 1.1	Revision Date: 05.06.2025	SDS Number: 50000012	Date of last issue: 31.03.2023 Date of first issue: 31.03.2023
----------------	------------------------------	-------------------------	---

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)
pH: 4

log Pow: 2,86 (20 °C)
pH: 7

log Pow: 2,80 (20 °C)
pH: 9

Lignosulfonic acid, sodium salt, sulfomethylated:

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: -3,45

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils. Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Components:

Chlorantraniliprole:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Chlorantraniliprole:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Chlorantraniliprole:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed hazardous waste management company (such as A.D.I.VALOR).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

Contaminated packaging : Empty and rinse the container.
Triple rinse containers.
Dispose of as hazardous material.
Do not re-use empty containers.
Bring the opened, rinsed and drained containers to a company authorized to dispose of hazardous waste (such as A.D.I.VALOR).
Waste disposal code: 02 01 08 agrochemical waste containing dangerous substances.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Chlorantraniliprole)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

14.4 Packing group

ADN

Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

ADR

Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

RID

Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

IMDG

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous	: yes
---------------------------	-------

ADR

Environmentally hazardous	: yes
---------------------------	-------

RID

Environmentally hazardous	: yes
---------------------------	-------

IMDG

Marine pollutant	: yes
------------------	-------

IATA (Passenger)

Environmentally hazardous	: yes
---------------------------	-------

IATA (Cargo)

Environmentally hazardous	: yes
---------------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Occupational Illnesses (R-461-3, France) : 25

Reinforced medical supervision (R4624-23) : The product has no CMR properties category 1, 1A or 1B

ICPE section (Installations classified for environmental protection; Environmental code R511-9) : 4510

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
FR VLE	: France. Occupational Exposure Limits
2004/37/EC / TWA	: Long term exposure limit
FR VLE / VME	: Time Weighted Average

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTACOR®

Version	Revision Date:	SDS Number:	Date of last issue: 31.03.2023
1.1	05.06.2025	50000012	Date of first issue: 31.03.2023

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

FR / 6N