

Material group	2720-08	Page 1 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes January 2016

## SAFETY DATA SHEET

# 2720-08, TERBUTHYLAZINE 42.57% w/w SC

Revision: Sections containing a revision or new information are marked with a ♣.

### ♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. **Product identifier** ..... **2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC**  
**Contains terbuthylazine**

1.2. **Relevant identified uses of the substance or mixture and uses advised against** ..... Can be used for production of herbicides only.

1.3. **Details of the supplier of the safety data sheet** **FMC Agricultural Solutions A/S**  
 Thyborønvej 78  
 DK-7673 Harbøre  
 Denmark  
[SDS.Ronland@fmc.com](mailto:SDS.Ronland@fmc.com)



1.4. **Emergency telephone number**  
**Company** ..... +45 97 83 53 53 (24 h; for emergencies only)

**Medical emergencies:**

Austria: +43 1 406 43 43	Luxembourg: +352 8002 5500
Belgium: +32 70 245 245	Netherlands: +31 30 274 88 88
Bulgaria: +359 2 9154 409	Norway: +47 22 591300
Cyprus: 1401	Poland: +48 22 619 66 54
Czech Republic: +420 224 919 293	+48 22 619 08 97
+420 224 915 402	Portugal: 800 250 250 (in Portugal only)
Denmark: +45 82 12 12 12	+351 21 330 3284
England and Wales: 111	Romania: +40 21318 3606
Estonia: +372 7943500	Scotland: +8454 24 24 24
France: +33 (0) 1 45 42 59 59	Slovakia: +421 2 54 77 4 166
Finland: +358 9 471 977	Slovenia: +386 41 650 500
Greece: 30 210 77 93 777	South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.)
Hungary: +36 80 20 11 99	Spain: +34 91 562 04 20
Ireland (Republic): +353 1 837 9964	Sweden: +46 08-331231
Italy: +39 02 6610 1029	112
Latvia: +371 670 42 473	Switzerland: 145
112	Turkey: 114
Lithuania: +370 523 62052	U.S.A. & Canada: +1 800 / 331 3148
+370 687 53378	All other countries: +1 651 / 632 6793 (Collect)

Material group	2720-08	Page 2 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

## ♣ SECTION 2: HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture**
- Specific target organ toxicity – repeated exposure: Category 2 (H373)  
 Hazards to the aquatic environment, acute: Category 1 (H400)  
 chronic: Category 1 (H410)
- WHO classification ..... Class III: Slightly hazardous
- Health hazards ..... The product may have harmful effects by ingestion of large amounts.
- Environmental hazards ..... The product is very toxic to aquatic organisms.
- 2.2. Label elements**  
According to EU Reg. 1272/2008 as amended
- Product identifier ..... 2720-08, Terbutylazine Millbase 42.57% w/w SC  
 Contains terbutylazine
- Hazard pictograms (GHS08, GHS09)
- 

- Signal word ..... Warning
- Hazard statements
- H373 ..... May cause damage to organs through prolonged or repeated exposure.  
 H410 ..... Very toxic to aquatic life with long lasting effects.
- Supplementary hazard statements
- EUH208 ..... Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
 EUH401 ..... To avoid risks to human health and the environment, comply with the instructions of use.
- Precautionary statements
- P261 ..... Do not breathe vapours.  
 P273 ..... Avoid release to the environment.  
 P314 ..... Get medical attention if you feel unwell.  
 P391 ..... Collect spillage.  
 P501 ..... Dispose of contents and container as hazardous waste.
- 2.3. Other hazards** ..... None of the ingredients in the product meets the criteria for being PBT or vPvB.

## ♣ SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substances** ..... The product is a mixture, not a substance
- 3.2. Mixtures** ..... See section 16 for full text of hazard statements.

Material group	2720-08	Page 3 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

#### Active ingredient

<b>Terbutylazine</b> .....	Content: 43% by weight
CAS name .....	1,3,5-Triazine-2,4-diamine, 6-chloro-N-(1,1-dimethylethyl)-N'-ethyl-
CAS no. ....	5915-41-3
IUPAC name .....	N <sup>2</sup> -tert-Butyl-6-chloro-N <sup>4</sup> -ethyl-1,3,5-triazine-2,4-diamine
ISO name .....	Terbutylazine
EC no. (EINECS no.) .....	227-637-9
EU index no. ....	None
Molecular weight .....	229.71
Classification of the ingredient .....	Acute oral toxicity: Category 4 (H302) Specific target organ toxicity – repeated exposure: Category 2 (H373) Hazards to the aquatic environment, acute: Category 1 (H400) chronic: Category 1 (H410)

#### Reportable ingredients

	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Ethylene glycol Reg. no. 01-2119456816-28	6	107-21-1	203-473-3	Acute Tox. 4 (H302)
1,2-Benzisothiazol-3(2H)-one	max. 0.04	2634-33-5	220-120-9	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400)

### ♣ SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Inhalation .....	If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
Skin contact .....	Immediately remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. See physician if any symptom develops.
Eye contact .....	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation persists.
Ingestion .....	Let the exposed person rinse mouth with water and let him/her drink several glasses of water or milk, but not induce vomiting. If vomiting does occur, let him/her rinse mouth and drink fluids again. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

After ingestion, only non-specific symptoms were seen in animal tests.

Material group	2720-08	Page 4 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

**4.3. Indication of any immediate medical attention and special treatment needed**

Immediate medical attention is required in case of ingestion.

It may be helpful to show this safety data sheet to physician.

Note to physician .....

A specific antidote against this substance is not known. Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment of exposure should be directed at the control of symptoms and the clinical condition.

**SECTION 5: FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media .....**

Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

**5.2. Special hazards arising from the substance or mixture**

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, hydrogen chloride, carbon monoxide, carbon dioxide and various chlorinated organic compounds.

**5.3. Advice for firefighters .....**

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

1. use personal protection equipment; see section 8
2. call emergency telephone no.; see section 1
3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.

Stop the source of the spill immediately if safe to do so. Keep unprotected persons away from the spill area. Avoid and reduce mist formation as much as possible.

**6.2. Environmental precautions .....**

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

Material group	2720-08	Page 5 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

**6.3. Methods and materials for containment and cleaning up**

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Surface water drains should be covered if appropriate. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, Fuller's earth or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with much water and industrial detergent. Absorb wash liquid onto absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

**6.4. Reference to other sections .....**

See subsection 8.2. for personal protection.  
 See section 13 for disposal.

**♣ SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling ....**

In an industrial environment, it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

Material group	2720-08	Page 6 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

**7.2. Conditions for safe storage, including any incompatibilities**

The product is stable under normal conditions of warehouse storage.

Keep in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

**7.3. Specific end use(s)** .....

The product is meant for the production of registered pesticides which may only be used for the applications they are registered for.

**♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Personal exposure limits .....

To our knowledge, personal exposure limits have not been established for the active ingredient in this product.

		Year	
<b>Ethylene glycol</b>	ACGIH (USA) TLV	2015	10 mg/m <sup>3</sup> , inhalable fraction and vapor CEILING 100 mg/m <sup>3</sup> Skin notation
		2015	Not established
		2017	8-h TWA 20 ppm (52 mg/m <sup>3</sup> ) STEL 40 ppm (104 mg/m <sup>3</sup> ) Skin notation
	OSHA (USA) PEL EU, 2000/39/EC as amended	2014	TWA 10 ppm (26 mg/m <sup>3</sup> ) Peak level 20 ppm (52 mg/m <sup>3</sup> ) Skin notation
		2011	8-hr TWA: 10 mg/m <sup>3</sup> particulate 8-hr TWA: 20 ppm (52 mg/m <sup>3</sup> ) vapour STEL: 40 ppm (104 mg/m <sup>3</sup> ) vapour Skin notation
	Germany, MAK		
	HSE (UK) WEL		

However, other personal exposure limits defined by local regulations may exist and must be observed.

**Terbuthylazine**

DNEL, systemic .....

Not established

PNEC, aquatic environment .....

EFSA has established an AOEL of 0.0032 mg/kg bw/day  
 1.9 µg/l

**Ethylene glycol**

DNEL, inhalation .....

35 mg/m<sup>3</sup>

DNEL, dermal .....

106 mg/kg bw/day

PNEC, fresh water .....

10 mg/l

PNEC, marine water .....

100 mg/l

Material group	2720-08	Page 7 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

## 8.2. Exposure controls .....

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

In cases of incidental high exposure, maximal personal protection equipment may be necessary, such as respirator, face mask, chemical resistant coveralls.



### Respiratory protection

In the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



### Protective gloves .....

Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. The breakthrough time of these materials for this product are unknown. Generally, however, the use of protective gloves will give only partial protection against dermal exposure. Small tears in the gloves and cross-contamination can easily occur. It is recommended to limit the work to be done manually and to change the gloves regularly.



### Eye protection .....

Wear goggles, safety glasses or face shield. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



### Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on physical and chemical properties

Appearance .....	White liquid (opaque)
Odour .....	Practically odourless
Odour threshold .....	Not determined
pH .....	Not determined
Melting point/freezing point .....	Not determined
Initial boiling point and boiling range	Not determined
Flash point .....	Not determined, but expected to be > 100°C
Evaporation rate .....	Not determined
Flammability (solid/gas) .....	Not applicable (liquid)

Material group	2720-08	Page 8 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

Upper/lower flammability or explosive limits .....	Not determined
Vapour pressure .....	<b>Terbuthylazine</b> : 9.0 x 10 <sup>-5</sup> Pa at 25°C
Vapour density .....	Not determined
Relative density .....	Not determined
Solubility(ies) .....	Solubility of <b>terbuthylazine</b> at 25°C in:
	hexane 0.41 g/l
	ethyl acetate 35 g/l
	water 9.0 mg/l
Partition coefficient n-octanol/water	<b>Terbuthylazine</b> : log K <sub>ow</sub> = 3.4 at 25°C
Autoignition temperature .....	Not determined
Decomposition temperature .....	Not determined
Viscosity .....	Not determined
Explosive properties .....	Not explosive
Oxidising properties .....	Not oxidising

9.2. **Other information** ..... No more relevant information is available.

## SECTION 10: STABILITY AND REACTIVITY

10.1. <b>Reactivity</b> .....	To our knowledge, the product has no special reactivities.
10.2. <b>Chemical stability</b> .....	The product is stable during normal handling and storage at ambient temperatures.
10.3. <b>Possibility of hazardous reactions</b>	None known.
10.4. <b>Conditions to avoid</b> .....	Heating of the product will evolve harmful and irritant vapours.
10.5. <b>Incompatible materials</b> .....	None known.
10.6. <b>Hazardous decomposition products</b>	See subsection 5.2.

## ♣ SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on toxicological effects** \* = Based on available data, the classification criteria are not met.

### Product

Acute toxicity .....	The product may be slightly harmful by ingestion. * The acute toxicity is estimated as:
Route(s) of entry	
- ingestion	LD <sub>50</sub> , oral, rat: 2000 - 4000 mg/kg
- skin	LD <sub>50</sub> , dermal, rat: > 2000 mg/kg
- inhalation	LC <sub>50</sub> , inhalation, rat: > 5.0 mg/l/4 h
Skin corrosion/irritation .....	Not expected to be irritating to skin. *
Serious eye damage/irritation .....	Not expected to be irritating to eyes. *



Material group	2720-08	Page 9 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

Respiratory or skin sensitisation ...	Not expected to be a skin sensitizer. *
Germ cell mutagenicity .....	The product contains no ingredients known to be mutagenic. *
Carcinogenicity .....	The product contains no ingredients known to be carcinogenic. *
Reproductive toxicity .....	The product contains no ingredients found to have adverse effects on reproduction. *
STOT – single exposure .....	To our knowledge, no specific effects after single exposure have been observed. *
STOT – repeated exposure .....	The following is found for the active ingredient <b>terbuthylazine</b> : Target organ: no specific target organ NOAEL: 2.1 mg/kg bw/day in a 90-day rat study.
Aspiration hazard .....	The product does not present an aspiration hazard. *
Symptoms and effects, acute and delayed	After ingestion of a similar product, only non-specific symptoms were seen in animal tests, such as decreased activity.
<u><i>Terbuthylazine</i></u> Toxicokinetics, metabolism and distribution	Terbuthylazine is rapidly absorbed after oral administration. It is widely distributed in the body, but binds significantly and persistently to red blood cells. It is extensively metabolised and rapidly excreted, within 96 hours. There is no evidence for bioaccumulation.
Acute toxicity .....	Terbuthylazine is harmful by ingestion. The acute toxicity is measured as:
Route(s) of entry	- ingestion LD <sub>50</sub> , oral, rat: 1000 - 1590 mg/kg - skin LD <sub>50</sub> , dermal, rat: > 2000 mg/kg * - inhalation LC <sub>50</sub> , inhalation, rat: > 5.3 mg/l/4 h *
Skin corrosion/irritation .....	Minimally irritating to skin. *
Serious eye damage/irritation .....	Slightly irritating to eyes. *
Respiratory or skin sensitisation ...	Weakly sensitising. *

<u><i>Ethylene glycol</i></u> Toxicokinetics, metabolism and distribution	After oral intake, ethylene glycol is rapidly absorbed and widely distributed in the body. It is extensively metabolised and ethylene glycol and its metabolites are rapidly excreted with plasma half-lives of 4 hours in rats and dogs. Its harmful effects appear to be caused by the metabolites glycolic acid and oxalic acid.
Acute toxicity .....	The substance is harmful by ingestion. The acute toxicity is measured as:

Material group	2720-08	Page 10 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

Route(s) of entry	- ingestion	LD <sub>50</sub> , oral, rat: > 4000 mg/kg
	- skin	LD <sub>50</sub> , dermal, rat: > 2800 mg/kg *
	- inhalation	LC <sub>50</sub> , inhalation, rat: > 5 mg/l (measured on a similar substance) *
		The substance appears to be more toxic to humans. The minimum lethal dose for humans by oral intake has been estimated to about 1300 mg/kg.
Skin corrosion/irritation .....		Can cause mild skin irritation. *
Serious eye damage/irritation .....		May cause mild, short-lasting discomfort to eyes. *
Respiratory or skin sensitisation ...		To our knowledge, no indications of respiratory or skin sensitisation have been reported. *
<u><i>1,2-Benzisothiazol-3(2H)-one</i></u>		
Acute toxicity .....		The substance is harmful by ingestion.
Route(s) of entry	- ingestion	LD <sub>50</sub> , oral, rat (male): 670 mg/kg
		LD <sub>50</sub> , oral, rat (female): 784 mg/kg (method OPPTS 870.1100; measured on 73% solution)
	- skin	LD <sub>50</sub> , dermal, rat: > 2000 mg/kg * (method OPPTS 870.1200 measured on 73% solution)
	- inhalation	LC <sub>50</sub> , inhalation, rat: not available
Skin corrosion/irritation .....		Slightly irritating to skin (method OPPTS 870.2500).
Serious eye damage/irritation .....		Severely irritating to eyes (method OPPTS 870.2400).
Respiratory or skin sensitisation ...		Moderate dermal sensitizer to guinea pigs (method OPPTS 870.2600). The substance appears to be significantly more sensitising to humans.

## SECTION 12: ECOLOGICAL INFORMATION

- 12.1. **Toxicity** ..... The product is very toxic to algae and aquatic plants. It is toxic to fish and harmful to daphnids. It is considered as non-toxic to soil micro- and macroorganisms and birds.

The following has been measured on the active substance **terbuthylazine**:

- Fish	Rainbow trout ( <i>Oncorhynchus mykiss</i> ) .....	96-h LC <sub>50</sub> : 2.2 mg/l
- Invertebrates	Daphnids ( <i>Daphnia magna</i> ) .....	21-day NOEC: 0.019 mg/l
- Algae	Green algae ( <i>Pseudokirchneriella subcapitata</i> ) ...	72-h EC <sub>50</sub> : 0.028 mg/l
	Blue-green algae ( <i>Microcystis aeruginosa</i> ) .....	72-h EC <sub>50</sub> : 0.102 mg/l
- Plants	Duckweed ( <i>Lemna gibba</i> ) .....	14-day EC <sub>50</sub> : 0.412 mg/l
- Birds	Bobwhite quail .....	LD <sub>50</sub> : 1236 mg/kg



- Insects	Honeybees .....	LD <sub>50</sub> , oral: > 22.6 µg/bee LD <sub>50</sub> , contact: > 32 µg/bee
-----------	-----------------	---

- ## SECTION 13: DISPOSAL CONSIDERATIONS

- |  |  |
|--|--|
| 13.1. <b>Waste treatment methods</b> ..... | <p>Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.</p> <p>Disposal of waste and packagings must always be in accordance with all applicable local regulations.</p>   |
| Disposal of product .....                  | <p>According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not possible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.</p> <p>Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.</p>   |
| Disposal of packaging .....                | <p>It is recommended to consider possible ways of disposal in the following order:</p> <ol style="list-style-type: none"> <li>1. Reuse or recycling should first be considered. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.</li> <li>2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.</li> <li>3. Delivery of the packaging to a licensed service for disposal of hazardous waste.</li> <li>4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied</li> </ol> |

Material group	2720-08	Page 12 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

#### ♣ SECTION 14: TRANSPORT INFORMATION

##### ADR/RID/IMDG/IATA/ICAO classification

- 14.1. **UN number** ..... 3082
- 14.2. **UN proper shipping name** ..... Environmentally hazardous substance, liquid, n.o.s. (terbuthylazine)
- 14.3. **Transport hazard class(es)** ..... 9
- 14.4. **Packing group** ..... III
- 14.5. **Environmental hazards** ..... Marine pollutant
- 14.6. **Special precautions for user** ..... Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.
- 14.7. **Transport in bulk according to Annex II of MARPOL and the IBC code** ..... The product is not transported in bulk by ship.

#### SECTION 15: REGULATORY INFORMATION

- 15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture** ..... Seveso category (Dir. 2012/18/EU): dangerous for the environment  
 All ingredients are covered by EU chemical legislation.
- 15.2. **Chemical safety assessment** ..... A chemical safety assessment is not required to be included for this product.

#### ♣ SECTION 16: OTHER INFORMATION

- Relevant changes in the safety data sheet ..... Classification has been adapted to EU reg. 2017/776.
- List of abbreviations ..... ACGIH American Conference of Governmental Industrial Hygienists  
 AOEL Acceptable Operator Exposure Level  
 CAS Chemical Abstracts Service  
 Dir. Directive  
 DNEL Derived No Effect Level  
 EC European Community  
 EC<sub>50</sub> 50% Effect Concentration  
 EFSA European Food Safety Authority  
 EINECS European INventory of Existing Commercial Chemical Substances  
 GHS Globally Harmonized classification and labelling System of

Material group	2720-08	Page 13 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

	chemicals, Fifth revised edition 2013
HSE	Health & Safety Executive, UK
IBC	International Bulk Chemical code
ISO	International Organisation for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	50% Lethal Concentration
LD <sub>50</sub>	50% Lethal Dose
MAK	Maximale Arbeitsplatz-Konzentration
MARPOL	Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
n.o.s.	Not otherwise specified
OPPTS	Office of Prevention, Pesticides and Toxic Substances
OSHA	Occupational Safety and Health Administration
PBT	Persistent, Bioaccumulative, Toxic
PEL	Personal Exposure Limit
PNEC	Predicted No Effect Concentration
Reg.	Registration, or Regulation
SC	Suspension Concentrate
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TLV	Threshold Limit Value
TWA	Time Weighted Average
vPvB	very Persistent, very Bioaccumulative
WEL	Workplace Exposure Limit
WHO	World Health Organisation

References .....	Data on ingredients are available from published literature and can be found several places.
Method for classification .....	Calculation method
Used hazard statements .....	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH401 To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training .....	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

**FMC Agricultural Solutions A/S**

Thyborønvej 78  
DK-7673 Harbøre  
Denmark  
+45 9690 9690  
[www.fmc.com](http://www.fmc.com)  
CVR No. DK 12 76 00 43

Material group	2720-08	Page 14 of 14
Product name	<b>2720-08, TERBUTHYLAZINE MILLBASE 42.57% w/w SC</b>	January 2020

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Agricultural Solutions A/S / GHB