according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Date of last issue: -Revision Date: SDS Number:

10.06.2025 50000107 Date of first issue: 10.06.2025 1.0

1. IDENTIFICATION

Product name : INDOXACARB TECHNICAL

Manufacturer or supplier's details

: FMC LATINOAMÉRICA S.A. SUCURSAL Company

AV. CIRCUNVALACIÓN DEL CLUB GOLF Address

> LOS INCAS NO. 208, INTERIOR, 705-B, TORRE 111 URBANIZACIÓN CLUB GOLF LOS INCAS SANTIAGO DE SURCO.

LIMA, PERÚ

E-mail address SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)

Peru: 51-17071295 (CHEMTREC)

Medical Emergency Number Desde Perú: SAMU: 106;

CISPROQUIM®: 080-050-847;

FMC LATINOAMERICA S.A. SUCURSAL: 421-4811; Desde Bogotá: 288 60 12; Línea Nacional: 01 8000 916012 Desde Ecuador: 1800 593005 (Quito, La Sierra, Centro y

Norte).

Desde Venezuela: 0800 1005012

Recommended use of the chemical and restrictions on use

Recommended use : To be used as an active ingredient in insecticides only.

Restrictions on use Use as recommended by the label.

> The product is meant for the production of registered pesticides which may only be used for the applications they are registered for, in accordance with a label approved by the regulatory au-

thorities.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) Category 3

Acute toxicity (Inhalation) Category 4

Skin sensitization Category 1

single exposure

Specific target organ toxicity - : Category 2 (Central nervous system)

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Specific target organ toxicity - :

repeated exposure

Category 1 (Blood, Nervous system)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms







Signal Word : DANGER

Hazard Statements : H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H371 May cause damage to organs (Central nervous system). H372 Causes damage to organs (Blood, Nervous system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P317 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Get medical help.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P333 + P317 If skin irritation or rash occurs: Get medical help. P362 + P364 Take off contaminated clothing and wash it before reuse

P391 Collect spillage.

Storage:

P405 Store locked up.

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification:

Hazard Statements required by Andean Technical Manual for the Registration and Control of Chemical Pesticides for Agricultural Use (Resolution no. 2075): Harmful in contact with skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : METHYL (S)-7-CHLORO-2,3,4A,5-TETRAHYDRO-2-

{(METHOXYCARBONYL)[4-

(TRIFLUOROMETHOXY)PHENYL]CARBAMOYL}INDENO[1,

2-E][1,3,4]OXADIAZINE-4A-CARBOXYLATE

CAS-No. : 173584-44-6

Components

Chemical name	CAS-No.	Concentration (%
		w/w)
indoxacarb (ISO)	173584-44-6	>= 90 - <= 100

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in attend-

ance.

Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention immediately if irritation develops and

persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eve.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. Exposure may result in loss of coordination and tremors. Acute effects on nervous system: drowsiness, tremors, paral-

ysis. Chronic effects include cyanosis

Toxic if swallowed.

May cause an allergic skin reaction.

Harmful if inhaled.

May cause damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

Fire may produce irritating, corrosive and/or toxic gases.

Chlorinated compounds Fluorinated compounds Nitrogen oxides (NOx) Carbon oxides

Carbon oxides Hydrogen cyanide

Specific extinguishing meth-

ods

Use a water spray to cool fully closed containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas.

Do not touch or walk through the spilled material.

If it can be safely done, stop the leak.

Ensure adequate ventilation.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centime-

ters of soil.

7. HANDLING AND STORAGE

Local/Total ventilation : Ensure adequate ventilation.

Do not use in areas without adequate ventilation.

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Prevent unauthorized access.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

Keep in a dry place.

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

tions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Do not breathe dust.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : solid

Color : off-white

Odor : odorless

Odor Threshold : not determined

pH : 8 (20 °C)

(at 1% suspension)

Melting point/freezing point : 88,1 - 88,4 °C

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : not auto-flammable

Upper explosion limit / Upper

flammability limit

not determined

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Lower explosion limit / Lower

flammability limit

: not determined

Vapor pressure : < 0,0000001 Pa (25 °C)

Method: OECD Test Guideline 104

Relative vapor density : Not applicable

Relative density : 1,4206 (20 °C)

Density : 1,4206 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : $185 \mu g/l$ (20 °C)

Solubility in other solvents : 1,66 g/l (20 °C)

Solvent: n-hexane

ca. 117,22 g/l (20 °C) Solvent: Methanol

ca. 17,45 g/l (20 °C) Solvent: n-Octanol

> 250 g/l (20 °C) Solvent: Acetone

> 250 g/l (20 °C)

Solvent: dichloromethane

> 250 g/l (20 °C) Solvent: ethyl acetate

> 250 g/l (20 °C) Solvent: o-xylene

> 250 g/l (20 °C) Solvent: Acetonitrile

Partition coefficient: n-

octanol/water

: log Pow: 4,52 (20 °C)

Method: OECD Test Guideline 107

GLP: yes

Autoignition temperature : No data available

Decomposition temperature : 235 - 295 °C

Viscosity

Viscosity, dynamic : 5,6 mPa.s (25 °C)

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : 76,8 mN/m, 20 °C, OECD Test Guideline 115

Molecular weight : 527,8 g/mol

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.

Avoid dust formation.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition

products

Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of :

exposure

Ingestion Skin contact

Acute toxicity

Toxic if swallowed. Harmful if inhaled.

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 281 - 294 mg/kg

Method: OECD Test Guideline 420

Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions,

abnormal posture, incoordination, Lethargy

GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4,2 mg/l

Exposure time: 4 h

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: nasal discharge, lethargy

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Symptoms: Irritation

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

indoxacarb (ISO):

Species : Rabbit

Assessment : Not classified as irritant

Method : OECD Test Guideline 404

Result : slight irritation

GLP : yes

Serious eye damage/eye irritation

Not classified based on available information.

Components:

indoxacarb (ISO):

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

Result : slight irritation

GLP : yes

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

indoxacarb (ISO):

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Species : Mouse

Assessment : The product is a skin sensitizer, sub-category 1B.

Method : OECD Test Guideline 429

Result : May cause sensitization by skin contact.

GLP : yes

Test Type : Maximization Test

Species : Guinea pig

Assessment : May cause sensitization by skin contact.

Method : US EPA Test Guideline OPPTS 870.2600

Result : May cause sensitization by skin contact.

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Species : Rat, female Application Route : Oral

Exposure time : 24 m

2,13 mg/kg bw/day

Result : negative

Species : Rat, male Application Route : Oral

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Exposure time : 24 m

: 2,4 mg/kg bw/day

Result : negative

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Components:

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female Dose: 0, 20, 60, 100 parts per million General Toxicity Parent: NOEL: 20 ppm

Fertility: NOEL: 60 ppm

Early Embryonic Development: NOEL: 20 ppm

Symptoms: Reduced body weight, reduced food consumption

Target Organs: spleen

Effects on fetal development : Test Type: Developmental toxicity study

Species: Rabbit

Dose: 0, 250, 500, 1000 mg/kg bw/day

General Toxicity Maternal: NOEL: 500 mg/kg bw/day Developmental Toxicity: NOEL: 500 mg/kg bw/day Symptoms: Reduced body weight, Reduced fetal weight.,

Skeletal malformations. Method: EPA OPP 83-3

GLP: yes

Reproductive toxicity - As-

Animal testing did not show any effects on fertility.

sessment

Animal testing did not show any effects on fetal development.

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:

indoxacarb (ISO):

Target Organs : Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 2.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species : Rat, female
NOAEL : 1,7 mg/kg
LOAEL : 4,1 mg/kg
Application Route : Oral
Exposure time : 90 d

Method : OECD Test Guideline 408

GLP : yes Target Organs : Blood

Symptoms : Reduced body weight, reduced food consumption

Species : Rat, male
NOAEL : 3,2 mg/kg
LOAEL : 6,6 mg/kg
Application Route : Oral
Exposure time : 90 d

Method : OECD Test Guideline 408

GLP : ves

Symptoms : Reduced body weight, reduced food consumption

Species : Rat, female

NOAEL : 0,685 mg/kg, 10 ppm LOAEL : 3,3 mg/kg, 50 ppm

Application Route : Oral Exposure time : 90 d

Dose : 0, 10, 50, 100 ppm Method : EPA OPP 82-7

GLP : yes

Symptoms : Fatality, reduced food consumption, Reduced body weight

Remarks : No neurotoxicity detected.

Species : Rat, male

NOAEL : 0,569 mg/kg, 10 ppm LOAEL : 5,62 mg/kg, 100 ppm

Application Route : Oral Exposure time : 90 d

Dose : 0, 10, 100, 200 ppm Method : EPA OPP 82-7

GLP : yes

Symptoms : Fatality, reduced food consumption, Reduced body weight

Remarks : No neurotoxicity detected.

Species : Dog, male and female

NOEL : 1,1 - 1,3 mg/kg

LOAEL : 2,3 - 2,4 mg/kg

Application Route : Oral - feed

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Date of last issue: -Revision Date: SDS Number:

10.06.2025 50000107 Date of first issue: 10.06.2025 1.0

Exposure time 12 m

Method **OECD Test Guideline 452**

GLP yes **Target Organs** Blood

Symptoms reduced food consumption, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Components:

indoxacarb (ISO):

Remarks Acute effects on nervous system: drowsiness, tremors, paral-

ysis. Chronic effects include cyanosis

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,65 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,90 mg/l

Exposure time: 96 h

Test Type: flow-through test Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,17 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (algae)): > 0,0793

Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Date of last issue: -Revision Date: SDS Number:

10.06.2025 50000107 Date of first issue: 10.06.2025 1.0

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

NOEC: 0,0675 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Test Type: Early Life-Stage

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0351 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Static renewal test Method: OECD Test Guideline 211

GLP: yes

M-Factor (Chronic aquatic

toxicity)

1

Toxicity to soil dwelling or-

ganisms

LC50: > 1.000 mg/kg

Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP: yes

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen minerali-

zation.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineraliza-

tion.

Toxicity to terrestrial organ-

isms

NOEL: 0,048 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

NOEL: 0,163 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LD50: 0,068 µg/bee Exposure time: 48 h

End point: Acute contact toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 214

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Date of last issue: -Revision Date: SDS Number:

10.06.2025 50000107 Date of first issue: 10.06.2025 1.0

> LD50: 0,232 µg/bee Exposure time: 48 h

End point: Acute oral toxicity Species: Apis mellifera (bees) Method: OECD Test Guideline 213

LD50: 98 mg/kg

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

GLP: yes

NOEC: 720 ppm Exposure time: 147 d

End point: Reproduction Test

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 206

GLP: yes

NOEC: 144 ppm Exposure time: 147 d

End point: Reproduction Test

Species: Colinus virginianus (Bobwhite quail)

Method: OECD Test Guideline 206

LC50: > 5.620 ppm Exposure time: 5 d

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

NOEC: 562 ppm Exposure time: 5 d

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

LC50: 808 ppm Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-2

Remarks: Dietary

NOEC: 316 ppm Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

Remarks: Dietary

Persistence and degradability

Components:

indoxacarb (ISO):

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 21 d Concentration: 0,1 mg/l

Bioconcentration factor (BCF): 1.053

Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 28 d Concentration: 0,1 mg/l

Bioconcentration factor (BCF): 847

Partition coefficient: n-

octanol/water

log Pow: 4,52 (20 °C)

Method: OECD Test Guideline 107

GLP: yes

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environ-

mental compartments

Koc: 4483 ml/g, log Koc: 3,65 Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil

Other adverse effects

Components:

indoxacarb (ISO):

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Date of last issue: -Version Revision Date: SDS Number:

10.06.2025 50000107 Date of first issue: 10.06.2025 1.0

Contaminated packaging It is prohibited to reuse, bury, burn, or sell containers. Rinsa-

ble containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to 1/4 of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers pro-

gram.

Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 2811

Proper shipping name TOXIC SOLID, ORGANIC, N.O.S.

(Indoxacarb)

Class 6.1 Packing group Ш Labels 6.1 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 2811

Proper shipping name Toxic solid, organic, n.o.s.

(Indoxacarb)

Class 6.1 Packing group Ш Labels Toxic Packing instruction (cargo 677

aircraft)

Packing instruction (passen-

ger aircraft)

670

IMDG-Code

UN number UN 2811

TOXIC SOLID, ORGANIC, N.O.S. Proper shipping name

(Indoxacarb)

Class 6.1

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Control Act of precursor chemicals and controlled : Not applicable

products.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

indoxacarb (ISO)

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -


1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

Revision Date : 10.06.2025

Date format : dd.mm.yyyy

Further information

NFPA:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No

according to the Globally Harmonized System



INDOXACARB TECHNICAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 10.06.2025 50000107 Date of first issue: 10.06.2025

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PE / EN