

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** COLT 10 CS

#### Other means of identification

**Product code** 50003067

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide  
stance/Mixture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier Address

FMC Agro Limited  
Rectors Lane, Pentre  
Flintshire  
CH5 2DH  
United Kingdom

Telephone: + 44 1244 537370  
E-mail address: SDS-Info@fmc.com .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
England and Wales: 44-870-8200418 (CHEMTREC)

Medical emergency:  
England and Wales: 111  
Scotland: 84 54 24 2424

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK  
SI 2019/720, and UK SI 2020/1567)**

Acute toxicity, Category 4

H302: Harmful if swallowed.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

Acute toxicity, Category 4

H332: Harmful if inhaled.

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H302 + H332 Harmful if swallowed or if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

**Prevention:**

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

lambda-cyhalothrin (ISO)

**Additional Labelling**

EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|---|---|--|--------------------------|
| lambda-cyhalothrin (ISO)  | 91465-08-6<br>415-130-7<br>607-252-00-6               | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 3; H311<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity):<br>10,000<br>M-Factor (Chronic<br>aquatic toxicity):<br>10,000 | >= 2.5 - < 10            |
| Solvent naphtha (petroleum), heavy<br>arom.; Kerosine — unspecified | 64742-94-5<br>265-198-5<br>649-424-00-3               | Asp. Tox. 1; H304  | >= 1 - < 10              |
| Substances with a workplace exposure limit :                        |   |  |                          |
| propane-1,2-diol  | 57-55-6<br>200-338-0                                  |  | >= 20 - < 30             |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.  
Do not induce vomiting without medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : On contact, lambda-cyhalothrin can cause feelings of burning, tingling or numbness in exposed areas (paraesthesia), which is harmless at low exposure, but can be quite painful, especially in the eye. The effect may result from splash, aerosol or transfer from contaminated gloves. The effect is transient, lasting up to 24 hours, but may in exceptional cases last longer. It may be considered as a warning that overexposure has occurred and that work practice should be reviewed.

- Risks : Harmful if swallowed or if inhaled.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.  
If any sign of poisoning occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to a pyrethroid insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.  
As soon as a feeling of tingling is noted in any skin area it is recommended to immediately apply lidocaine or a vitamin E

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

cream. For this purpose, lidocaine or vitamin E cream should be available at the workplace.

A specific antidote against this substance is not known. Gastric lavage and administration of activated charcoal can be considered. Normally recovery is spontaneous.

If allowed to penetrate the skin, lambda-cyhalothrin may cause an irritation similar to sunburn. The substance will be drawn into a non-polar environment such as a fat based oil or cream. Vitamin E cream has been reported to be beneficial. Water is highly polar and will not decrease, but may prolong the irritation. Hot water may increase the pain.

For eye contamination, instillation of local anaesthetic can be considered.

Immediate medical attention is required in case of ingestion.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |   |   |
|--------------------------------|---|---|
| Suitable extinguishing media   | : | Dry chemical, CO <sub>2</sub> , water spray or regular foam.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams.<br>High volume water jet   |

#### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |  |
|---------------------------------------|---|--|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses.  |
| Hazardous combustion products         | : | Fire may produce irritating, corrosive and/or toxic gases.<br>Carbon oxides<br>Fluorinated compounds<br>Halogenated compounds<br>Nitrogen oxides (NO <sub>x</sub> )<br>Ammonia<br>Sulphur oxides<br>Sulphuric acid |

#### 5.3 Advice for firefighters

- |   |   |   |
|---|---|---|
| Special protective equipment for firefighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus.  |
| Specific extinguishing methods                | : | Remove undamaged containers from fire area if it is safe to do so.<br>Use a water spray to cool fully closed containers.                          |
| Further information                           | : | Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost, fire, heat and direct sunlight. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.  
Storage of mixtures of the product with other products can increase toxicity because of extraction of the active ingredient from the capsules.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components       | CAS-No. | Value type (Form of exposure) | Control parameters | Basis   |
|------------------|---------|-------------------------------|--------------------|---------|
| propane-1,2-diol | 57-55-6 | TWA (Total va-                | 150 ppm            | GB EH40 |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

Version 1.0      Revision Date: 05.06.2025      SDS Number: 50003067      Date of last issue: -  
Date of first issue: 05.06.2025

|  |  |                     |                       |         |
|--|--|---------------------|-----------------------|---------|
|  |  | pour and particles) | 474 mg/m <sup>3</sup> |         |
|  |  | TWA (particles)     | 10 mg/m <sup>3</sup>  | GB EH40 |

### Derived No Effect Level (DNEL)

| Substance name    | End Use   | Exposure routes | Potential health effects   | Value                    |
|-------------------|-----------|-----------------|----------------------------|--------------------------|
| ammonium sulphate | Workers   | Inhalation      | Long-term systemic effects | 11.167 mg/m <sup>3</sup> |
|                   | Workers   | Dermal          | Long-term systemic effects | 44.667 mg/kg             |
|                   | Consumers | Inhalation      | Long-term systemic effects | 1.667 mg/m <sup>3</sup>  |
|                   | Consumers | Dermal          | Long-term systemic effects | 12.8 mg/kg               |
|                   | Consumers | Oral            | Long-term systemic effects | 6.4 mg/kg                |

### Predicted No Effect Concentration (PNEC)

| Substance name    | Environmental Compartment     | Value       |
|-------------------|-------------------------------|-------------|
| ammonium sulphate | Fresh water                   | 0.312 mg/l  |
|                   | Marine water                  | 0.0312 mg/l |
|                   | Sewage treatment plant        | 16.18 mg/l  |
|                   | Fresh water sediment          | 0.063 mg/kg |
|                   | Soil                          | 62.6 mg/kg  |
|                   | Intermittent use (freshwater) | 0.530 mg/l  |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate,  
butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed  
with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state                                   | : liquid  |
| Colour   | : beige   |
| Odour  | : slight, aromatic                                  |
| Odour Threshold                                  | : not determined                                    |
| pH   | : 5.5   |
| Concentration: 1 %                               |   |
| Melting point/freezing point                     | : not determined                                    |
| Boiling point/boiling range                      | : 104 °C  |
| Flash point                                      | : Not determined, but expected to be > 100°C if any |
| Upper explosion limit / Upper flammability limit | : not determined                                    |
| Lower explosion limit / Lower flammability limit | : not determined                                    |
| Vapour pressure                                  | : 0.0000002 Pa (20 °C)                              |
|  | 0.0002 Pa (60 °C)                                   |
|  | 0.0008 Pa (70 °C)                                   |
| Relative vapour density                          | : not determined                                    |
| Density  | : 1.06 g/cm <sup>3</sup>                            |
| Solubility(ies)                                  |   |
| Water solubility                                 | : 0.005 mg/l dispersible (20 °C)                    |
|  | pH: 6.5   |
| Solubility in other solvents                     | : > 500 g/l   |
|  | (21 °C)   |
|  | Solvent: hexane                                     |
|  | > 500 g/l   |
|  | (21 °C)   |
|  | Solvent: Toluene                                    |
|  | > 500 g/l   |
|  | (21 °C)   |
|  | Solvent: ethyl acetate                              |
| Partition coefficient: n-octanol/water           | : log Pow: 7  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

|                           |   |                            |
|---------------------------|---|----------------------------|
| Auto-ignition temperature | : | not determined             |
| Decomposition temperature | : | not determined             |
| Viscosity                 | : |                            |
| Viscosity, kinematic      | : | ca. 142 mm <sup>2</sup> /s |

### 9.2 Other information

|                        |   |  |
|------------------------|---|--|
| Flammability (liquids) | : | Based on available information, the classification criteria for flammability hazard are not met., may be ignitable |
| Particle size          | : | Not applicable   |
| Self-ignition          | : | not determined   |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

Lambda-cyhalothrin decomposes on heating. Direct local heating such as electric heating or by steam must be avoided.

### 10.3 Possibility of hazardous reactions

|                     |   |   |
|---------------------|---|---|
| Hazardous reactions | : | No decomposition if stored and applied as directed. |
|---------------------|---|---|

### 10.4 Conditions to avoid

|                     |   |  |
|---------------------|---|--|
| Conditions to avoid | : | Heat, flames and sparks.<br>Avoid formation of aerosol.<br>Heating of the product will produce harmful and irritant vapours. |
|---------------------|---|--|

### 10.5 Incompatible materials

|                    |   |  |
|--------------------|---|--|
| Materials to avoid | : | Avoid strong acids, bases, and oxidizers |
|--------------------|---|--|

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

|                     |   |  |
|---------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 300 - 2,000 mg/kg<br>Method: OECD Test Guideline 423 |
|---------------------|---|--|

|                           |   |                       |
|---------------------------|---|-----------------------|
| Acute inhalation toxicity | : | LC50 (Rat): 2.78 mg/l |
|---------------------------|---|-----------------------|

---

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat, male): 79 mg/kg  
LD50 (Rat, female): 56 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg  
LD50 (Rat, female): 696 mg/kg

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **propane-1,2-diol:**

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l  
Exposure time: 2 h  
Test atmosphere: vapour  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### Skin corrosion/irritation

Not classified based on available information.

#### Product:

|            |   |                         |
|------------|---|-------------------------|
| Assessment | : | No skin irritation      |
| Method     | : | OECD Test Guideline 404 |
| Result     | : | No skin irritation      |

#### Components:

##### lambda-cyhalothrin (ISO):

|            |   |                            |
|------------|---|----------------------------|
| Assessment | : | Not classified as irritant |
| Method     | : | OECD Test Guideline 404    |
| Result     | : | No skin irritation         |

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

|            |   |  |
|------------|---|--|
| Species    | : | Rabbit   |
| Assessment | : | Repeated exposure may cause skin dryness or cracking.  |
| Result     | : | No skin irritation   |
| Remarks    | : | Minimal effects that do not meet the threshold for classification.<br>Based on data from similar materials |

##### propane-1,2-diol:

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

|            |   |                            |
|------------|---|----------------------------|
| Assessment | : | Not classified as irritant |
| Method     | : | OECD Test Guideline 405    |
| Result     | : | No eye irritation          |

#### Components:

##### lambda-cyhalothrin (ISO):

|            |   |                            |
|------------|---|----------------------------|
| Assessment | : | No eye irritation          |
| Method     | : | OECD Test Guideline 405    |
| Remarks    | : | May cause mild irritation. |

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

|            |   |                   |
|------------|---|-------------------|
| Species    | : | Rabbit            |
| Assessment | : | No eye irritation |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

Remarks : Minimal effects that do not meet the threshold for classification.  
Based on data from similar materials

### propane-1,2-diol:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.

#### Components:

##### lambda-cyhalothrin (ISO):

Assessment : Not a skin sensitizer.  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.

##### Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

### propane-1,2-diol:

Test Type : Maximisation Test  
Species : Guinea pig  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Product:

Germ cell mutagenicity- Assessment : Contains no ingredient listed as a mutagen

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### Components:

#### **lambda-cyhalothrin (ISO):**

Germ cell mutagenicity- Assessment : Based on available data, the classification criteria are not met.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

#### **propane-1,2-diol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

### Components:

#### **lambda-cyhalothrin (ISO):**

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
Application Route : inhalation (vapour)  
Exposure time : 12 month(s)  
NOAEC : 1.8 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

ment

### propane-1,2-diol:

|                   |            |
|-------------------|------------|
| Species           | : Rat      |
| Application Route | : Oral     |
| Exposure time     | : 2 Years  |
| Result            | : negative |

### Reproductive toxicity

Not classified based on available information.

#### Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

#### Components:

### lambda-cyhalothrin (ISO):

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

### propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Mouse  
Application Route: Oral  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Animal testing did not show any effects on fertility.  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Components:

### lambda-cyhalothrin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### STOT - repeated exposure

Not classified based on available information.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Components:

##### **lambda-cyhalothrin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0.9 - 1.8 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 12 Months

##### **propane-1,2-diol:**

Species : Rat, male and female  
NOAEL : 1,700 mg/kg  
Application Route : Oral  
Exposure time : 2 Years

Species : Rat, male and female  
NOAEL : 1,000 mg/kg  
LOAEL : 160 mg/kg  
Application Route : Inhalation  
Exposure time : 90 Days

### Aspiration toxicity

Not classified based on available information.

#### Product:

No aspiration toxicity classification

#### Components:

##### **lambda-cyhalothrin (ISO):**

No aspiration toxicity classification

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

### Experience with human exposure

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

### Further information

#### Product:

Remarks : This product contains microencapsulated active ingredients. The toxicity of encapsulated substances is always lower than that of the substances themselves. It approaches the toxicity of the substances only in cases where grinding actions break up the capsules, thus freeing the active ingredients.

#### Components:

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

|   |  |
|---|--|
| Toxicity to fish                                    | : LC50 (Oncorhynchus mykiss (rainbow trout)): 15.1 µl<br>Exposure time: 96 h       |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 43 µg/l<br>Exposure time: 48 h                |
| Toxicity to algae/aquatic plants                    | : ErC50 (Desmodesmus subspicatus (green algae)): 23.84 mg/l<br>Exposure time: 96 h |

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### **lambda-cyhalothrin (ISO):**

|  |  |
|--|--|
| Toxicity to fish   | : LC50 (Salmo gairdneri): 0.24 µg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates                    | : LC50 (Daphnia magna (Water flea)): 0.36 µg/l<br>Exposure time: 48 h  |
| Toxicity to algae/aquatic plants                                       | : EC50 (Selenastrum capricornutum (green algae)): > 0.3 mg/l<br>Exposure time: 96 h  |
| M-Factor (Acute aquatic toxicity)                                      | : 10,000   |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC: 0.25 µg/l<br>Exposure time: 28 d<br>Species: Cyprinodon variegatus (sheepshead minnow)   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0.002 µg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)   |
| M-Factor (Chronic aquatic toxicity)                                    | : 10,000   |
| Toxicity to soil dwelling organisms                                    | : LC50: > 1,000 mg/kg<br>Exposure time: 14 d<br>Species: Eisenia fetida (earthworms)   |
| Toxicity to terrestrial organisms                                      | : LD50: > 3,950 mg/kg<br>Species: Anas platyrhynchos (Mallard duck)<br><br>LC50: 0.038 µg/bee<br>Exposure time: 48 h<br>End point: Acute contact toxicity<br>Species: Apis mellifera (bees)<br><br>LC50: 0.909 µg/bee<br>Exposure time: 48 h<br>End point: Acute oral toxicity<br>Species: Apis mellifera (bees) |

### **Ecotoxicology Assessment**

|                          |   |
|--------------------------|---|
| Acute aquatic toxicity   | : Very toxic to aquatic life.                           |
| Chronic aquatic toxicity | : Very toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203           |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EL50 (Daphnia magna (Water flea)): 1.4 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                      |
| Toxicity to algae/aquatic plants                                       | : | EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l<br>Exposure time: 24 h<br>Method: OECD Test Guideline 201 |
| Toxicity to microorganisms   | : | LL50 (Tetrahymena pyriformis): 677.9 mg/l<br>Exposure time: 72 h<br>Test Type: Growth inhibition                           |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | EL50: 0.89 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br>Method: OECD Test Guideline 211           |

### **propane-1,2-diol:**

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | (Mysidopsis bahia (opossum shrimp)): 18,800 mg/l<br>Exposure time: 96 h   |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 201 |
| Toxicity to microorganisms   | : | EC50 (Pseudomonas putida): > 20,000 mg/l<br>Exposure time: 18 h   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 13,020 mg/l<br>Exposure time: 7 d   |

## 12.2 Persistence and degradability

### **Product:**

- |                  |   |  |
|------------------|---|--|
| Biodegradability | : | Remarks: No data is available on the product itself.<br>Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants. |
|------------------|---|--|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

### Components:

#### **lambda-cyhalothrin (ISO):**

Biodegradability : Remarks: Not readily biodegradable.

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58.6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

#### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 23.6 %  
Exposure time: 64 d  
Method: OECD Test Guideline 306

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data is available on the product itself.

### Components:

#### **lambda-cyhalothrin (ISO):**

Bioaccumulation : Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 6.8

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72  
Method: QSAR

#### **propane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Medium: Soil  
Remarks: No data is available on the product itself.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|                |                              |                         |  |
|----------------|------------------------------|-------------------------|--|
| Version<br>1.0 | Revision Date:<br>05.06.2025 | SDS Number:<br>50003067 | Date of last issue: -<br>Date of first issue: 05.06.2025 |
|----------------|------------------------------|-------------------------|--|

---

### Components:

#### **lambda-cyhalothrin (ISO):**

Distribution among environmental compartments : Medium: Soil  
Remarks: immobile

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

### SECTION 14: Transport information

#### 14.1 UN number

|      |   |         |
|------|---|---------|
| ADN  | : | UN 3082 |
| ADR  | : | UN 3082 |
| RID  | : | UN 3082 |
| IMDG | : | UN 3082 |
| IATA | : | UN 3082 |

#### 14.2 UN proper shipping name

|      |   |  |
|------|---|--|
| ADN  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(lambda-cyhalothrin) |
| ADR  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(lambda-cyhalothrin) |
| RID  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(lambda-cyhalothrin) |
| IMDG | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,<br>N.O.S.<br>(lambda-cyhalothrin) |
| IATA | : | Environmentally hazardous substance, liquid, n.o.s.<br>(lambda-cyhalothrin)    |

#### 14.3 Transport hazard class(es)

|      | Class | Subsidiary risks |
|------|-------|------------------|
| ADN  | :     | 9                |
| ADR  | :     | 9                |
| RID  | :     | 9                |
| IMDG | :     | 9                |
| IATA | :     | 9                |

#### 14.4 Packing group

|                              |   |     |
|------------------------------|---|-----|
| ADN                          |   |     |
| Packing group                | : | III |
| Classification Code          | : | M6  |
| Hazard Identification Number | : | 90  |
| Labels                       | : | 9   |
| ADR                          |   |     |
| Packing group                | : | III |
| Classification Code          | : | M6  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

|   |          |   |
|---|----------|---|
| UK REACH List of restrictions (Annex 17)  | :        | Conditions of restriction for the following entries should be considered:<br>Number on list 3<br>Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified (Number on list 3)<br>cyclohexane (Number on list 57, 3)<br>Silicone oil emulsion (Number on list 3)<br>xylene (Number on list 3)<br>ethylbenzene (Number on list 3)<br>dibutyltin dilaurate (Number on list 30, 3)                       |
| UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation                             | :        | Not applicable  |
| The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) | :        | Not applicable  |
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer  | :        | Not applicable  |
| UK REACH List of substances subject to authorisation (Annex XIV)  | :        | Not applicable  |
| Control of Major Accident Hazards Regulations 2015 (COMAH)  | E1<br>34 | ENVIRONMENTAL HAZARDS<br><br>Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d) |

|                            |   |   |
|----------------------------|---|---|
| Volatile organic compounds | : | Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention |
|----------------------------|---|---|



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

and control)  
Volatile organic compounds (VOC) content: 0.48 %

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

|       |   |
|-------|---|
| TCSI  | : Not in compliance with the inventory  |
| TSCA  | : Product contains substance(s) not listed on TSCA inventory.   |
| AIIC  | : Not in compliance with the inventory  |
| DSL   | : This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>lambda-cyhalothrin (ISO)<br>Silicone oil emulsion<br>sepiolite |
| ENCS  | : Not in compliance with the inventory  |
| ISHL  | : Not in compliance with the inventory  |
| KECI  | : Not in compliance with the inventory  |
| PICCS | : Not in compliance with the inventory  |
| IECSC | : Not in compliance with the inventory  |
| NZIoC | : Not in compliance with the inventory  |
| TECI  | : Not in compliance with the inventory  |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

---

## SECTION 16: Other information

### Full text of H-Statements

|      |   |
|------|---|
| H301 | : Toxic if swallowed.                           |
| H304 | : May be fatal if swallowed and enters airways. |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

H311 : Toxic in contact with skin.  
H330 : Fatal if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information :

### Classification of the mixture:

Acute Tox. 4 H302

### Classification procedure:

Based on product data or assessment

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## COLT 10 CS

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 05.06.2025     | 50003067    | Date of first issue: 05.06.2025 |

---

|                   |      |                                     |
|-------------------|------|-------------------------------------|
| Acute Tox. 4      | H332 | Based on product data or assessment |
| Aquatic Acute 1   | H400 | Based on product data or assessment |
| Aquatic Chronic 1 | H410 | Based on product data or assessment |

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GB / 6N