

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ALLY® 20 DF

Manufacturer or supplier's details

Company : Cheminova India Limited

Address : (27+28) B, GIDC ESTATE,
PANOLI - 394 116
DIST. - BHARUCH (GUJARAT)
India

Telephone : 02646-618500

E-mail address : SDS-Info@fmc.com

Emergency telephone : 022 6704 5504/5404
000-800-100-7141 (CHEMTREC)

Medical Emergency Number : 022 6704 5504/5404

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as herbicide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version 1.1 Revision Date: 07.10.2024 SDS Number: 50000936 Date of last issue: 04.10.2024
Date of first issue: 04.10.2024

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Metsulfuron-methyl	74223-64-6	≥ 10 - < 25
potassium chloride	7447-40-7	≥ 10 - < 20
Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	9084-06-4	≥ 1 - < 10
Alcohols, C12-14- ethoxylated	68439-50-9	≥ 3 - < 10

4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact

: Get medical attention if irritation develops and persists.
Wash off with soap and plenty of water.

In case of eye contact

: Flush eyes with water as a precaution.
Remove contact lenses.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

	Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: It may be helpful to show this safety data sheet to physician. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Foam Water spray Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Sulfur oxides Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Color	: tan, to, light brown
Odor	: mild, pungent
pH	: 5 - 7
Melting point/freezing point	: No data available
Boiling point/boiling range	: not determined
Flash point	: Not applicable
Evaporation rate	: Not available for this mixture.
Flammability (solid, gas)	: The product is not flammable.
Self-ignition	: Not available for this mixture.
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: Not available for this mixture.
Vapor pressure	: Not available for this mixture.
Relative vapor density	: Not available for this mixture.
Relative density	: Not available for this mixture.
Bulk density	: Not applicable
Partition coefficient: n-octanol/water	: not determined
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: not determined

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Oxidizing properties : Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents
Strong acids and strong bases

Hazardous decomposition products : Sulfur oxides
Carbon oxides
Nitrogen oxides (NO_x)

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50(Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: The product contains no ingredient classified for inhalation toxicity.

Acute dermal toxicity : LD50(Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Metsulfuron-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: US EPA Test Guideline OPP 81-1

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral toxicity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

potassium chloride:

Acute oral toxicity : LD50 (Rat, female): 3,020 mg/kg

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg

Alcohols, C12-14- ethoxylated:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	No skin irritation

potassium chloride:

Method	:	OECD Test Guideline 439
Result	:	No skin irritation

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Alcohols, C12-14- ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Components:

Metsulfuron-methyl:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	EPA OPP 81-4
Result	:	slight irritation

potassium chloride:

Result	:	No eye irritation
--------	---	-------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Alcohols, C12-14- ethoxylated:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	:	Not expected to cause skin sensitisation.
---------	---	-------------------------------------------

Components:

Metsulfuron-methyl:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	Not a skin sensitizer.

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Test Type	:	Buehler Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Alcohols, C12-14- ethoxylated:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	Directive 67/548/EEC, Annex V, B.6.
Result	:	Does not cause skin sensitization.

Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Components:

Metsulfuron-methyl:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Metabolic activation: Metabolic activation
Result: positive
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Result: negative

potassium chloride:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Alcohols, C12-14- ethoxylated:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Species : Rat, male and female
Exposure time : 104 weeks
NOAEL : 500 ppm
Result : negative

Species : Mouse, male and female

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Exposure time : 18 month(s)
NOAEL : 5,000 ppm
Result : negative

potassium chloride:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Alcohols, C12-14- ethoxylated:

Species : Rat, male and female
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Metsulfuron-methyl:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Ingestion
Symptoms: Maternal effects.
Result: negative

Alcohols, C12-14- ethoxylated:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

more information on target organs if applicable.

Components:

Alcohols, C12-14- ethoxylated:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Metsulfuron-methyl:

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral - feed
Exposure time : 90 days
Symptoms : Reduced body weight

potassium chloride:

Species : Rat, male
NOAEL : 1,820 mg/kg
LOAEL : 110 mg/kg
Application Route : Oral
Exposure time : 2 years

Alcohols, C12-14- ethoxylated:

Species : Rat, male and female
NOAEL : 110 mg/kg
Application Route : Oral
Exposure time : 2160 h

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Neurological effects

Components:

Metsulfuron-methyl:

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metsulfuron-methyl:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 EC50 (Daphnia magna (Water flea)): 43.1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Anabaena flos-aquae (cyanobacterium)): 65.7 µg/l Exposure time: 96 h Method: OPPTS 850.5400 GLP: yes NOEC (Anabaena flos-aquae (cyanobacterium)): 45 µg/l Exposure time: 96 h Method: OPPTS 850.5400 GLP: yes ErC50 (Selenastrum capricornutum (green algae)): 157 µg/l Exposure time: 72 h GLP: yes NOEC (Selenastrum capricornutum (green algae)): 50 µg/l Exposure time: 72 h GLP: yes
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 68 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout) NOEC: 10 mg/l End point: reproduction Exposure time: 21 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 229

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 3.13 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

NOEC: 0.5 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 6 mg/kg
Exposure time: 56 d
Species: Eisenia fetida (earthworms)

NOEC: 5.6 mg/kg
End point: reproduction
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 50 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OEPP/EPPO Test Guideline 170

LD50: > 2,510 mg/kg
Species: Anas platyrhynchos (Mallard duck)

NOEC: 1,000 mg/kg
End point: Reproduction Test
Species: Colinus virginianus

NOEC: 1,000 ppm
End point: Reproduction Test
Species: Anas platyrhynchos (Mallard duck)
Method: OECD Test Guideline 206

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

potassium chloride:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 880 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 660 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 100 mg/l Exposure time: 72 h EC50 (Natural microorganism): 1,000 mg/l Exposure time: 3 h

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC50: 5.37 - 8.77 mg/l Exposure time: 45 d Species: Daphnia magna (Water flea)

Alcohols, C12-14- ethoxylated:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.7 mg/l Exposure time: 48 h Test Type: static test Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 0.87 mg/l Exposure time: 72 h Test Type: static test
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 1,000 g/l Exposure time: 3 h
Toxicity to fish (Chronic tox-	:	EC10: 0.96 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

icity)	Exposure time: 30 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10: 0.53 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to soil dwelling organisms	: NOEC: 220 mg/kg Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222
Plant toxicity	: NOEC: \geq 100 mg/l Exposure time: 456 h

Persistence and degradability

Components:

Metsulfuron-methyl:

Biodegradability	: Result: Not readily biodegradable. Remarks: Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.
------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Biodegradability	: Result: Not readily biodegradable. Remarks: According to the results of tests of biodegradability this product is not readily biodegradable.
------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

Chemical Oxygen Demand (COD)	: 20 - 70 %(m)
------------------------------	----------------

Alcohols, C12-14- ethoxylated:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 78 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---------------------------------------------------------------------------------------------------------------------

Bioaccumulative potential

Components:

Metsulfuron-methyl:

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Exposure time: 28 d Bioconcentration factor (BCF): < 1 Remarks: Does not bioaccumulate.
-----------------	------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

Partition coefficient: n-octanol/water : Pow: 0.018 (25 °C)
log Pow: -1.7 (25 °C)
pH: 7

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Alcohols, C12-14- ethoxylated:

Bioaccumulation : Bioconcentration factor (BCF): < 800
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 5.12 - 5.32 (25 °C)

Mobility in soil

Components:

Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Alcohols, C12-14- ethoxylated:

Distribution among environmental compartments : Koc: > 4656 ml/g, log Koc: > 3.7
Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Metsulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AICS	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Metsulfuron-methyl
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 07.10.2024
Date format	: dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

SAFETY DATA SHEET

according to the Globally Harmonized System



ALLY® 20 DF

Version	Revision Date:	SDS Number:	Date of last issue: 04.10.2024
1.1	07.10.2024	50000936	Date of first issue: 04.10.2024

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN