according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 19.05.2025 50001099 Date of first issue: 06.09.2024 1.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Product name** VERTEX HI-N 34™

Other means of identification

**Product code** 50001099

Unique Formula Identifier

(UFI)

6DY0-930N-6N44-6EA3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Crop nutrition

stance/Mixture

Recommended restrictions :

on use

Use as recommended by the label.

For professional users only.

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address** FMC Chemicals Hellas MEPE

> Syngrou Avenue 348 17674 Kallithea

Greece

Telephone: +30 211 1982768 Telefax: +30 211 1138614

E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:

Greece: 30-2111768478 (CHEMTREC)

Medical emergency: Greece: 30 210 77 93 777

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P220 Keep away from clothing and other combustible mate-

rials.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and

soap.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pre-

sent and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor. P391 Collect spillage.

#### Hazardous components which must be listed on the label:

manganese dinitrate copper dinitrate

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 20 - < 30
magnesium nitrate	10377-60-3 233-826-7	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 1 - < 10
manganese dinitrate	10377-66-9 233-828-8 01-2119487993-17- 0002	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 Aquatic Chronic 1; H410  M-Factor (Chronic aquatic toxicity): 1  Acute toxicity estimate  Acute oral toxicity: 300,03 mg/kg	>= 1 - < 2,5
copper dinitrate	3251-23-8 221-838-5 01-2119969290-34- 0011	Ox. Sol. 2; H272 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2,5

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambu-

lance.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



#### VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Do not spread spilled material with high-pressure water

streams.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Ammonia

Fire may produce irritating, corrosive and/or toxic gases.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Keep away from combustible material.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-

sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

Advice on common storage : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Crop nutrition

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025
1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
	40077.00.0	. ,	0.0	OD OF
manganese dini-	10377-66-9	TWA (Inhalable	0,2 mg/m3	GR OEL
trate		fraction)	(Manganese)	
		TWA (Respirable	0,05 mg/m3	GR OEL
		fraction)	(Manganese)	
		TWA (inhalable	0,2 mg/m3	2017/164/EU
		fraction)	(Manganese)	
	Further information: Indicative			
		TWA (Respirable	0,05 mg/m3	2017/164/EU
		fraction)	(Manganese)	
	Further information: Indicative			

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Dermal	Long-term systemic effects	5,12 mg/kg
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,56 mg/kg
	Consumers	Oral	Long-term systemic effects	2,56 mg/kg
urea	Workers	Inhalation	Long-term systemic effects	292 mg/m3
	Workers	Inhalation	Acute systemic effects	292 mg/m3
	Workers	Dermal	Long-term systemic effects	580 mg/kg bw/day
	Workers	Dermal	Acute systemic effects	580 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	125 mg/m3
	Consumers	Inhalation	Acute systemic effects	125 mg/m3
	Consumers	Dermal	Long-term systemic effects	580 mg/kg bw/day
	Consumers	Dermal	Acute systemic effects	580 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	42 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

	Consumers	Oral	Acute systemic effects	42 mg/kg bw/day
manganese dinitrate	Workers	Inhalation	Long-term systemic effects	1 mg/m3
	Workers	Dermal	Long-term systemic effects	0,140 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,140 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,140 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,140 mg/kg bw/day
	Consumers	Oral	Acute systemic ef- fects	3 mg/kg bw/day
copper dinitrate	Consumers	Oral	Long-term systemic effects	0,041 mg/kg
	Consumers	Oral	Acute systemic effects	0,082 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
urea	Fresh water	0,47 mg/l
	Marine water	0,047 mg/l
magnesium nitrate	Sewage treatment plant	18 mg/l
manganese dinitrate	Fresh water	0,029 - 0,0358 mg/l
	Intermittent use (freshwater)	0,029 - 0,1041 mg/l
	Marine water	400 - 2900 ng/l
	Sewage treatment plant	0,0114 mg/kg dry weight (d.w.)
	Fresh water sediment	0,00114 mg/kg dry weight (d.w.)
	Soil	25,1 mg/kg dry weight (d.w.)
copper dinitrate	Fresh water	0,0078 mg/l
	Marine water	0,0052 mg/l
	Sewage treatment plant	0,230 mg/l
	Fresh water sediment	87 mg/kg
	Marine sediment	676 mg/kg
	Soil	65 mg/kg

### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version **Revision Date:** SDS Number: Date of last issue: 09.05.2025 19.05.2025 50001099 Date of first issue: 06.09.2024 1.2

butyl rubber or nitrile rubber.

The suitability for a specific workplace should be discussed Remarks

with the producers of the protective gloves.

Skin and body protection Impervious clothing

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Protective measures Wear suitable protective equipment.

> Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper in-

structions.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liauid Form liquid Colour blue green Odour Faint odour Odour Threshold No data available Melting point/freezing point No data available Initial boiling point and boiling No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

Flash point No data available Auto-ignition temperature No data available Decomposition temperature : No data available

: 3,0 - 4,5 рΗ

Concentration: 100 %

No data available

Viscosity

Viscosity, dynamic No data available Viscosity, kinematic No data available

Solubility(ies)

Water solubility soluble

Solubility in other solvents No data available Partition coefficient: n-No data available

octanol/water

Vapour pressure No data available Relative density 1,33 - 1,35 Density No data available Bulk density No data available Relative vapour density No data available

Particle characteristics

9/27

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Particle size : No data available
Particle Size Distribution : No data available
Shape : No data available

9.2 Other information

Explosives : No data available Oxidizing properties : Non-oxidizing

### **SECTION 10: Stability and reactivity**

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures

Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

#### 10.6 Hazardous decomposition products

See subsection 5.2.

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Remarks: No data is available on the product itself.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09.05.2025

 1.2
 19.05.2025
 50001099
 Date of first issue: 06.09.2024

**Components:** 

ammonium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 2.950 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

magnesium nitrate:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 402

manganese dinitrate:

Acute oral toxicity : LD50 Oral (Rat, female): > 300 mg/kg

Method: OECD Test Guideline 420

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Assessment : Irritating to skin.
Result : Skin irritation

Components:

ammonium nitrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

magnesium nitrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

manganese dinitrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

copper dinitrate:

Method : OECD Test Guideline 431

Result : Corrosive after 3 minutes to 1 hour of exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

# Serious eye damage/eye irritation

Causes serious eye damage.

**Product:** 

Assessment : Irritating to eyes.

Result : irritating

**Components:** 

ammonium nitrate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

magnesium nitrate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation

manganese dinitrate:

Species : Bovine cornea

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

**Product:** 

Remarks : No data is available on the product itself.

Components:

ammonium nitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

magnesium nitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

manganese dinitrate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

copper dinitrate:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

ammonium nitrate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

magnesium nitrate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Germ cell mutagenicity- As-

sessment

In vitro tests did not show mutagenic effects

manganese dinitrate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: reverse mutation assay Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (female) Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

copper dinitrate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay

Species: Rat (male) Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test Species: Mouse (male and female)

Application Route: Oral

Method: Mutagenicity (micronucleus test)

Result: negative

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Components:**

#### manganese dinitrate:

Species : Rat, male
Application Route : Oral
Exposure time : 103 weeks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Dose : 60, 200, 615 mg/kg body weight

: 615 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

: Weight of evidence does not support classification as a car-

cinogen

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

#### ammonium nitrate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram General Toxicity - Parent: NOAEL: >= 1.500 mg/kg body

weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Species: Rat, male and female

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram General Toxicity Maternal: NOAEL: >= 1.500 mg/kg body

weight

Developmental Toxicity: NOAEL: >= 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

# magnesium nitrate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram

Duration of Single Treatment: 28 d

General Toxicity - Parent: NOAEL: > 1.500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Dose: 0, 250, 750, and 1,500 milligram per kilogram

Duration of Single Treatment: 28 d

General Toxicity Maternal: NOAEL: > 1.500 mg/kg body

weight

Developmental Toxicity: NOAEL: > 1.500 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

manganese dinitrate:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: inhalation (dust/mist/fume)

Dose: 0, 5, 10, 20 µg/L

General Toxicity - Parent: NOEC: 0,020 mg/l General Toxicity F1: NOAEC: 0,020 mg/l Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Species: Rat

Application Route: inhalation (dust/mist/fume) General Toxicity Maternal: NOAEL: 0,005 mg/L Embryo-foetal toxicity: NOAEL: 0,015 mg/L

Method: OECD Test Guideline 414

### STOT - single exposure

Based on available data, the classification criteria are not met.

## STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### **Components:**

ammonium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

magnesium nitrate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

manganese dinitrate:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

ammonium nitrate:

Species : Rat, male NOAEL : 256 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Application Route : Oral Exposure time : 1 year

Dose : 42, 256, 1527 mg/kg bw/day Method : OECD Test Guideline 453

Symptoms : No adverse effects

Remarks : Based on data from similar materials

Species : Rat, female
NOAEL : 284 mg/kg
Application Route : Oral
Exposure time : 1 year

Dose : 48, 284, 1490 mg/kg bw/d Method : OECD Test Guideline 453

Symptoms : No adverse effects

Remarks : Based on data from similar materials

Species : Guinea pig, male
NOAEC : 0,001 mg/l
Application Route : Inhalation
Exposure time : 4 weeks
Dose : 1 mg/m3

Method : OECD Test Guideline 412 Symptoms : No adverse effects

Species : Rat, male NOAEC : 0,001 mg/l Application Route : Inhalation

Application Route : Inhalation Exposure time : 4 weeks

Dose : 1 mg/m3

Method : OECD Test Guideline 412

Symptoms : No adverse effects

magnesium nitrate:

Species : Rat, male and female NOAEL : > 1.500 mg/kg

Application Route : Oral Exposure time : 28d

Dose : 0, 250, 750, 1,500 mg/kg/day Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

manganese dinitrate:

Species : Rat, male

NOAEL : 1700 mg/kg bw/day

Application Route : Oral Exposure time : 13weeks

Dose : 110 to 1700 mg/kg

Species : Rat, male and female

NOAEL : 20 μg/L air

Application Route : inhalation (dust/mist/fume)

Dose :  $5, 10, 20 \mu g/L air$ 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Method : OPPTS 870.3800

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : No data available

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

ammonium nitrate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 95 - 102 mg/l

Exposure time: 48 h Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 490 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Marine Diatom): > 1.700 mg/l

Exposure time: 10 d Test Type: static test

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

magnesium nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

Remarks: Based on data from similar materials

LC50 (Poecilia reticulata (guppy)): 1.378 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Cyprinus carpio (Carp)): 95 - 102 mg/l

Exposure time: 48 h Test Type: semi-static test

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 39 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (diatoms): > 1.700 mg/l

Exposure time: 10 d Test Type: static test

Remarks: Based on data from similar materials

Toxicity to microorganisms

EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: 58 mg/l

Exposure time: 30 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test

Remarks: Based on data from similar materials

NOEC: 157 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test

Remarks: Based on data from similar materials

manganese dinitrate:

Toxicity to fish : LC50 (Fish): 55,26 - 67,71 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

LOEC (Lemna minor (duckweed)): 64,94 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

EC10 (Lemna minor (duckweed)): 23,37 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 560 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

see user defined free text: 2,9 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: semi-static test

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,02 mg/l Exposure time: 20 d

Species: Daphnia magna (Water flea)

Test Type: static test

M-Factor (Chronic aquatic

toxicity)

1

copper dinitrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,0384 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0,0098 mg/l

Exposure time: 48 h Test Type: static test

LC50 (Ceriodaphnia dubia (water flea)): 0,014 mg/l

Exposure time: 48 h Test Type: semi-static test

Toxicity to algae/aquatic

plants

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0,0157 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Macrocystis pyrifera (brown algae)): 0,0102 mg/l

Exposure time: 19 d

EC10 (Phaeodactylum tricornutum): 0,0029 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Phaeodactylum tricornutum): 0,0057 mg/l

Exposure time: 72 h Method: ISO 10253

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

NOEC (Skeletonema costatum (marine diatom)): 0,00754 mg/l

Exposure time: 72 h Method: ISO 10253

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to microorganisms : NOEC (activated sludge): 0,23 - 0,45 mg/l

Exposure time: 30 d

Test Type: Growth inhibition

NOEC (Tetrahymena pyriformis): 3,563 mg/l

Exposure time: 48 h

Test Type: Growth inhibition

EC50 (activated sludge): 0,0025 mg/l

Exposure time: 100 d
Test Type: Growth inhibition

M-Factor (Chronic aquatic

toxicity)

10

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

### **Product:**

Additional ecological infor- : An environmental hazard cannot be excluded in the event of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



#### VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

mation unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

## 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(manganese dinitrate, Copper dinitrate)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(manganese dinitrate, Copper dinitrate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(manganese dinitrate, Copper dinitrate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(manganese dinitrate, Copper dinitrate)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(manganese dinitrate, Copper dinitrate)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

## 14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

**RID** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version **Revision Date:** SDS Number: Date of last issue: 09.05.2025 19.05.2025 50001099 Date of first issue: 06.09.2024 1.2

Environmentally hazardous yes

**IMDG** 

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous ves

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances. mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 58, 3

ammonium nitrate (Number on list 58)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All sus-

ammonium nitrate (ANNEX I)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

picious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

 Ammonium nitrate: fertilizers capable of self-sustaining decomposition

4 Ammonium nitrate: "off-specs" material and fertilizers not ful-filling the detonation test

3 Ammonium nitrate: technical grade

2 Ammonium nitrate: fertilizer grade

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from

CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control

product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Skin Corr. : Skin corrosion

STOT RE : Specific target organ toxicity - repeated exposure

2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a

fourth list of indicative occupational exposure limit values

GR OEL : Greece. Exposure limit values 2017/164/EU / TWA : Limit Value - eight hours

GR OEL / TWA : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## VERTEX HI-N 34™

Version Revision Date: SDS Number: Date of last issue: 09.05.2025 1.2 19.05.2025 50001099 Date of first issue: 06.09.2024

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method Eye Dam. 1 H318 Calculation method Aquatic Chronic 2 H411 Calculation method

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### Prepared by

**FMC Corporation** 

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR/6N