PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PADAN 4G

Other means of identification : CARTAP HYDROCHLORIDE 4 WT% GR

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 WALNUT ST

PHILADELPHIA PA 19104

USA

Telephone : (215) 299-6000

E-mail address : SDS-Info@fmc.com

Emergency telephone : 1 703 / 741-5970 (CHEMTREC - International)

1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : All other countries: +1 651 / 632-6793 (Collect)

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Hazard pictograms





Signal Word : Warning

Hazard Statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
cartap hydrochloride	15263-52-2	>= 2.5 - < 10
kaolin	1332-58-7	>= 1 - < 10
phosphoric acid	7664-38-2	>= 1 - < 2.5
Quartz (SiO2)	14808-60-7	>= 70 - < 90

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye irritation.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Carbon oxides
Sulfur oxides

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

PADAN 4G



Version **Revision Date:** SDS Number: Date of last issue: -

05.07.2023 50002374 Date of first issue: 05.07.2023 1.0

Prevent product from entering drains. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Neutralize with chalk, alkali solution or ammonia. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Avoid formation of respirable particles. Advice on safe handling

Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granular

Color : colorless

Odor : No data available

pH : 3.5

(1% solution in water)

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Flammability (solid, gas) : Not expected to be ignitable

Self-ignition : No data available

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Density : not determined

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : not determined

Solvent: organic solvent

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Dust may form explosive mixture in air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Strong acids and strong bases

Hazardous decomposition

products

Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Method: Calculation method

Components:

cartap hydrochloride:

Acute oral toxicity : LD50 (Rat): 325 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

phosphoric acid:

Acute oral toxicity : LD50 (Rat, female): 2,600 mg/kg

Method: OECD Test Guideline 423

Quartz (SiO2):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.01 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

cartap hydrochloride:

Species : Rabbit

Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404

Result : No skin irritation

phosphoric acid:

Species : Rabbit Assessment : Corrosive

Result : Corrosive after 3 minutes to 1 hour of exposure

Quartz (SiO2):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May cause irreversible eye damage.

Components:

cartap hydrochloride:

Species : Rabbit

Result : No eye irritation

kaolin:

Method : OECD Test Guideline 405

Result : No eye irritation

phosphoric acid:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Quartz (SiO2):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

cartap hydrochloride:

Test Type : Buehler Test Species : Guinea pig

Result : Not a skin sensitizer.

kaolin:

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Quartz (SiO2):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

cartap hydrochloride:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Ames test

Test system: Escherichia coli

Result: negative

Test Type: in vitro DNA damage and/or repair study

Test system: Bacillus subtilis

Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Mouse Result: negative

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Test Type: chromosome aberration assay

Species: Rat Result: negative

Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Test Type: dominant lethal test

Species: Mouse Result: negative

kaolin:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

phosphoric acid:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Quartz (SiO2):

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

cartap hydrochloride:

Species : Rat Application Route : Oral

Method : carcinogenicity study

Result : negative

Species : Mouse

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Application Route : Oral

Method : carcinogenicity study

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

cartap hydrochloride:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

Effects on fetal development : Species: Rat

Application Route: Oral

Method: Study for effects on embryo-fetal development

Result: negative

Species: Mouse Application Route: Oral

Method: Study for effects on embryo-fetal development

Result: negative

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

phosphoric acid:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Rat, male and female Application Route: Ingestion

General Toxicity Parent: NOAEL: 500 mg/kg body weight General Toxicity F1: NOAEL: 500 mg/kg body weight

Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

General Toxicity Maternal: NOAEL: 370 mg/kg body weight Developmental Toxicity: NOAEL: 370 mg/kg body weight

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : This product contains crystalline silica (quartz) in a non-

respirable form. Inhalation of crystalline silica is unlikely to

occur from exposure to this product.

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Quartz (SiO2):

Routes of exposure : Inhalation Target Organs : Lungs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

cartap hydrochloride:

Species : Rat
Application Route : Ingestion
Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

Species : Mouse
Application Route : Ingestion
Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

kaolin:

Remarks : No data available

phosphoric acid:

Species : Rat, male and female

NOAEL : 250 mg/kg
Application Route : Oral - gavage
Exposure time : 42 - 54 d

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Method : OECD Test Guideline 422

Quartz (SiO2):

Species : Rat

LOAEC : 0.0025 mg/l Application Route : Inhalation Exposure time : 90 day

Method : OECD Test Guideline 413

Target Organs : Lungs

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

cartap hydrochloride:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 0.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.065 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (green algae): < 0.52 mg/l

Exposure time: 72 h

ErC50 (green algae): 9.3 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

10

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to terrestrial organ-

isms

Species: Honey Bee Remarks: Moderately toxic

Species: Silkworms

Remarks: Has adverse effects

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : Remarks: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: No data available

phosphoric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3.25 mg/l

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Quartz (SiO2):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l

Exposure time: 72 h

Persistence and degradability

Components:

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

phosphoric acid:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Quartz (SiO2):

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Quartz (SiO2):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

kaolin:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

Components:

phosphoric acid:

Additional ecological infor-

mation

Harmful effects on aquatic organisms also due to pH shift.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

PADAN 4G



Version **Revision Date:** SDS Number: Date of last issue: -

05.07.2023 50002374 Date of first issue: 05.07.2023 1.0

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Cartap hydrochloride)

Class 9

Subsidiary risk ENVIRONM.

Packing group Ш

9 (ENVIRONM.) Labels

IATA-DGR

UN/ID No. **UN 3077**

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Cartap hydrochloride)

9 Class Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

956

Environmentally hazardous yes

IMDG-Code

UN number UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

956

(Cartap hydrochloride)

Class Ш Packing group Labels 9 **EmS Code** F-A. S-F Marine pollutant yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

cartap hydrochloride

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 05.07.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

PADAN 4G



Version Revision Date: SDS Number: Date of last issue: -

1.0 05.07.2023 50002374 Date of first issue: 05.07.2023

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PK / EN