

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

SECTION 1. IDENTIFICATION

Product identifier

Product name INDOXACARB 30 WG

Other means of identification

Product code 50000104

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Specific target organ toxicity : Category 1 (Blood, Nervous system)
- repeated exposure

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version 1.1 Revision Date: 02/14/2025 SDS Number: 50000104 Date of last issue: 08/02/2022
Date of first issue: 08/02/2022

Hazard pictograms

:



Signal Word

: DANGER

Hazard Statements

: H302 Harmful if swallowed.
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	30
Silicon dioxide	112926-00-8	>= 10 - < 20
kaolin	1332-58-7	>= 5 - < 10
Sodium alkyl naphthalenesulfonate	68425-94-5	>= 1 - < 5
formaldehyde condensate		
sucrose	57-50-1	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

- Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

- | | |
|--|---|
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Chlorinated compounds
Fluorinated compounds
Nitrogen oxides (NOx)
Carbon oxides
Hydrogen cyanide
Hydrogen chloride
Hydrogen fluoride |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Ensure adequate ventilation.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Treat recovered material as described in the section "Disposal considerations".
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed. |
|---|--|

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version 1.1 Revision Date: 02/14/2025 SDS Number: 50000104 Date of last issue: 08/02/2022
Date of first issue: 08/02/2022

- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicon dioxide	112926-00-8	TWA	6 mg/m3	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust)	5 mg/m3	OSHA P0

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version 1.1 Revision Date: 02/14/2025 SDS Number: 50000104 Date of last issue: 08/02/2022
Date of first issue: 08/02/2022

		fraction)		
sucrose	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Always have on hand a first-aid kit, together with proper instructions.
Wear suitable gloves and eye/face protection.
When using do not eat, drink or smoke.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	solid
Form	:	granular
Color	:	white off-white
Odor	:	Faint odour
Odor Threshold	:	not determined
pH	:	8.0 Concentration: 10 g/l Method: CIPAC MT 75.3
Melting point/ range	:	Not available for this mixture.
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable.
Self-ignition	:	405 °F / 207 °C
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	Not available for this mixture.
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	Not applicable
Density	:	0.4 g/cm ³ loose 0.44 g/cm ³

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version 1.1	Revision Date: 02/14/2025	SDS Number: 50000104	Date of last issue: 08/02/2022 Date of first issue: 08/02/2022
----------------	------------------------------	-------------------------	---

	Tap density	
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	LD50 (Rat): 550 mg/kg
---------------------	---	-----------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Method: OECD Test Guideline 425
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: (Data on the product itself)
Information source: Internal study report

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 281 - 291 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions
GLP: yes

LD50 (Rat, female): 179 mg/kg
Method: OECD Test Guideline 401
Target Organs: Nervous system
Symptoms: hypoactivity, Tremors, ataxia, Fatality
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Silicon dioxide:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.14 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50: 5.07 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Sodium alkyl naphthalenesulfonate formaldehyde condensate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : (Data on the product itself)
Information source: Internal study report

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Components:

indoxacarb (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight irritation
GLP	:	yes

Silicon dioxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

kaolin:

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Sodium alkyl naphthalenesulfonate formaldehyde condensate:

Remarks	:	No data available
---------	---	-------------------

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Exposure time	:	72 h
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	(Data on the product itself) Information source: Internal study report

Components:

indoxacarb (ISO):

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Product dust may be irritating to eyes, skin and respiratory system.

Silicon dioxide:

Species	:	Rabbit
Result	:	No eye irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

kaolin:

Result : No eye irritation
Method : OECD Test Guideline 405

Sodium alkylnaphthalenesulfonate formaldehyde condensate:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node test
Species : mice
Method : OECD Test Guideline 429
Result : Did not cause sensitization on laboratory animals.
GLP : yes
Remarks : (Data on the product itself)
Information source: Internal study report

Components:

indoxacarb (ISO):

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Assessment : The product is a skin sensitizer, sub-category 1B.
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.
GLP : yes

Test Type : Maximization Test
Species : Guinea pig
Assessment : May cause sensitization by skin contact.
Method : US EPA Test Guideline OPPTS 870.2600
Result : May cause sensitization by skin contact.
GLP : yes

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Silicon dioxide:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Rat (male)
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Species : Rat, female
Application Route : Oral
Exposure time : 24 m

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Result : 2.13 mg/kg bw/day
: negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Silicon dioxide:

Species : Rat
Application Route : Oral
Exposure time : 103 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

IARC Group 1: Carcinogenic to humans
kaolin 1332-58-7
(Silica dust, crystalline)

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP Known to be human carcinogen
kaolin 1332-58-7
(Silica, Crystalline (Respirable Size))

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Species: Rabbit
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Method: EPA OPP 83-3

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

Silicon dioxide:

Effects on fertility : Species: Rat
General Toxicity Parent: NOAEL: 1.5 mg/kg bw/day
Fertility: NOAEL: > 6.9 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Application Route: Oral
General Toxicity Maternal: NOAEL: 2 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 2 mg/kg bw/day
Symptoms: Reduced fetal weight., Reduced number of viable fetuses.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 500 mg/kg bw/day
Symptoms: Reduced fetal weight., fused or incompletely ossified sternebrae

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

indoxacarb (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

indoxacarb (ISO):

Target Organs : Blood, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Repeated dose toxicity

Components:

indoxacarb (ISO):

Species	: Rat, female
NOAEL	: 1.7 mg/kg
LOAEL	: 4.1 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408
GLP	: yes
Target Organs	: Blood

Silicon dioxide:

Species	: Rat, male and female
NOAEL	: 2,500 mg/kg
Application Route	: Oral
Exposure time	: 13 weeks
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 1.3 - 10 mg/l
LOAEL	: 5.9 mg/l
Application Route	: Inhalation
Exposure time	: 13 weeks
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

kaolin:

Remarks	: No data available
---------	---------------------

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	: Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.
---------	--

Remarks	: No data available
---------	---------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Components:

indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis

Remarks : Information presented in this Section conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.67 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: (Data on the product itself)

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.187 mg/l mg a.i./kg
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.3 mg/l
Exposure time: 48 h
Test Type: Static renewal test
Method: OECD Test Guideline 202
Remarks: (Data on the product itself)

EC50 (Daphnia magna (Water flea)): , 0.0919 mg a.i./kg
Exposure time: 48 h
Test Type: Static renewal test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.67 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: (Data on the product itself)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Information source: Internal study report

Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): > 100 mg/kg
Method: OECD Test Guideline 222
Remarks: (Data on the product itself)

LC50 (*Eisenia fetida* (earthworms)): > 100 mg/kg
Exposure time: 28 d
Method: OECD Test Guideline 222
Remarks: (Data on the product itself)

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 508 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPP 71-1

NOEL (*Apis mellifera* L.): 0.085 µg a.i./bee
Exposure time: 72 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* L.): 0.505 µg a.i./bee
Exposure time: 72 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

NOEL (*Apis mellifera* L.): 0.4 µg a.i./bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Apis mellifera* L.): 1.21 µg a.i./bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.65 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (*Oncorhynchus mykiss* (rainbow trout)): >0.17 mg a.i./kg
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.90 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

		Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.17 mg a.i./kg Exposure time: 48 h Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (algae)): 0.0793 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes EbC50 (Lemna gibba (duckweed)): 0.084 mg/l Exposure time: 7 d
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l Exposure time: 90 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l Exposure time: 28 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes LOEL (Cyprinodon variegatus (sheepshead minnow)): 0.0417 mg/l Exposure time: 35 d Test Type: flow-through test Method: US EPA Test Guideline OPP 72-4 NOEL (Cyprinodon variegatus (sheepshead minnow)): 0.0169 mg/l Exposure time: 35 d Test Type: flow-through test Method: US EPA Test Guideline OPP 72-4
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d Method: OECD Test Guideline 202 GLP: yes NOEC (Daphnia magna (Water flea)): 0.0351 mg/l Exposure time: 21 d Test Type: Static renewal test Method: OECD Test Guideline 211 GLP: yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,250 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : NOEL (*Apis mellifera* (bees)): 0.048 µg/bee
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEL (*Apis mellifera* (bees)): 0.163 µg/bee
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0.232 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0.068 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Colinus virginianus* (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (*Anas platyrhynchos* (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

NOEC (*Colinus virginianus* (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206

NOEC (*Anas platyrhynchos* (Mallard duck)): 562 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (*Colinus virginianus* (Bobwhite quail)): 316 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-1
Remarks: Dietary

LC50 (*Colinus virginianus* (Bobwhite quail)): 808 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

Silicon dioxide:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOELR (*Desmodesmus subspicatus* (green algae)): 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : Remarks: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

aquatic invertebrates (Chronic toxicity)

Toxicity to microorganisms : Remarks: No data available

Sodium alkyl naphthalenesulfonate formaldehyde condensate:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

sucrose:

Toxicity to fish : Remarks: No data available

Persistence and degradability

Components:

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

Silicon dioxide:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

not applicable to inorganic substances.

Sodium alkyl naphthalenesulfonate formaldehyde condensate:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

sucrose:

Biodegradability : Remarks: No data available

Bioaccumulative potential

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 77.3
Exposure time: 21 d
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.52 (68 °F / 20 °C)
Method: OECD Test Guideline 107
GLP: yes

Silicon dioxide:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Based on data from similar materials

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil :

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Environmental hazards
This product is toxic to fish.
Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.
Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.
Do not apply where/when conditions favour runoff.
Run-off from treated areas may be hazardous to aquatic organisms in neighboring areas.
Very toxic to bees.
Do not apply this product while bees are actively visiting the treatment area.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

indoxacarb (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Indoxacarb)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Indoxacarb)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Marine pollutant : yes(Indoxacarb)
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

Silicon dioxide	112926-00-8
kaolin	1332-58-7
sucrose	57-50-1

Pennsylvania Right To Know

indoxacarb (ISO)	173584-44-6
D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate	64044-51-5
Silicon dioxide	112926-00-8
Modified styrene acrylic polymer	Not Assigned
kaolin	1332-58-7
Montmorillonite	1318-93-0
sucrose	57-50-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide	112926-00-8
kaolin	1332-58-7
sucrose	57-50-1

California Regulated Carcinogens

kaolin	1332-58-7
--------	-----------

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: Not applicable
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

TECI : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, Causes eye irritation, Harmful if absorbed through the skin., Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Harmful if inhaled, Avoid breathing dust or spray mist., Remove and wash contaminated clothing before reuse.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG


Version
1.1

Revision Date:
02/14/2025

SDS Number:
50000104

Date of last issue: 08/02/2022
Date of first issue: 08/02/2022

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Indus-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INDOXACARB 30 WG

Version	Revision Date:	SDS Number:	Date of last issue: 08/02/2022
1.1	02/14/2025	50000104	Date of first issue: 08/02/2022

trial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet