# MATERIAL SAFETY DATA SHEET

# T C Texas Correctional Industry A division of the Texas Department of Criminal Justice

Date Issued: January 2008
Supersedes: July 2007

# NFPA HAZARD RATING 4- SEVERE 3- SERIOUS 2- MODERATE 1- SLIGHT 0- INSIGNIFICANT

# SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: Glo-Brite
General Use: Chlorinated laundry bleach

Manufacturer Name: Texas Correctional Industry
Soap & Detergent Plant

One Circle Drive

Sugar Land, Texas 77478

### **Emergency Telephone Numbers**

Galveston Texas Poison Control: **1-800-764-7661**Soap & Detergent Plant Lab: 281-490-1111
MSDS available at: <a href="www.tci.tdcj.state.tx.us">www.tci.tdcj.state.tx.us</a>
Monday thru Thursday: 7a.m. - 3 p.m.

### **SECTION 2 - HAZARDOUS INGREDIENT**

			ACGIH/OSHA		
Chemical/Common Name	CAS No.	PERCENT	TWA	STEL	WHMIS
Sodium Metasilicate	6834-92-0	4 - 5	$3 \text{ mg/m}^3$	$3 \text{ mg/m}^3$	1%
Sodium Dichloroisocyanurate	28993-18-9	37 - 39	0.5 ppm	N/D	N/D
Sodium Tripolyphosphate	7758-29-4	48 - 49	5 mg/m <sup>3</sup>	N/D	N/D

N/A= Not Applicable

N/E= Not Established

N/D = Not Determined

Threshold Limit Values (TLV): TWA (time-weighed average for 8 hr. day); PEL (personal exposure limit)
WHMIS – minimum amount necessary in a mixture to trigger reporting: 1% (hazardous chemical); 0.1% (extremely hazardous chemical)

# **SECTION 3 - PHYSICAL PROPERTIES**

Appearance and Odor : White to off white granular powder

# SECTION 4 - FIRE AND HAZARD DATA

Flash Point (T.C.C.) : Not flammable

Flammable Limit : N/A

Physical Hazard : Oxidizer potential

Extinguishing Media : Water, Foam, Dry Chemicals, or Carbon Dioxide.

Fire Extinguishing Procedure : Use of respiratory equipment is recommended in enclosed areas.

Fire and Explosive Hazard : The presence of a small amount of moisture in the presence of a high concentration of

Sodium Dichloroisocyanurate can form an explosive mixture of Nitrogen Trichloride.

### **SECTION 5 - REACTIVE DATA**

Hazardous Decomposition : Oxides of carbon, sulfur and generation of HCl gas

Stability : Stable

Incompatibility : With strong acids and oxidizing agents

# SECTION 6 - HEALTH HAZARD

Primary Route of Exposure : Eyes, Skin, Oral, or Inhalation

Signs and Symptoms of Over Exposure (acute)

Eyes : May cause eye irritation
Skin : May cause redness or rash

Ingestion : May cause gastrointestinal irritation
Inhalation : May be an irritant to the respiratory tract

Signs and Symptoms of Over Exposure (chronic) : Eye, skin, and respiratory tract irritation

Medical condition aggravated by over exposure : Not known

Carcinogen or suspect of carcinogen ingredients : Silicone Dioxide listed on NTP

### SECTION 7 - EMERGENCY AND FIRST AID PROCEDURE

Eyes: Flush with plenty of water until irritation subsides. If irritation persists, get medical attention.

Skin : Flush with large amount of water. Remove contaminated clothing and seek medical attention if irritation persists.

Ingestion : Rinse mouth thoroughly and drink plenty of water. Do not induce vomiting unless directed by physician.

Inhalation : Move patient to fresh air. Give artificial resuscitation (CPR) if patient is not breathing.

### **SECTION 8 - SPECIAL PROTECTION INFORMATION**

Respiratory Protection : None required with normal use

Ventilation Requirement : Local exhaust. Maintain adequate ventilation

Protective Gloves : Yes. Rubber or neoprene Eye Protection : Goggles or glasses

# SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be taken if released or spilled

Waste disposal method

- : Sweep all materials practical for salvage or disposal. Rinse residue with water.
  - Any unsalvageable material must be disposed in compliance with local, state, and federal laws and regulations. Do not dump into sewers, on the ground, or into any bodies of water.

### SECTION 10 - STORAGE AND HANDLING

- Store in a cool, dry, ventilated area. Do not store next to flammable or combustible materials. Do not store in aluminum
  containers- flammable hydrogen gas may be generated. Keep container sealed/closed when not in use. Observe local
  Building Codes and NFPA storage requirements for chlorinated compounds.
- Avoid breathing dust. Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Avoid dust formation.