### **MATERIAL SAFETY DATA SHEET**



# **GLANCE SC**

HMIS NFPA		NFPA	Personal protective equipment
Health	3	3	and some and the sound of the s
Fire Hazard	0	0	
Reactivity	0	0	

Version Number: 1 Preparation date: 2009-05-29

### PRODUCT AND COMPANY IDENTIFICATION

Product name: GLANCE SC MSDS #. MS0300459 **Product Code:** 04305, 04701

Recommended use: Glass Cleaner. This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

**US Headquarters** Johnson Diversey, Inc. 8310 16th St.

Sturtevant, Wisconsin 53177-1964 Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number:

Canadian Headquarters JohnsonDiversey - Canada, Inc.

2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Eve contact, Skin contact, Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Corrosive, Causes permanent damage.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach. May cause kidney effects . May cause central

nervous system effects, including headache, and dizziness . May cause abdominal discomfort, nausea,

and diarrhea.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous ingredients</u>					
Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ammonium hydroxide	1336-21-6	1 - 5%	350	Not available	Not available
2-butoxyethanol	111-76-2	20 - 30%	470	220 mg/kg	2.21 mg/L (4 h); 450 ppm (4 h)
Sodium lauryl sulfate	151-21-3	1 - 5%	1288	=580 mg/kg	>3900 mg/m³ (1 h)

# 4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately. Skin contact:

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: If sw allowed, rinse mouth. Immediately drink one cupful of water or milk. THEN IMMEDIATELY CONTACT

A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may

be more susceptible to irritating effects.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: None know n.

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

**GLANCE SC** 1 of 4

### 5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods:

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

### 7. HANDLING AND STORAGE

#### Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves

**Skin and body protection:** Protective footw ear. If major exposure is possible, wear suitable protective clothing and footw ear. Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

w orkplace conditions w arrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin	75 ppm (STEL)
·		,	240 mg/m³ (TWA)	360 mg/m³ (STÉL)
			50 ppm (TWA)	26 ppm (TWA)
				120 mg/m³ (TWÁ)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density: No information available

pH: 11.5 Dilution pH: 10 @ 1:20
Appearance: Liquid Vapor density: No informati

 Appearance:
 Liquid
 Vapor density:
 No information available

 Color:
 Clear Dark Blue
 Evaporation Rate
 No information available

 Color:
 Clear Dark Blue
 Evaporation Rate
 No information available

Odor:AmmoniaBoiling point/range:Not determinedSpecific gravity:0.99Melting point/range:Not determinedDensity:8.26 lbs/gal 0.99 Kg/LDecomposition temperature:Not determined

 VOC:
 20% \*
 Autoignition temperature:
 No information available

 Flash point:
 >200°F >93.4°C
 Partition coefficient (n-octanol/water):
 No information available

 Solubility:
 Completely Soluble
 Solubility in other solvents:
 No information available

Viscosity: No information available **Elemental Phosphorus:** 0% by wt.

# 10. STABILITY AND REACTIVITY

Stability: The product is stable

**Polymerization:** Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Strong oxidising agents. Do not mix with any other product or chemical.

Conditions to avoid: Do not freeze.

### 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Corrosive; Oral LD50 estimated to be betw een 1000 - 2000 mg/kg; Dermal LD50 estimated to be > 2000

mg/kg

Component Information: See Section 3
Chronic toxicity: None know n

GLANCE SC 2 of 4

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 11. TOXICOLOGICAL INFORMATION

Specific effects

 Carcinogenic effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

# 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

# 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations. Undiluted product is regulated under environmental and transportation laws as a corrosive waste.

RCRA Hazard Class: D002

# 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

# 15. REGULATORY INFORMATION

#### International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

#### STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Ammonium hydroxide	1336-21-6	X	X	X	•
Water	7732-18-5	-	-	-	•
Sodium xylene sulfonate	1300-72-7	-	-	-	•
2-butoxyethanol	111-76-2	X	X	X	Χ
Sodium lauryl sulfate	151-21-3	-	-	-	-

# **CERCLA/ SARA**

ingredient(s)		CAS#	Weight %	CERCLA/SARA RQ (lbs)	RA RQ (lbs)   Section 302 TPQ (lbs)		
	Ammonium hydroxide	1336-21-6	1 - 5%	1000		Section 313 X	
	2-butoxvethanol	111-76-2	20 - 30%			Х	

Ingredient(s) CAA HAP		CAA ODS	CWA Priority Pollutants	
2-butoxyethanol	X			

### SARA 311/312 Hazard Categories

Immediate: X
Delayed: Fire: Reactivity: Sudden Release of Pressure: -

#### Canada

WHMIS hazard class: E Corrosive material.



Natural Products Number: -

# **16. OTHER INFORMATION**

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

GLANCE SC 3 of 4

# **16. OTHER INFORMATION**

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

GLANCE SC 4 of 4