MATERIAL SAFETY DATA SHEET

MSDS Revision No: A2 -7

INTERZINC 22 GRAY

MSDS Revision Date: 01/28/2005

International Paint LLC

(800) 424-9300

(703) 527-3887

CHEMTREC (USA) CHEMTREC (Intl)

Sales Order: {SalesOrd}

6001 Antoine Drive

(800) 854-6813

EMERGENCY NUMBERS:

Poison Control Center (Non-Emergency)

Houston, Texas 77091

CUSTOMER SERVICE: (800) 589-1267 International Paint

(800) 631-7481 Interlux

GENERAL INFORMATION 1.

Product Identity: INTERZINC 22 GRAY

International.

Bulk Sales Reference No: QHA5073

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

NOTICE: OSHA hazardous chemicals are listed in Section 2 if present at 1% or more. Carcinogens and extraordinarily/special hazardous chemicals are listed in Section 2 if present at .1% or more. Additional regulatory information for specific chemical categories is included in Section 15.

2. HAZARDOUS INGREDIENT INFORMATION

CAS No.	Ingredient Name & %	Source	Exposure Data	
		OSHA:	$400~\rm ppm$ TWA; $980~\rm mg/m3$ TWA500 ppm STEL; $1225~\rm mg/m3$ STEL	
		ACGIH:	200 ppm TWA400 ppm STEL	
		NIOSH:	$400~\rm ppm$ TWA; $980~\rm mg/m3$ TWA500 ppm STEL; $1225~\rm mg/m3$ STEL2000 ppm IDLH	
		Supplier:	No Data Available	
	Isopropyl alcohol 10 - 25% by Weight	OHSA, CAN:	400 ppm TWAEV; 980 mg/m3 TWAEV500 ppm STEV; 1225 mg/m3 STEV	
		Mexico:	400 ppm TWA; 980 mg/m3 TWA500 ppm STEL; 1225 mg/m3 STEL	
000067-63-0		Brazil:	310 ppm TWA; 765 mg/m3 TWA	
		Source	Health Data	
		NIOSH:	Mucous membrane irritation; possible carcinogenic effects	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
		IARC:	Group 1: No; Group 2A: No;	
		nac.	Group 2b: No; Group 3: Yes; Group 4: No	
CAS No.	Ingradiant Nama & %	Source	Evnocuro Doto	
CAS No.	Ingredient Name & %	Source	Exposure Data	
C115 110.				
01101101		OSHA:	100 ppm TWA; 850 mg/m3 TWA	

		NIOSH:	10 ppm TWA; 85 mg/m3 TWA700 ppm IDLH		
		Supplier:	No Data Available		
		OHSA, CAN:	10 ppm TWAEV; 85 mg/m3 TWAEV		
		Mexico:	10 ppm TWA; 85 mg/m3 TWA30 ppm STEL; 255 mg/m3 STEL		
		Brazil:	No Data Available		
000078-10-4	Ethyl silicate	Source	Health Data		
0000/8-10-4	1.0 - 10% by Weight	NIOSH:	Eye and nose irritation; lung liver		
		Source	Carcinogen Data		
		OSHA:	Select Carcinogen: No		
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No		
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No		
CAS No.	Ingredient Name & %	Source	Exposure Data		
		OSHA:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL		
		ACGIH:	100 ppm TWA125 ppm STEL		
		NIOSH:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL800 ppm IDLH		
		Supplier:	No Data Available		
		OHSA, CAN:	100 ppm TWAEV; 435 mg/m3 TWAEV125 ppm STEV; 540 mg/m3 STEV		
	Ethyl benzene	Mexico:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL		
000100-41-4	0.10 - 1.0% by Weight	Brazil:	78 ppm TWA; 340 mg/m3 TWA		
		Source	Health Data		
		NIOSH:	Eye skin		
		Source	Carcinogen Data		
		OSHA:	Select Carcinogen: No		
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No		
		IARC:	Group 1: No; Group 2A: No; Group 2b: Yes; Group 3: No; Group 4: No		
CAS No.	Ingredient Name & %	Source	Exposure Data		
		OSHA:	150 ppm STEL; 540 mg/m3 STEL		
		ACGIH:	100 ppm TWA150 ppm STEL		
		NIOSH:	100 ppm TWA; 360 mg/m3 TWA150 ppm STEL; 540 mg/m3 STEL		
	Propylene glycol monomethyl ether	Supplier:	No Data Available		
		OHSA, CAN:	100 ppm TWAEV; 365 mg/m3 TWAEV150 ppm STEV; 550 mg/m3 STEV		
000105 00 5		Mexico:	No Data Available		
000107-98-2	10 - 25% by Weight	Brazil:	No Data Available		
		Source	Health Data		
		NIOSH:	Eye nose		
		Source	Carcinogen Data		
		OSHA:	Select Carcinogen: No		
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No		

Group 1: No; Group 2A: No; IARC: Group 2h: No; Group 3: No:

Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
000112-34-5	Diethylene glycol monobutyl ether	Brazil:	No Data Available
	1.0 - 10% by Weight	Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
			Group 1: No; Group 2A: No;
		IARC:	Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
C110 110.	angi cuicin I tainic to /0	OSHA:	100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL
		ACGIH:	100 ppm TWA150 ppm STEL
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	100 ppm TWAEV; 435 mg/m3 TWAEV150 ppm STEV; 650 mg/m3
		Mexico:	100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL
001330-20-7	Xylenes (o-, m-, p- isomers)	Brazil:	78 ppm TWA; 340 mg/m3 TWA
	1.0 - 10% by Weight	Source	Health Data
		NIOSH:	Central nervous system depressant; respiratory and eye irritation
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
			Group 1: No; Group 2A: No;
		IARC:	Group 2b: No; Group 3: Yes; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
	Cellulose, ethyl ether	Supplier:	No Data Available
009004-57-3	1.0 - 10% by Weight		No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	Health Data

	_		
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
011099-06-2	Silicic acid, ethyl ester	Brazil:	No Data Available
J11099-00-2	10 - 25% by Weight	Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	0.05 mg/m3 TWA (respirable fraction)
		NIOSH:	25 mg/m3 IDLH (respirable dust)
		Supplier:	No Data Available
		OHSA, CAN:	$0.05\ mg/m3\ TWAEV0.05\ mg/m3\ TWEAV;$ (See Ontario Reg. 845 for full information)
		Mexico:	No Data Available
)14464-46-1	Silica, cristobalite	Mexico: Brazil:	No Data Available No Data Available
)14464-46-1	Silica, cristobalite 1.0 - 10% by Weight		
)14464-46-1		Brazil:	No Data Available
014464-46-1		Brazil: Source	No Data Available Health Data
014464-46-1		Brazil: Source NIOSH:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data
014464-46-1		Brazil: Source NIOSH: Source OSHA:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes
014464-46-1		Brazil: Source NIOSH: Source OSHA: NTP:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data
014464-46-1		Brazil: Source NIOSH: Source OSHA:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes Known Carcinogen: Yes; Suspected Carcinogen: No
		Brazil: Source NIOSH: Source OSHA: NTP:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes Known Carcinogen: Yes; Suspected Carcinogen: No Group 1: Yes; Group 2A: No;
	1.0 - 10% by Weight	Brazil: Source NIOSH: Source OSHA: NTP: IARC:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes Known Carcinogen: Yes; Suspected Carcinogen: No Group 1: Yes; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No
	1.0 - 10% by Weight	Brazil: Source NIOSH: Source OSHA: NTP: IARC:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes Known Carcinogen: Yes; Suspected Carcinogen: No Group 1: Yes; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No Exposure Data
014464-46-1 CAS No.	1.0 - 10% by Weight	Brazil: Source NIOSH: Source OSHA: NTP: IARC:	No Data Available Health Data Chronic lung disease (silicosis) Carcinogen Data Select Carcinogen: Yes Known Carcinogen: Yes; Suspected Carcinogen: No Group 1: Yes; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No Exposure Data No Data Available

014808-60-7	Quartz 10 - 25% by Weight	OHSA, CAN:	0.10 mg/m3 TWAEV0.10 mg/m3 TWEAV; (See Ontario Reg. 845 for full information)	
		Mexico:	10 mg/m3 TWA	
		Brazil:	No Data Available	
		Source	Health Data	
		NIOSH:	Chronic lung disease (silicosis)	
	10 - 25% by Weight	Source	Carcinogen Data	
		OSHA:	Select Carcinogen: Yes	
		NTP:	Known Carcinogen: Yes; Suspected Carcinogen: No	
		IARC:	Group 1: Yes; Group 2A: No;	
		nac.	Group 2b: No; Group 3: No; Group 4: No	
CAS No.	Ingredient Name & %	Source	Exposure Data	
	Kieselguhr, soda ash flux-calcined 1.0 - 10% by Weight	OSHA:	No Data Available	
		ACGIH:	No Data Available	
		NIOSH:	No Data Available	
		Supplier:	No Data Available	
		OHSA, CAN:	No Data Available	
		Mexico:	No Data Available	
068855-54-9		Brazil:	No Data Available	
000033-34-7		Source	Health Data	
		NIOSH:	No Data Available	
		Source	Carcinogen Data	
		OSHA:	Select Carcinogen: No	
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No	
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No	

3. HAZARD IDENTIFICATION

Overview:	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.					
Inhalation:	May be harmful or fatal if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.					
Eyes:	Causes severe eye irritation. Do not get in eyes.					
Skin:	Causes skin irritation. May be harmful if absorbed through the skin.					
Ingestion:	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.					
Chronic Effects:	Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient). Birth defect hazard. Contains an ingredient which can cause birth defects (See Section 2 and Section 15 for each ingredient). Cancer hazard. Contains an ingredient which can cause cancer (See Section 2 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.					
HMIS Rating:	Health: 2*	Flammability: 3	Reactivity: 0			

4. FIRST AID MEASURES

General:	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion:	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY Respiratory: PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet. Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and Eyes: face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be Skin/Hand: required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use. Engineering Controls: Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use Other Work Practices: good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

6. FIRE AND EXPLOSION INFORMATION

F: 57 Flash Point: C: 14 **Lower Explosive Limit (LEL):** .85 (%vol in air) at Normal Atmospheric Temp and Pressure

Flammable liquid and vapor. FLAMMABLE/COMBUSTIBLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, Fire and Explosion Hazards: basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard.

Containers may explode when heated.

CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the

Also Reference Emergency Response Guide Number: 127

7. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid pH: Not Determined

1/28/2005

Fire Fighting Procedures:

1.068343 Specific Gravity:

Boiling Point (F): 180

Heavier than air Vapor Density:

VOC Content (lbs): Refer to the Technical Data Sheet for this product.

Evaporation Rate: Slower than ether

8. STABILITY AND REACTIVITY DATA

This product is stable and hazardous polymerization will not occur. General:

Strong oxidizing agents. **Incompatible Materials:**

May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and **Hazardous Decompostion:**

Carbon Monoxide.

9. HANDLING AND STORAGE

Store between 32 and 120 F Storage Temperature:

Handling and Storage Precautions:

Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.

10. TOXICOLOGICAL DATA

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or General: fatal. No additional information provided for this product. See Section 2 for chemical specific data.

11. ECOLOGICAL DATA

General: No additional information provided for this product. See Section 2 for chemical specific data.

12. ACCIDENTAL RELEASE MEASURES

Spill Response Procedures:

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only nonsparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

Also, Reference Emergency Response Guide Number: 127

1/28/2005

Public Safety:

13. DISPOSAL CONSIDERATION

Waste Disposal:

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. TRANSPORTATION INFORMATION

DOT (Domestic	c Surface Transportation)	IMO / I	IMDG (Ocean Transportation)
DOT Proper Shipping Name: PAINT		IMDG Proper Shipping PAINT	Name:
DOT Hazard Class:	3	IMDG Hazard Class:	3.2 - Intermediate flashpoint flammable liquids
UN / NA Number:	UN 1263	UN Number:	UN 1263
DOT Packing Group:	II	IMDG Packing Group:	II
CERCLA/DOT RQ:	215 gal. / 1913 lbs.	System Reference Code:	28

15. REGULATORY INFORMATION

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act)

Regulatory Overview:

Note: Any chemical ingredients listed in Section 15, that do not also appear in Section 2, are contained in the modest of the product of the pro

in the product at a concentration below the applicable OSHA threshold level of 1% or 0.1%.

WHMIS Classification: Not Determined

Regulatory List Product Ingredients on List

DOT Marine Pollutants (10%):
(No Product Ingredients Listed)
DOT Severe Marine Pollutants (1%):
(No Product Ingredients Listed)
EPCRA 311/312 Chemicals and RQs (>.1%):

000100-41-4 Ethyl benzene : 1000 lb final RQ; 454 kg final RQ

001330-20-7 Xylenes (o-, m-, p- isomers): 100 lb final RQ; 45.4 kg final RQ

EPCRA 302 Extremely Hazardous (>.1%):

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%):

000112-34-5 Diethylene glycol monobutyl ether

000100-41-4 Ethyl benzene

000107-98-2 Propylene glycol monomethyl ether

000067-63-0 Isopropyl alcohol

001330-20-7 Xylenes (o-, m-, p- isomers)

Mass RTK Substances (>1%):

014808-60-7 Quartz

000107-98-2 Propylene glycol monomethyl ether

000078-10-4 Ethyl silicate 000067-63-0 Isopropyl alcohol 014464-46-1 Silica, cristobalite

001330-20-7 Xylenes (o-, m-, p- isomers)

Mass Extraordinarily Haz Sub (>.01%):

007647-01-0 Hydrogen chloride

014808-60-7 Quartz

014464-46-1 Silica, cristobalite

Penn RTK Substances (>1%):

011099-06-2 Silicic acid, ethyl ester

014808-60-7 Quart

000112-34-5 Diethylene glycol monobutyl ether 000107-98-2 Propylene glycol monomethyl ether

000078-10-4 Ethyl silicate

```
000067-63-0
                                              Isopropyl alcohol
  068855-54-9
                                              Kieselguhr, soda ash flux-calcined
  014464-46-1
                                              Silica, cristobalite
  001330-20-7
                                             Xylenes (o-, m-, p- isomers)
Penn Special Hazardous Substances (>.01%):
      (No Product Ingredients Listed)
Rhode Island Hazardous Substances (>.1%):
  000064-17-5
                                              Ethyl alcohol
  014808-60-7
                                              Quartz
  000100-41-4
                                              Ethyl benzene
  000107-98-2
                                             Propylene glycol monomethyl ether
  000078-10-4
                                             Ethyl silicate
  000067-63-0
                                             Isopropyl alcohol
  001330-20-7
                                              Xylenes (o-, m-, p- isomers)
RCRA Status (>.01%):
     (No Product Ingredients Listed)
N.J. RTK Substances (>1%):
  014808-60-7
  000107-98-2
                                              Propylene glycol monomethyl ether
  000078-10-4
                                              Ethyl silicate
  000067-63-0
                                             Isopropyl alcohol
                                              Kieselguhr, soda ash flux-calcined
  068855-54-9
  014464-46-1
                                              Silica, cristobalite
  001330-20-7
                                              Xylenes (o-, m-, p- isomers)
N.J. Special Hazardous Substances (>.01%):
  000064-17-5
                                              Ethyl alcohol
  007647-01-0
                                             Hydrogen chloride
  000100-41-4
                                             Ethyl benzene
  000107-98-2
                                             Propylene glycol monomethyl ether
                                             Isopropyl alcohol
  000067-63-0
  001330-20-7
                                              Xylenes (o-, m-, p- isomers)
N.J. Env. Hazardous Substances (>.1%):
  000112-34-5
                                              Diethylene glycol monobutyl ether
  000100-41-4
                                              Ethyl benzene
  000107-98-2
                                              Propylene glycol monomethyl ether
  000067-63-0
                                              Isopropyl alcohol
  001330-20-7
                                              Xylenes (o-, m-, p- isomers)
Proposition 65 - Carcinogens (>0%):
  014808-60-7
                                              Quartz
  014464-46-1
                                              Silica, cristobalite
Proposition 65 - Female Repro Toxins (>0%):
      (No Product Ingredients Listed)
Proposition 65 - Male Repro Toxins (>0%):
     (No Product Ingredients Listed)
Proposition 65 - Developmental Toxins
(>0\%):
  000064-17-5
                                              Ethyl alcohol
```

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

End Of Document