



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name

**Armor All Snow Foam Car Wash - Bottle**

Alternative number(s)

067788191597, 070612191410, 070612194237,  
070612194633, 067788194703, 070612194244

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service

1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word                      danger

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### - Pictograms

GHS05, GHS07



### - Hazard statements

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear eye protection/face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.  
P321 Specific treatment (see on this label).  
P363 Wash contaminated clothing before reuse.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.2.1.7- Hazardous ingredients for labelling

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts, Methylchloroisothiazolinone, 1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one

## 2.3 Other hazards

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)











### 3.2 Mixtures

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	CAS No 68439-57-6	5 - < 10	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
Sodium Lauryl Ether Sulfate	CAS No 68585-34-2	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	
Glycerol	CAS No 56-81-5	1 - < 5	Acute Tox. 2 / H300	
Sodium sulfate	CAS No 7757-82-6	1 - < 5	Acute Tox. 4 / H332	
C10-16 Alcohol Ethoxylate	CAS No 68002-97-1	< 1	Acute Tox. 1 / H330	
1,2-Benzisothiazolin-3-one	CAS No 2634-33-5	< 1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317	 
Methylchloroiso-thiazolinone	CAS No 55965-84-9	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317	  

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first- aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	glycerine	56-81-5	REL							mist, appx-D	NIOSH REL
US	glycerol	56-81-5	PEL		15					mist, i	29 CFR 1910.1000



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	glycerol	56-81-5	PEL		5					mist, r	29 CFR 1910.1000

#### Notation

appx-D see Appendix D - Substances with No Established RELs  
 Ceiling-C ceiling value is a limit value above which exposure should not occur  
 i inhalable fraction  
 mist as mists  
 r respirable fraction  
 STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)  
 TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	DNEL	152.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	DNEL	2,158 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Glycerol	56-81-5	DNEL	56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Sodium sulfate	7757-82-6	DNEL	20 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium sulfate	7757-82-6	DNEL	20 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
1,2-Benzisothiazolin-3-one	2634-33-5	DNEL	6.81 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
1,2-Benzisothiazolin-3-one	2634-33-5	DNEL	0.966 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methylchloroisothiazolinone	55965-84-9	DNEL	0.02 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Methylchloroisothiazolinone	55965-84-9	DNEL	0.04 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	0.024 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	0.767 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	0.077 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	PNEC	1.21 mg/kg	terrestrial organisms	soil	short-term (single instance)
Glycerol	56-81-5	PNEC	8.85 mg/l	aquatic organisms	water	intermittent release
Glycerol	56-81-5	PNEC	0.885 mg/l	aquatic organisms	freshwater	short-term (single instance)
Glycerol	56-81-5	PNEC	0.088 mg/l	aquatic organisms	marine water	short-term (single instance)
Glycerol	56-81-5	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Glycerol	56-81-5	PNEC	3.3 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.33 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Glycerol	56-81-5	PNEC	0.141 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sodium sulfate	7757-82-6	PNEC	11.09 mg/l	aquatic organisms	freshwater	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium sulfate	7757-82-6	PNEC	1.109 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium sulfate	7757-82-6	PNEC	800 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium sulfate	7757-82-6	PNEC	40.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium sulfate	7757-82-6	PNEC	4.02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sodium sulfate	7757-82-6	PNEC	1.54 mg/kg	terrestrial organisms	soil	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	4.03 µg/l	aquatic organisms	freshwater	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	0.403 µg/l	aquatic organisms	marine water	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	1.03 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	49.9 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	4.99 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
1,2-Benzisothiazolin-3-one	2634-33-5	PNEC	3 mg/kg	terrestrial organisms	soil	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	3.39 µg/l	aquatic organisms	freshwater	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	3.39 µg/l	aquatic organisms	marine water	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	0.23 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	0.027 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	0.027 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methylchloroisothiazolinone	55965-84-9	PNEC	0.01 mg/kg	terrestrial organisms	soil	short-term (single instance)





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

### Explosive limits

- Lower explosion limit (LEL)	2.7 vol%
- Upper explosion limit (UEL)	19 vol%

Vapor pressure	0.003 mmHg at 50 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

<b>9.2 Other information</b>	there is no additional information
------------------------------	------------------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Shall not be classified as acutely toxic.

##### - Acute toxicity estimate (ATE)

Oral 1,335 mg/kg

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Glycerol	56-81-5	oral	27 mg/kg
Sodium sulfate	7757-82-6	inhalation: dust/mist	2.4 mg/l/4h
C10-16 Alcohol Ethoxylate	68002-97-1	inhalation: vapor	0.1 mg/l/4h
1,2-Benzisothiazolin-3-one	2634-33-5	oral	670 mg/kg
Methylchloroisothiazolinone	55965-84-9	oral	457 mg/kg
Methylchloroisothiazolinone	55965-84-9	dermal	660 mg/kg
Methylchloroisothiazolinone	55965-84-9	inhalation: vapor	11 mg/l/4h
Methylchloroisothiazolinone	55965-84-9	inhalation: dust/mist	2.36 mg/l/4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitization

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	LC50	4.2 mg/l	fish	96 h
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	EC50	4.53 mg/l	aquatic invertebrates	48 h
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	ErC50	5.2 mg/l	algae	72 h
Sodium Lauryl Ether Sulfate	68585-34-2	EC50	27 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium Lauryl Ether Sulfate	68585-34-2	EC50	7.2 mg/l	daphnia	48 h
Sodium Lauryl Ether Sulfate	68585-34-2	EC50	7.1 mg/l	zebra fish	96 h
Glycerol	56-81-5	EC50	>10,000 mg/l	water flea (Daphnia)	24 h
Glycerol	56-81-5	EC50	>1,000 mg/l	microorganisms	48 h
Glycerol	56-81-5	LC50	54,000 mg/l	fish	96 h
Sodium sulfate	7757-82-6	LC50	7,960 mg/l	fish	96 h
Sodium sulfate	7757-82-6	EC50	3,150 mg/l	aquatic invertebrates	48 h
C10-16 Alcohol Ethoxylate	68002-97-1	EC50	0.41 mg/l	algae	96 h
C10-16 Alcohol Ethoxylate	68002-97-1	EC50	0.39 mg/l	daphnia	48 h
C10-16 Alcohol Ethoxylate	68002-97-1	EC50	0.876 mg/l	zebra fish	96 h
1,2-Benzisothiazolin-3-one	2634-33-5	LC50	16.7 mg/l	fish	96 h
1,2-Benzisothiazolin-3-one	2634-33-5	EC50	2.94 mg/l	aquatic invertebrates	48 h
1,2-Benzisothiazolin-3-one	2634-33-5	ErC50	150 µg/l	algae	72 h
Methylchloroisothiazolinone	55965-84-9	LC50	0.19 mg/l	fish	96 h
Methylchloroisothiazolinone	55965-84-9	EC50	0.16 mg/l	aquatic invertebrates	48 h
Methylchloroisothiazolinone	55965-84-9	ErC50	19.9 µg/l	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium	68439-57-6	EC50	230 mg/l	microorganisms	3 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
salts					
Sodium sulfate	7757-82-6	EC50	1,698 mg/l	aquatic invertebrates	7 d
Sodium sulfate	7757-82-6	LC50	3,030 mg/l	aquatic invertebrates	7 d
1,2-Benzisothiazolin-3-one	2634-33-5	EC50	13 mg/l	microorganisms	3 h
Methylchloroisothiazolinone	55965-84-9	LC50	0.07 mg/l	fish	14 d
Methylchloroisothiazolinone	55965-84-9	EC50	>0.18 mg/l	aquatic invertebrates	21 d
Methylchloroisothiazolinone	55965-84-9	ErC50	45.6 µg/l	algae	120 h

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- |  |   |
|--|---|
| <b>14.1 UN number</b>  | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>  | not assigned  |
| <b>14.3 Transport hazard class(es)</b>   | not assigned  |
| <b>14.4 Packing group</b>  | not assigned  |
| <b>14.5 Environmental hazards</b>  | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                                       | There is no additional information.                                   |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> | The cargo is not intended to be carried in bulk.                      |

### Information for each of the UN Model Regulations

DOT

#### **Transport of dangerous goods by road or rail (49 CFR US DOT)**

Not subject to transport regulations.

#### **International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

#### **International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations specific for the product in question**
- National regulations (United States)**
- Right to Know Hazardous Substance List**
- Cleaning Product Right to Know Act Substance List (CA-RTK)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		68439-57-6	cleaning agent	
Sodium Lauryl Ether Sulfate		68585-34-2	surfactant	
Sodium chloride		7647-14-5	preservative	
Sodium sulfate		7757-82-6	filler	
n-[3-(Dimethylnitro)propyl]dodecanamide		61792-31-2	surfactant	
Sodium xylenesulphonate		1300-72-7	surfactant	
Hydroxyethyl cellulose		9004-62-0	thickener	
Alkenes, C>10 alpha		64743-02-8	surfactant	
Myristamidopropylamine oxide		67806-10-4	surfactant	
Cocamidopropyl betaine		61789-40-0	surfactant	
C10-16 Alcohol Ethoxylate		68002-97-1	surfactant	
Non-hazardous ingredients		Mixture	miscellaneous	
Hydrogen peroxide		7722-84-1	oxidizer	
1,2-Benzisothiazolin-3-one		2634-33-5	preservative	
Coumarin	Coumarin	91-64-5		EU Fragrance Allergens
Sodium Glycolate		2836-32-0	gelling agent	
Methanol	Methanol	67-56-1	impurity	CA TACs NTP OHAT - Repr. or Dev. Toxicants OEHA RELs Prop 65
Styrene/acrylic copolymer		25085-34-1	protective coating	
Menthyl acetate		89-48-5	fragrance	
Delta-Damascone		57378-68-4	fragrance	
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol		28219-61-6 106185-75-5	fragrance	
Ethyl acetate	Ethyl acetate	141-78-6	fragrance	CDC 4th National Exposure Report





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Methylchloroisothiazolinone		55965-84-9	preservative	
Formaldehyde ... %	Formaldehyde	50-00-0	preservative	CA NLs CA TACs EC Annex VI CMRs - Cat. 1B IARC Carcinogens - 1 IRIS Carcinogens - B1 NTP 13th RoC - known OEHHA RELs Prop 65
Sodium Bicarbonate		144-55-8	foaming agent	
Polymeric violet colorant blend		Proprietary AccNo 173434	colorant	
Propylene Glycol		57-55-6	diluent	
5-Chloro-2-methyl-2H-isothiazol-3-one		26172-55-4	preservative	
Tristyrylphenol Ethoxylate		70559-25-0		
Magnesium chloride		7786-30-3	fragrance	
Xanthan gum		11138-66-2	thickener	
Furaneol		3658-77-3	fragrance	
1,4-dioxane	1,4-Dioxane	123-91-1	nonfunctional constituent	CA NLs CA TACs IARC Carcinogens - 2B IRIS Carcinogens - Likely Carcin. NTP 13th RoC - reasonable OEHHA RELs Prop 65
Xylene	Xylenes	1330-20-7	solvents	ATSDR Neurotoxics CA MCLs CA TACs CDC 4th National Exposure Report CWA 303(d) IRIS Neurotoxics OEHHA RELs
Magnesium nitrate		10377-60-3	preservative	
Dichloroacetic acid	Dichloroacetic acid	79-43-6		IARC Carcinogens - 2B IRIS Carcinogens - Likely Carcin. IRIS Neurotoxics Prop 65



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Ethylbenzene	Ethylbenzene	100-41-4	fuel additive	ATSDR Neurotoxicants CA MCLs CA TACs CDC 4th National Exposure Report CWA 303(c) CWA 303(d) IARC Carcinogens - 2B OEHHA RELs Prop 65
Cumene	Cumene, [ isopropylbenzene]	98-82-8	nonfunctional constituent	CA NLS CA TACs CDC 4th National Exposure Report IARC Carcinogens - 2B NTP 13th RoC - reasonable OEHHA RELs Prop 65
Residual monomers		Proprietary	reactive residual	
Toluene	Toluene	108-88-3	solvents	ATSDR Neurotoxicants CA MCLs CA TACs CDC 4th National Exposure Report CWA 303(c) CWA 303(d) IRIS Neurotoxicants OEHHA RELs Prop 65
Benzene	Benzene	71-43-2	reactive residual	ATSDR Neurotoxicants CA MCLs CA TACs CDC 4th National Exposure Report CWA 303(c) CWA 303(d) EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B IARC Carcinogens - 1 IRIS Carcinogens - A NTP 13th RoC - known OEHHA RELs Prop 65

- Hazardous Substances List (MN-ERTK)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Name of substance	Name acc. to inventory	CAS No	References	Remarks
Glycerol	Glycerin	56-81-5	A	mist
Sodium chloride	Dust, Inert or Nuisance (When toxic impurities are not present, for example, quartz less than 1 percent.)		A	dust

### Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH  
dust If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
Glycerol	glycerine (1,2,3-Propanetriol)	56-81-5		

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
Glycerol	1,2,3-PROPANETRIOL	56-81-5	
Sodium sulfate	SODIUM SULFATE (SOLUTION)	7757-82-6	E

### Legend

E Environmental hazard

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
Glycerol	glycerol(glycerin mist)	56-81-5	T, F

### Legend

F Flammability (NFPA®)  
T Toxicity (ACGIH®)

## California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

### Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
1,4-dioxane	123-91-1		cancer
benzene	71-43-2		cancer
benzene	71-43-2		developmental, male



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
dichloroacetic acid	79-43-6		cancer
dichloroacetic acid	79-43-6		developmental, male
ethylbenzene	100-41-4		cancer
cumene	98-82-8		cancer
formaldehyde	50-00-0	gas	cancer
methanol	67-56-1		developmental
toluene	108-88-3		developmental

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Contains gas under pressure; may explode if heated.		yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Hazardous ingredients for labelling: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts, Methylchloroisothiazolinone, 1,2-Benzisothiazolin-3-one	- Hazardous ingredients for labelling: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts, Methylchloroisothiazolinone, 1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following skin contact: Thaw frosted parts with lukewarm water. Do not rub affected area.	Following skin contact: Wash with plenty of soap and water.	yes
5.1	Suitable extinguishing media: Water spray, BC-powder	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO2)	yes
5.2	Special hazards arising from the substance or mixture: Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.	Special hazards arising from the substance or mixture	yes
6.3		Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder	yes
6.3		Appropriate containment techniques: Use of adsorbent materials.	yes
7.2	Managing of associated risks		yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.2	- Flammability hazards: Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.		yes
7.2	- Packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2	Hand protection: Wear protective gloves.	Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes
9.1	Physical state: gaseous (liquefied)	Physical state: liquid	yes
9.1	Flammability (solid, gas): flammable gas in accordance with GHS criteria	Flammability (solid, gas): not relevant, (fluid)	yes
9.1	Vapor density: not determined	Vapor density: this information is not available	yes
9.1	Viscosity: not relevant (gaseous)	Viscosity: not determined	yes
10.1	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".	yes
10.1	If heated: Danger of explosion, Gas under pressure, Danger of bursting container		yes
10.4	Conditions to avoid: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Conditions to avoid: There are no specific conditions known which have to be avoided.	yes
11.1		- Acute toxicity estimate (ATE): change in the listing (table)	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
13.1	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number: 1950	UN number: not subject to transport regulations	yes
14.2	UN proper shipping name: Aerosols	UN proper shipping name: not assigned	yes
14.3	Transport hazard class(es)	Transport hazard class(es): not assigned	yes
14.3	Class: 2.2 (gases) (aerosol)		yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.7	Transport of dangerous goods by road or rail (49 CFR US DOT)	Transport of dangerous goods by road or rail (49 CFR US DOT): Not subject to transport regulations.	yes
14.7	Index number: 1950		yes
14.7	Proper shipping name: Aerosols		yes
14.7	Particulars in the shipper's declaration: UN1950, Aerosols, 2.2		yes
14.7	Reportable quantity (RQ): 6,779,661 lbs (3,077,966 kg) (formaldehyde ... %) (1,4-dioxane)		yes
14.7	Class: 2.2		yes
14.7	Danger label(s): 2.2		yes





# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7		Danger label(s): change in the listing (table)	yes
14.7	ERG No: 126		yes
14.7	UN number: 1950		yes
14.7	Proper shipping name: AEROSOLS		yes
14.7	Particulars in the shipper's declaration: UN1950, AEROSOLS, 2.2		yes
14.7	Class: 2.2		yes
14.7	Marine pollutant: -		yes
14.7	Danger label(s): 2.2		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 63, 190, 277, 327, 344, 381, 959		yes
14.7	Excepted quantities (EQ): E0		yes
14.7	Limited quantities (LQ): 1 L		yes
14.7	EmS: F-D, S-U		yes
14.7	Stowage category: -		yes
14.7	UN number: 1950		yes
14.7	Proper shipping name: Aerosols, non-flammable		yes
14.7	Particulars in the shipper's declaration: UN1950, Aerosols, non-flammable, 2.2		yes
14.7	Class: 2.2		yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Danger label(s): 2.2		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A98, A145, A167		yes
14.7	Excepted quantities (EQ): E0		yes
14.7	Limited quantities (LQ): 30 kg		yes
14.7	International Maritime Dangerous Goods Code (IMDG)	International Maritime Dangerous Goods Code (IMDG): Not subject to IMDG.	yes
14.7	International Civil Aviation Organization (ICAO-IATA/DGR)	International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes
15.1		NFPA® 704: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## Armor All Snow Foam Car Wash - Bottle

Version number: 4.0  
Replaces version of: 2020-10-21 (3)

Revision: 2020-11-19

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.