	Page: 1
<b>SAFETY DATA SHEET</b>	Revision Date: 05/22/2017
	Print Date: 2/10/2020
	SDS Number: R0290463
Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease ™ Trademark, Valvoline or its subsidiaries, registered in various countries VV70124	Version: 1.3

29 CFR 1910.1200 (OSHA HazCom 2012)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Trade name : Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease

™ Trademark, Valvoline or its subsidiaries, registered in various countries

<b>Details of the supplier of the safety data sheet</b> Valvoline LLC 100 Valvoline Way Lexington, KY 40509 United States of America (USA) 1-800-TEAMVAL	<b>Emergency telephone number</b> 1-800-VALVOLINE (1-800-825-8654)  <b>Regulatory Information Number</b> 1-800-TEAMVAL  <b>Product Information</b> 1-800-TEAMVAL
---	---


## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin sensitization : Category 1

### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.  
**Disposal:**

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 VV70124

Dispose of contents/ container to an approved waste disposal  
 plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
PROPRIETARY CORROSION INHIBITOR		Skin Sens. 1; H317	1.00

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.  
 If unconscious, place in recovery position and seek medical  
 advice.  
 If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get  
 medical attention.  
 If on skin, rinse well with water.  
 First aid is not normally required. However, it is  
 recommended that exposed areas be cleaned by washing  
 with soap and water.  
 Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.  
 Remove contact lenses.  
 Protect unharmed eye.  
 If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.
- Most important symptoms  
 and effects, both acute and  
 delayed : No symptoms known or expected.  
 May cause an allergic skin reaction.

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
VV70124

Notes to physician : No hazards which require special first aid measures.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods :  
  
Product is compatible with standard fire-fighting agents.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 VV70124

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours/dust.  
 Do not smoke.  
 Persons susceptible to skin sensitisation problems or asthma,  
 allergies, chronic or recurrent respiratory disease should not  
 be employed in any process in which this mixture is being  
 used.  
 Container hazardous when empty.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 Smoking, eating and drinking should be prohibited in the  
 application area.  
 For personal protection see section 8.  
 Dispose of rinse water in accordance with local and national  
 regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated  
 place.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

**Hazardous components without workplace control parameters**

Components	CAS-No.
PROPRIETARY CORROSION INHIBITOR	

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust)  
 ventilation to maintain exposure below exposure guidelines (if  
 applicable) or below levels that cause known, suspected or  
 apparent adverse effects.

**Personal protective equipment**

- Respiratory protection : Respiratory protection is not required under normal conditions  
 of use.
- Hand protection  
 Remarks : The suitability for a specific workplace should be discussed  
 with the producers of the protective gloves.
- Eye protection : Not required under normal conditions of use. Wear splash-  
 proof safety goggles if material could be misted or splashed  
 into eyes.

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 VV70124

Skin and body protection : Wear as appropriate:  
 Impervious clothing  
 Safety shoes  
 Choose body protection according to the amount and  
 concentration of the dangerous substance at the work place.  
 Discard gloves that show tears, pinholes, or signs of wear.  
 Wear resistant gloves (consult your safety equipment  
 supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Physical state : liquid

Colour : red

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : > 700 °F / > 371 °C

Flash point : > 399 °F / > 204 °C

Evaporation rate : < 0.01

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0.1 mmHg (20 °C)

Relative density : 0.9 (15.6 °C)

Density : 0.9 g/cm3 (20 °C)

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
VV70124

**Solubility(ies)**

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Thermal decomposition : No data available

**Viscosity**

Viscosity, dynamic : No data available

Viscosity, kinematic : > 1000 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous  
reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition  
products : No hazardous decomposition products are known.**SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion**Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
VV70124

Remarks: May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Respiratory or skin sensitisation**

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information.

**Components:**

PROPRIETARY CORROSION INHIBITOR:

Assessment: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Further information****Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
VV70124

**Other adverse effects**

No data available

**Product:**

Additional ecological : No data available  
information

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods****General advice**

- : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.
- Dispose of in accordance with all applicable local, state and  
federal regulations.

**Contaminated packaging**

- : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

**U.S. DOT - ROAD**

Not dangerous goods

**CFR\_RAIL\_C**

Not dangerous goods

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods

**TDG\_ROAD\_C**

Not dangerous goods



**SAFETY DATA SHEET**

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
VV70124

**TDG\_RAIL\_C**

Not dangerous goods

**TDG\_INWT\_C**

Not dangerous goods

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MX\_DG**

Not dangerous goods

**\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant

no

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act  
CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard**SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SAFETY DATA SHEET

Revision Date: 05/22/2017

Print Date: 2/10/2020

SDS Number: R0290463

Version: 1.3

Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 VV70124

## California Prop 65

Proposition 65 warnings are not required for this product  
 based on the results of a risk assessment.

## The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not  
 on the Canadian DSL and have annual quantity limits.

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

TSCA : On TSCA Inventory


## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL  
 (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date: 05/22/2017


NFPA:	HMIS III:						
<p>Flammability</p>  <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td><b>HEALTH</b></td><td><b>2</b></td></tr> <tr> <td><b>FLAMMABILITY</b></td><td><b>1</b></td></tr> <tr> <td><b>PHYSICAL HAZARD</b></td><td><b>0</b></td></tr> </table> <p>0 = not significant, 1 = Slight,            2 = Moderate, 3 = High            4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>2</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>2</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

### NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

### Full text of H-Statements

H317 May cause an allergic skin reaction.

	Page: 11
<b>SAFETY DATA SHEET</b>	Revision Date: 05/22/2017
	Print Date: 2/10/2020
	SDS Number: R0290463
Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease ™ Trademark, Valvoline or its subsidiaries, registered in various countries VV70124	Version: 1.3


Sources of key data used to compile the Safety Data Sheet  
Valvoline internal data including own and sponsored test reports  
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
BEI : Biological Exposure Index  
CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
FG : Food grade  
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
H-statement : Hazard Statement  
IATA : International Air Transport Association.  
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization  
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
IMDG : International Maritime Code for Dangerous Goods  
ISO : International Organization for Standardization  
logPow : octanol-water partition coefficient  
LCxx : Lethal Concentration, for xx percent of test population  
LDxx : Lethal Dose, for xx percent of test population.  
ICxx : Inhibitory Concentration for xx of a substance  
Ecxx : Effective Concentration of xx  
N.O.S.: Not Otherwise Specified  
OECD : Organization for Economic Co-operation and Development  
OEL : Occupational Exposure Limit  
P-Statement : Precautionary Statement  
PBT : Persistent , Bioaccumulative and Toxic  
PPE : Personal Protective Equipment  
STEL : Short-term exposure limit  
STOT : Specific Target Organ Toxicity  
TLV : Threshold Limit Value  
TWA : Time-weighted average  
vPvB : Very Persistent and Very Bioaccumulative  
WEL : Workplace Exposure Level

	Page: 12
<b>SAFETY DATA SHEET</b>	Revision Date: 05/22/2017
	Print Date: 2/10/2020
	SDS Number: R0290463
Valvoline™ Heavy Duty Crimson Multi-Purpose Tacky Grease ™ Trademark, Valvoline or its subsidiaries, registered in various countries VV70124	Version: 1.3

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
DOT : Department of Transportation  
FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
HMIRC : Hazardous Materials Information Review Commission  
HMIS : Hazardous Materials Identification System  
NFPA : National Fire Protection Association  
NIOSH : National Institute for Occupational Safety and Health  
OSHA : Occupational Safety and Health Administration  
PMRA : Health Canada Pest Management Regulatory Agency  
RTK : Right to Know  
WHMIS : Workplace Hazardous Materials Information System