Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

SECTION 1: Identification

1.1 Product identifier

Trade name California Scents Power Bloc Ice

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

United States: en Page: 1 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

- Pictograms

GHS07



- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use. P261 Avoid breathing mist/vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7 - Hazardous ingredients for labelling

Fir needle oil, Canadian, 2,2,6-trimethyl-α-propyl-cyclohexanepropanol, Linalool, Lavandin Oil, Linalyl acetate, Peppermint oil, Eugenol, Acetyl cedrene

2.3 Other hazards

Hazards not otherwise classified

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

May be harmful if inhaled (GHS category 5: acutely toxic - inhalation).

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United States: en Page: 2 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dihydromyrcenol	CAS No 18479-58-8	10 - < 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Flam. Liq. 4 / H227	<u>(1)</u>
Linalool	CAS No 78-70-6	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	(!)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	CAS No 139504-68-0	1-<5	Eye Irrit. 2 / H319	1>
Acetyl cedrene	CAS No 32388-55-9	1-<5	Skin Sens. 1B / H317	<u>(1)</u>
Lavandin Oil	CAS No 91722-69-9 8022-15-9 93455-97-1	1-<5	Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	1
3-(5,5,6- trimethylbicyclo[2.2.1]hept -2-yl)cyclohexan-1-ol	CAS No 3407-42-9	1-<5	Eye Irrit. 2 / H319	(!)
Linalyl acetate	CAS No 115-95-7	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	♦
Eugenol	CAS No 97-53-0	<1	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	()
Fir needle oil, Canadian	CAS No 8021-28-1	<1	Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	
Peppermint oil	CAS No 8006-90-4 84082-70-2	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Flam. Liq. 4 / H227	<u>(1)</u>
2,2,6-trimethyl-α-propyl- cyclohexanepropanol	CAS No 70788-30-6	<1	Skin Sens. 1 / H317	<u>(1)</u>

United States: en Page: 3 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 4 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

United States: en Page: 5 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	DNEL	17.6 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	DNEL	0.877 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	DNEL	0.249 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	DNEL	13.2 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	DNEL	3.75 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

United States: en Page: 6 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Acetyl cedrene	32388-55-9	DNEL	1.17 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Acetyl cedrene	32388-55-9	DNEL	0.333 mg/ kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	acute - local ef- fects
Eugenol	97-53-0	DNEL	21.2 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Eugenol	97-53-0	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Peppermint oil	8006-90-4 84082-70-2	DNEL	35.3 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
Peppermint oil	8006-90-4 84082-70-2	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	111 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)

United States: en Page: 7 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	0.059 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	0.022 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	0.002 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	1 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	0.218 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	0.022 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	PNEC	2 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	0.118 ^{mg} / _l	aquatic organisms	water	intermittent re- lease

United States: en Page: 8 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	2.96 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	0.296 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	0.1 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	72.5 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	7.25 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	PNEC	12.8 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	1.74 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	0.174 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	24.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	2.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Acetyl cedrene	32388-55-9	PNEC	4.87 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
Linalyl acetate	115-95-7	PNEC	0.011 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)

United States: en Page: 9 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Linalyl acetate	115-95-7	PNEC	0.609 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Eugenol	97-53-0	PNEC	11.3 ^{µg} / _l	aquatic organisms	water	intermittent re- lease
Eugenol	97-53-0	PNEC	1.13 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Eugenol	97-53-0	PNEC	0.113 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
Eugenol	97-53-0	PNEC	0.081 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.008 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Eugenol	97-53-0	PNEC	0.015 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

United States: en Page: 10 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

- Breakthrough times of the glove material
- >120 minutes (permeation: level 4)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	light brown
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	141.5 °C at 101.3 kPa
Flash point	94 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	0.25 kPa at 25 °C
Density	not determined
Vapor density	this information is not available

United States: en Page: 11 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	306 °C
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment:
	300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United States: en Page: 12 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin or if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Eugenol	97-53-0	oral	1,500 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Eugenol	97-53-0	3	

Legend

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United States: en Page: 13 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dihydromyrcenol	romyrcenol 18479-58-8 LC50 27.		27.8 ^{mg} / _l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 ^{mg} / _l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 ^{mg} / _l	algae	72 h
Dihydromyrcenol	18479-58-8	NOEC	<3.5 ^{mg} / _I	fish	96 h
Dihydromyrcenol	18479-58-8	LOEC	50 ^{mg} / _l	algae	72 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 ^{mg} / _l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 ^{mg} / _l	fish	96 h
Linalool	78-70-6	growth (EbCx) 10%	38.4 ^{mg} / _l	algae	96 h
Linalool	78-70-6	growth rate (ErCx) 10%	54.3 ^{mg} / _l	algae	96 h
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	LC50	9.2 ^{mg} / _l	fish	24 h
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	EC50	>9.9 ^{mg} / _l	aquatic invertebrates	24 h
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	ErC50	12 ^{mg} / _l	algae	72 h
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	NOEC	1.8 ^{mg} / _l	fish	96 h

United States: en Page: 14 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Fuducius	Value	Species	Exposure
Name of Substance	CAS No	Endpoint	value	Species	time
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	LL50	17 ^{mg} / _l	fish	96 h
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	EL50	34.56 ^{mg} / _l	aquatic invertebrates	24 h
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	EC50	2.59 ^{mg} / _l	aquatic invertebrates	48 h
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	ErC50	47 ^{mg} / _l	algae	72 h
Acetyl cedrene	32388-55-9	LC50	2.3 ^{mg} / _l	fish	96 h
Acetyl cedrene	32388-55-9	EC50	0.86 ^{mg} / _l	aquatic invertebrates	48 h
Acetyl cedrene	32388-55-9	ErC50	>4.3 ^{mg} / _l	algae	96 h
Acetyl cedrene	32388-55-9	NOEC	1.07 ^{mg} / _l	algae	96 h
Acetyl cedrene	32388-55-9	growth (EbCx) 10%	0.49 ^{mg} / _l	algae	96 h
Acetyl cedrene	32388-55-9	growth rate (ErCx) 10%	3 ^{mg} / _l	algae	96 h
Linalyl acetate	115-95-7	ErC50	62 ^{mg} / _l	algae	72 h
Linalyl acetate	115-95-7	LC50	11 ^{mg} / _l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 ^{mg} / _l	aquatic invertebrates	48 h
Eugenol	97-53-0	LC50	13 ^{mg} / _l	fish	24 h
Eugenol	97-53-0	EC50	1.05 ^{mg} / _l	aquatic invertebrates	48 h
Eugenol	97-53-0	ErC50	24 ^{mg} / _l	algae	72 h
Eugenol	97-53-0	NOEC	10 ^{mg} / _l	fish	24 h
Eugenol	97-53-0	LOEC	38 ^{mg} / _l	algae	72 h
Eugenol	97-53-0	growth rate (ErCx) 10%	23 ^{mg} / _l	algae	72 h

United States: en Page: 15 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eugenol	97-53-0	growth (EbCx) 10%	35 ^{mg} / _l	algae	72 h
Peppermint oil	8006-90-4 84082-70-2	LC50	3.4 ^{mg} / _l	fish	96 h
Peppermint oil	8006-90-4 84082-70-2	EC50	2.7 ^{mg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value Species		Exposure time
Dihydromyrcenol	18479-58-8	EC50	17 ^{mg} / _l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	NOEC	9.5 ^{mg} / _l	aquatic invertebrates	21 d
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
Linalool	78-70-6	growth (EbCx) 10%	>100 ^{mg} / _l	microorganisms	3 h
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	EC50	2.4 ^{mg} / _l	aquatic invertebrates	21 d
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	LOEC	0.9 ^{mg} / _l	fish	33 d
1-[(2-tert-butyl)cyclo- hexyloxy]-2-butanol	139504-68-0	NOEC	0.22 ^{mg} / _l	fish	33 d
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	EC50	1,230 ^{mg} / _l	microorganisms	3 h
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	NOEC	488 ^{mg} / _l	microorganisms	3 h
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	LOEC	781 ^{mg} / _i	microorganisms	3 h
3-(5,5,6-trimethylbi- cyclo[2.2.1]hept-2- yl)cyclohexan-1-ol	3407-42-9	growth (EbCx) 10%	0.148 ^{mg} / _l	aquatic invertebrates	21 d
Acetyl cedrene	32388-55-9	EC50	0.32 ^{mg} / _l	aquatic invertebrates	21 d

United States: en Page: 16 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Acetyl cedrene	32388-55-9	NOEC	0.087 ^{mg} / _l	aquatic invertebrates	21 d
Acetyl cedrene	32388-55-9	LOEC	0.23 ^{mg} / _l	aquatic invertebrates	21 d
Linalyl acetate	115-95-7	LC50	11.14 ^{mg} / _l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 ^{mg} / _l	microorganisms	28 d
Eugenol	97-53-0	LC50	13 ^{mg} / _l	fish	24 h
Eugenol	97-53-0	NOEC	10 ^{mg} / _l	fish	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 17 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

United States: en Page: 18 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional- ity	Authoritative Lists
Linalool	Linalool	78-70-6		EU Fragrance Allergens
Eugenol	Eugenol	97-53-0		EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substances List (MN-ERTK) none of the ingredients are listed
- Hazardous Substance List (NJ-RTK) none of the ingredients are listed
- Hazardous Substance List (Chapter 323) (PA-RTK) none of the ingredients are listed
- Hazardous Substance List (RI-RTK) none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

 $\label{thm:matter} \textit{Hazardous Materials Identification System. American Coatings Association.}$

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur

United States: en Page: 19 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Category	Rating	Description
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

United States: en Page: 20 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Revision: 2020-12-08 Version number: 4.0 Replaces version of: 2020-10-21 (3)

Legend

AICS Australian Inventory of Chemical Substances CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) ISHA-ENCS

Korea Existing Chemicals Inventory KECI Non-domestic Substances List (NDSL) NDSL NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH registered substances **PICCS**

REACH Reg.

Taiwan Chemical Substance Inventory TCSI

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Hazardous ingredients for labelling: Lavandin abrialis oil, Fir needle oil, Canadian, Lin- alool, Peppermint oil, Eugenol, acetyl cedrene	- Hazardous ingredients for labelling: Fir needle oil, Canadian, 2,2,6-trimethyl-α-propyl- cyclohexanepropanol, Linalool, Lavandin Oil, Linalyl acetate, Peppermint oil, Eugenol, Acetyl cedrene	yes
2.3		Hazards not otherwise classified: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
5.2	Hazardous combustion products: Carbon monoxide (CO), Carbon dioxide (CO2)	Hazardous combustion products: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2		Type of material: PVA: polyvinyl alcohol, Nitrile	yes
8.2		Material thickness: >0.5 mm	yes

United States: en Page: 21 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
8.2		Breakthrough times of the glove material: >120 minutes (permeation: level 4)	yes
9.1	Initial boiling point and boiling range: 193 °C at 100.9 kPa	Initial boiling point and boiling range: 141.5 °C at 101.3 kPa	yes
9.1	Explosive properties: explosive	Explosive properties: none	yes
10.1	If exposed to air: Danger of explosion.		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
14.1	UN number: not assigned	UN number: not subject to transport regulations	yes
15.1		Cleaning Product Right to Know Act Substance List (CA-RTK): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

United States: en Page: 22 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

	5 VC131011 01. 2020 10 21 (3)			
Abbr.	Descriptions of used abbreviations			
EINECS	European Inventory of Existing Commercial Chemical Substances			
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms			
ELINCS	European List of Notified Chemical Substances			
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control			
Eye Dam.	Seriously damaging to the eye			
Eye Irrit.	Irritant to the eye			
Flam. Liq.	Flammable liquid			
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations			
IATA	International Air Transport Association			
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)			
ICAO	International Civil Aviation Organization			
IMDG	International Maritime Dangerous Goods Code			
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval			
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality			
LOEC	Lowest Observed Effect Concentration			
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")			
NLP	No-Longer Polymer			
NOEC	No Observed Effect Concentration			
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition			
OSHA	Occupational Safety and Health Administration (United States)			
PBT	Persistent, Bioaccumulative and Toxic			
PNEC	Predicted No-Effect Concentration			
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)			
Skin Corr.	Corrosive to skin			
Skin Irrit.	Irritant to skin			
Skin Sens.	Skin sensitization			
vPvB	Very Persistent and very Bioaccumulative			

United States: en Page: 23 / 24



acc. to 29 CFR 1910.1200 App D

California Scents Power Bloc Ice

Version number: 4.0 Revision: 2020-12-08 Replaces version of: 2020-10-21 (3)

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 24 / 24