

## **Safety Data Sheet**

Copyright, 2014, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 29-5670-4
 Version Number:
 2.00

 Issue Date:
 09/23/14
 Supercedes Date:
 09/08/11

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Phenolic Disinfecting and Cleaning Ready-to-Use (Product No. 18, Twist 'n Fill<sup>TM</sup> System)

## **Product Identification Numbers**

ID Number UPC ID Number UPC

61-0000-6311-7

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Disinfectant

## 1.3. Supplier's details

**MANUFACTURER:** 3M

**DIVISION:** Commercial Solutions Division

**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

## 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

## 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## 2.2. Label elements

## Signal word

Not applicable.

#### **Symbols**

Not applicable.

## **Pictograms**

Not applicable.

#### 2.3. Hazards not otherwise classified

None.

## **SECTION 3: Composition/information on ingredients**

Page 1 of 9

| Ingredient                        | C.A.S. No. | % by Wt                   |
|-----------------------------------|------------|---------------------------|
| WATER                             | 7732-18-5  | > 99 Trade Secret *       |
| SODIUM MONO-C10-16-ALKYL SULFATES | 68585-47-7 | 0.01 - 0.1 Trade Secret * |
| O-BENZYL-P-CHLOROPHENOL           | 120-32-1   | 0.03                      |
| O-PHENYLPHENOL                    | 90-43-7    | 0.03                      |
| Ethylene Glycol                   | 107-21-1   | 0.01 - 0.1 Trade Secret * |
| Isopropyl Alcohol                 | 67-63-0    | 0.01 - 0.1 Trade Secret * |
| Sodium Hydroxide                  | 1310-73-2  | 0.01 - 0.1 Trade Secret * |
| DODECYLBENZENESULFONIC ACID       | 27176-87-0 | < 0.01 Trade Secret *     |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

## **Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eve Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

No need for first aid is anticipated.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air.

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

For industrial or professional use only. NOTE: The above precautionary information presumes that this ready-to-use product has been diluted and dispensed from a chemical dispensing system. Keep out of reach of children. Avoid breathing mist/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient        | C.A.S. No. | Agency | Limit type                 | <b>Additional Comments</b> |
|-------------------|------------|--------|----------------------------|----------------------------|
| Ethylene Glycol   | 107-21-1   | ACGIH  | CEIL(as aerosol):100 mg/m3 | A4: Not class. as human    |
|                   |            |        |                            | carcin                     |
| Ethylene Glycol   | 107-21-1   | CMRG   | CEIL(as vapor and          |                            |
|                   |            |        | aerosol):100 mg/m3         |                            |
| Sodium Hydroxide  | 1310-73-2  | ACGIH  | CEIL:2 mg/m3               |                            |
| Sodium Hydroxide  | 1310-73-2  | CMRG   | TWA:2 mg/m3                |                            |
| Sodium Hydroxide  | 1310-73-2  | OSHA   | TWA:2 mg/m3                |                            |
| Isopropyl Alcohol | 67-63-0    | ACGIH  | TWA:200 ppm;STEL:400 ppm   | A4: Not class. as human    |
|                   |            |        |                            | carcin                     |
| Isopropyl Alcohol | 67-63-0    | OSHA   | TWA:980 mg/m3(400 ppm)     |                            |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### 8.2. Exposure controls

## 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control mist/spray. If ventilation is not adequate, use respiratory protection equipment.

## 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Under normal use conditions, eye exposure is not expected to be significant enough to require eye protection.

## Skin/hand protection

Under normal use conditions, skin exposure is not expected to be significant enough to require skin protection.

#### Respiratory protection

Page 3 of 9

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**General Physical Form:** Liquid **Specific Physical Form:** Liquid

Odor, Color, Grade: Clear, essentially colorless liquid

Odor threshold No Data Available pН Approximately 10

 $> 212 \, {}^{\circ}F$ **Boiling Point Flash Point** No flash point **Evaporation rate** No Data Available Flammability (solid, gas) Not Applicable Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available **Vapor Density** No Data Available **Density** Approximately

**Specific Gravity** Approximately 1 [Ref Std: WATER=1]

Solubility in Water Complete

No Data Available Solubility- non-water No Data Available **Decomposition temperature** Viscosity < 100 centipoise

**Volatile Organic Compounds** < 0.1 % weight [Test Method: calculated per CARB title 2]

Percent volatile > 95 %

**VOC Less H2O & Exempt Solvents** < 100 g/l [Test Method: calculated per CARB title 2]

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

## 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

**Substance** Condition

None known.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be

#### relevant to the material as a whole.

#### 11.1. Information on Toxicological effects

## Signs and Symptoms of Exposure

# Based on test data and/or information on the components, this material may produce the following health effects: Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

## **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

#### **Eve Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

## **Ingestion:**

No health effects are expected.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

| Name                              | Route       | Species | Value   |
|-----------------------------------|-------------|---------|---|
| Overall product                   | Dermal      |         | No data available; calculated ATE > 5,000 mg/kg |
| Overall product                   | Inhalation- |         | No data available; calculated ATE > 50 mg/l     |
|                                   | Vapor(4 hr) |         |   |
| Overall product                   | Ingestion   |         | No data available; calculated ATE > 5,000 mg/kg |
| SODIUM MONO-C10-16-ALKYL SULFATES | Ingestion   | Rat     | LD50 > 2,000 mg/kg                              |
| Ethylene Glycol                   | Ingestion   | Human   | LD50 1,600 mg/kg                                |
| Ethylene Glycol                   | Inhalation- | Other   | LC50 estimated to be 5 - 12.5 mg/l              |
|                                   | Dust/Mist   |         |   |
|                                   | (4 hours)   |         |   |
| Ethylene Glycol                   | Dermal      | Rabbit  | 9,530 mg/kg                                     |
| Isopropyl Alcohol                 | Dermal      | Rabbit  | LD50 12,870 mg/kg                               |
| Isopropyl Alcohol                 | Inhalation- | Rat     | LC50 72.6 mg/l                                  |
|                                   | Vapor (4    |         |   |
|                                   | hours)      |         |   |
| Isopropyl Alcohol                 | Ingestion   | Rat     | LD50 4,710 mg/kg                                |
| DODECYLBENZENESULFONIC ACID       | Dermal      |         | LD50 estimated to be 1,000 - 2,000 mg/kg        |
| DODECYLBENZENESULFONIC ACID       | Ingestion   | Rat     | LD50 1,700 mg/kg                                |

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

| Name              | Species  | Value                     |
|-------------------|----------|---------------------------|
| Ethylene Glycol   | Rabbit   | Minimal irritation        |
| Isopropyl Alcohol | Multiple | No significant irritation |
|                   | animal   |                           |
|                   | species  |                           |
| Sodium Hydroxide  | Rabbit   | Corrosive                 |

## **Serious Eye Damage/Irritation**

| Name              | Species | Value           |
|-------------------|---------|-----------------|
| Ethylene Glycol   | Rabbit  | Mild irritant   |
| Isopropyl Alcohol | Rabbit  | Severe irritant |
| Sodium Hydroxide  | Rabbit  | Corrosive       |

## **Skin Sensitization**

| Name            | Species | Value  |
|-----------------|---------|--|
| Ethylene Glycol | Human   | Some positive data exist, but the data are not |
|                 |         | sufficient for classification                  |

## 3M<sup>TM</sup> Phenolic Disinfecting and Cleaning Ready-to-Use (Product No. 18, Twist 'n Fill<sup>TM</sup> System) 09/23/14

| Isopropyl Alcohol | Guinea | Not sensitizing |
|-------------------|--------|-----------------|
|                   | pig    |                 |
| Sodium Hydroxide  | Human  | Not sensitizing |

**Respiratory Sensitization** 

| Name | Species Value |
|------|---------------|

**Germ Cell Mutagenicity** 

| Name              | Route    | Value         |
|-------------------|----------|---------------|
| Ethylene Glycol   | In Vitro | Not mutagenic |
| Ethylene Glycol   | In vivo  | Not mutagenic |
| Isopropyl Alcohol | In Vitro | Not mutagenic |
| Isopropyl Alcohol | In vivo  | Not mutagenic |
| Sodium Hydroxide  | In Vitro | Not mutagenic |

Carcinogenicity

| Name              | Route      | Species  | Value  |
|-------------------|------------|----------|--|
| Ethylene Glycol   | Ingestion  | Multiple | Not carcinogenic                               |
|                   |            | animal   |  |
|                   |            | species  |  |
| Isopropyl Alcohol | Inhalation | Rat      | Some positive data exist, but the data are not |
|                   |            |          | sufficient for classification                  |

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

| Name              | Route      | Value  | Species                       | Test Result                 | Exposure<br>Duration        |
|-------------------|------------|--|-------------------------------|-----------------------------|-----------------------------|
| Ethylene Glycol   | Ingestion  | Not toxic to female reproduction   | Multiple<br>animal<br>species | NOAEL<br>1,000<br>mg/kg/day | 2 years                     |
| Ethylene Glycol   | Ingestion  | Not toxic to male reproduction   | Multiple<br>animal<br>species | NOAEL<br>1,000<br>mg/kg/day | 2 years                     |
| Ethylene Glycol   | Dermal     | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Mouse                         | NOAEL<br>3,549<br>mg/kg/day | during<br>organogenesi<br>s |
| Ethylene Glycol   | Ingestion  | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Mouse                         | LOAEL 750<br>mg/kg/day      | during<br>organogenesi<br>s |
| Ethylene Glycol   | Inhalation | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Mouse                         | NOAEL<br>1,000<br>mg/kg/day | during<br>organogenesi<br>s |
| Isopropyl Alcohol | Ingestion  | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Rat                           | NOAEL 400<br>mg/kg/day      | during<br>organogenesi<br>s |
| Isopropyl Alcohol | Inhalation | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Rat                           | LOAEL 9<br>mg/l             | during<br>gestation         |

Target Organ(s)
Specific Target Organ Toxicity - single exposure

| Name              | Route      | Target Organ(s)  | Value  | Species | Test Result            | Exposure<br>Duration      |
|-------------------|------------|--|--|---------|------------------------|---------------------------|
| Ethylene Glycol   | Ingestion  | heart   nervous<br>system   kidney<br>and/or bladder  <br>respiratory system | Causes damage to organs  | Human   | NOAEL Not<br>available | poisoning<br>and/or abuse |
| Ethylene Glycol   | Ingestion  | central nervous<br>system depression   | May cause drowsiness or dizziness  | Human   | NOAEL Not available    | poisoning<br>and/or abuse |
| Ethylene Glycol   | Ingestion  | liver  | Some positive data exist, but the data are not sufficient for classification | Human   | NOAEL Not<br>available | poisoning<br>and/or abuse |
| Isopropyl Alcohol | Inhalation | central nervous<br>system depression   | May cause drowsiness or dizziness  | Human   | NOAEL Not<br>available |                           |
| Isopropyl Alcohol | Inhalation | respiratory irritation   | Some positive data exist, but the  | Human   | NOAEL Not              |                           |

## 3M<sup>™</sup> Phenolic Disinfecting and Cleaning Ready-to-Use (Product No. 18, Twist 'n Fill<sup>™</sup> System)

|                   |            |                                      | data are not sufficient for classification                                   |               | available              |                           |
|-------------------|------------|--------------------------------------|--|---------------|------------------------|---------------------------|
| Isopropyl Alcohol | Inhalation | auditory system                      | Some positive data exist, but the data are not sufficient for classification | Guinea<br>pig | NOAEL 13.4<br>mg/l     | 24 hours                  |
| Isopropyl Alcohol | Ingestion  | central nervous<br>system depression | May cause drowsiness or dizziness  | Human         | NOAEL Not available    | poisoning<br>and/or abuse |
| Sodium Hydroxide  | Inhalation | respiratory irritation               | May cause respiratory irritation   | Human         | NOAEL Not<br>available |                           |

Specific Target Organ Toxicity - repeated exposure

| Name              | Route      | Target Organ(s)   | Value  | Species                       | Test Result                  | Exposure<br>Duration |
|-------------------|------------|---|--|-------------------------------|------------------------------|----------------------|
| Ethylene Glycol   | Ingestion  | kidney and/or<br>bladder   vascular<br>system   | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL 200<br>mg/kg/day       | 2 years              |
| Ethylene Glycol   | Ingestion  | heart  <br>hematopoietic<br>system   liver  <br>immune system  <br>muscles                    | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL<br>1,000<br>mg/kg/day  | 2 years              |
| Ethylene Glycol   | Ingestion  | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Mouse                         | NOAEL<br>12,000<br>mg/kg/day | 2 years              |
| Ethylene Glycol   | Ingestion  | skin   endocrine<br>system   bone, teeth,<br>nails, and/or hair  <br>nervous system  <br>eyes | All data are negative  | Multiple<br>animal<br>species | NOAEL<br>1,000<br>mg/kg/day  | 2 years              |
| Isopropyl Alcohol | Inhalation | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL 12.3<br>mg/l           | 24 months            |
| Isopropyl Alcohol | Inhalation | nervous system  | All data are negative  | Rat                           | NOAEL 12<br>mg/l             | 13 weeks             |
| Isopropyl Alcohol | Ingestion  | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL 400<br>mg/kg/day       | 12 weeks             |

**Aspiration Hazard** 

Name Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

## **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

3M<sup>TM</sup> Phenolic Disinfecting and Cleaning Ready-to-Use (Product No. 18, Twist 'n Fill<sup>TM</sup> System) 09/23/14

EPA Hazardous Waste Number (RCRA): Not regulated

## **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

## **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

## 15.2. State Regulations

California Proposition 65

IngredientC.A.S. No.ClassificationO-PHENYLPHENOL90-43-7Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA.

## 15.4. International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

## **NFPA Hazard Classification**

Health: 1 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

## **HMIS Hazard Classification**

**Health:** 1 **Flammability:** 0 **Physical Hazard:** 0 **Personal Protection:** X - See PPE section.

Page 8 of 9

Hazardous Material Identification System (HMIS® III) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® III ratings are to be used with a fully implemented HMIS® III program. HMIS® is a registered mark of the American Coatings Association (ACA).

 Document Group:
 29-5670-4
 Version Number:
 2.00

 Issue Date:
 09/23/14
 Supercedes Date:
 09/08/11

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com

Page 9 of 9