

NATIONAL PURITY, LLC. 6840 SHINGLE CREED PKWY, STE 23 BROOKLYN CENTER, MN 55430 (612) 672-0022

SAFETY DATA SHEET

1. Product and Company Identification

Product Name HILLYARD GARFLOR

Product Number 134
Product Type Mixture

Product UseCleaner and degreaser for concrete floors.SupplierHillyard Floor Care Supply Hutchinson

425 California ST. NW Hutchinson, MN 56350

Company Contact 612-587-3236 **Emergency Telephone Number** 1-800-255-3924

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910 OSHA HCS

Acute toxicity, Oral (Category 4) H302

Skin corrosion/irritation, (Category 1B) H314, H317 Serious eye damage/irritation, (Category 1) H318

Respiratory irritation (Category 3) H335 Acute aquatic toxicity, (Category 3) H402

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H335 May cause respiratory irritation.
H402 Harmful to aquatic life.

Precautionary Statements

Prevention

P260 Do not breath mist, vapors, or spray.

P264 Wash hand and exposed skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well ventilated area.

P273 Avoid release to the environment.

Response

P301+P312 IF SWALLOWED, immediately call a POISON CENTER/doctor. DO NOT

INDUCE VOMITING. Drink 1-2 glasses of water or milk. Never give anything to

an unconscious person.

3/2/2015 Page 1 of 6





P303+361+P353+P363 IF ON SKIN, immediately take off all contaminated clothing. Rinse skin with

water or shower if appropriate. Wash contaminated clothing before reuse.

P310 Immediately call a POISON CONTROL/doctor.

P305+P351+P338 IF IN EYES, rinse cautiously for several minutes. Remove contact lenses if

present. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention.

P304+P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if experiencing difficulty breathing or feeling

unwell

Storage/Disposal

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local, state and federal

regulations.

3. Composition/Information on Ingredients

The criteria for listing components in this section are: Ingredients that meet the criteria for carcinogenic, toxic to reproduction, or specific target organ toxicity and components otherwise considered hazardous according to OSHA which exceed the cut off limits for SDS specified by the criteria for mixtures are listed. Non hazardous components are not listed. This is not a composition disclosure. Exact percentages are considered proprietary and a trade secret.

Hazardous Components	CAS#	Classification	%
Sodium carbonate	497-19-8	H319	40-45%
Sodium metasilicate pentahydrate	10213-79-3	H302, H314, H318, H402	38-42 %
Trisodium phosphate dodecahydrate	10101-89-0	H315, H319	10-15%
(Nonylphenoxy) polyethylene oxide	9016-45-9	H320, H313, H401	2-6%
Pine oil (Terpene alcohols)	8002-09-3	H226, H317, H410	0-2%

4. First Aid Measures

Description of First Aid Procedures				
General Advice	Consult a physician. Show this SDS to the doctor.			
In Case of Eye Contact	Flush with cool running water for 15 minutes. Remove contact lenses if possible. Get medical attention.			
In Case of Skin Contact	Flush with cool water. If irritation occurs, get medical attention.			
If Ingested	Drink one or two glasses of water,. Do not induce vomiting. Obtain medical attention. Never give anything by mouth to an unconscious person.			
If Inhaled	Move person to fresh air. If breathing difficulty persists, consult a physician.			
Notes to Physician	Symptoms may be delayed.			
General advice	Seek medical attention if feeling unwell. Show the SDS to the physician in attendance.			

5. Fire-fighting Measures

	8 8
Flammable properties	Not flammable.
Extinguishing media	Use materials designed for source of fire. Treat as an alkaline material.
Protection of firefighters	Firefighters should wear protective clothing including self contained breathing apparatus
Hazardous combustion products Unusual Fire, Explosion hazards	May include and not limited to oxides of carbon, and nitrogen. Containers may melt or rupture from heat of fire. May form combustible mixtures with air when heated

3/2/2015 Page 2 of 6



6. Accidental Release Measures

Personal precautions Keep unnecessary personal away. Do not touch or walk through spilled material.

Do not touch damaged containers or spilled containers unless wearing protective

Clothing.

Methods for containment Prevent entry into waterways, sewers.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Small spills may be

picked up with suitable tool and placed in a container for disposal. Large spills may be shoveled up and placed in a suitable container for disposal. Residues can be rinsed with water and passed to sanitary sewer. Keep out of waterways. Dispose of contents/containers in accordance with local, state, and federal

regulations.

7. Handling and Storage

Precautions for Safe HandlingUse good industrial hygiene practices when handling this material. Wash

contaminated clothing before reuse.

Conditions for Safe Storage Keep container closed when not in use. Keep out of reach of children. Store in

cool dry place, locked up.

8. Exposure Controls and Personal Protection

Exposure Limits

Ingredients CAS# OSHA PEL ACGIH TLV

Sodium carbonate 497-19-8 Not available

Sodium metasilicate 6834-92-0 15 mg/m³ TWA (Total dust)

 $\begin{array}{lll} \mbox{Trisodium phosphate-} 12 \mbox{H}_2\mbox{O} & 10101-89-0 & \mbox{Not available} \\ \mbox{(Nonylphenoxy)polyethylene oxide} 9016-45-9 & \mbox{Not available} \\ \mbox{Pine Oil} & 8002-09-3 & \mbox{Not available} \end{array}$

Engineering controls Exhaust ventilation recommended

Personal protective equipment

Eye/Face protection Wear goggles or safety glasses with side shields if splash conditions exist.

Hand protection Wear rubber or neoprene safety gloves.

Skin and body As required by employer code.

Respiratory protection Use a dust mask or NIOSH approved respirator when exposure guidelines are

exceeded.

General hygiene considerations Handle in accordance with good industrial hygiene practices. Do not eat or drink

when using product. Wash hands well before breaks and immediately after

handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties


Appearance/formPowderColorYellowOdorPine

Odor thresholdNot establishedpH> 12.4 (1% solution)Melting/freezing pointNot establishedInitial Boiling point>212° F. (100° C.)

Flash point None

Evaporation rate Not established Flammability Not flammable Upper/lower flammability or Not established

3/2/2015 Page 3 of 6



NATIONAL PURITY, LLC. 6840 SHINGLE CREED PKWY, STE 23 BROOKLYN CENTER, MN 55430 (612) 672-0022

Not established **Explosive limits** Vapor pressure Not established Not established Vapor density Specific gravity/density Not established Vapor density Not established Solubility in water Complete VOC < 1.0% % Volatile < 1.0%

Other Safety Information

10. Stability and Reactivity

Reactivity

Chemical Stability Stable under normal storage conditions.

Hazardous reactions

Conditions to avoid Do not mix with other chemicals.

Incompatible materials

Strong acids, strong oxidizing agents and amines. May include but not limited to oxides of carbon, phosphorous, and nitrogen.

Hazardous decomposition products Hazardous polymerization

Will not occur

11. Toxicological Information

Ingredients LC50

2.30 mg/l (Inhalation-rat) 2 hours Sodium carbonate

Sodium metasilicate Not available Trisodium phosphate dodecahydrate Not available Nonylphenoxy polyethylene oxide Not available Pine Oil Not available **Ingredients LD50**

Sodium carbonate 2800 mg/kg (Oral-rat), > 2000 mg/kg (Dermal-rabbit) Sodium metasilicate 1153 mg/kg (Oral-Rat), 770 mg/kg (Oral-mouse)

Trisodium phosphate dodecahdrate 7400 mg/kg (Oral-rat)

3310 mg/kg (Oral-rat), >2000mg/kg (dermal-rabbit) Nonylphenoxy polyethylene oxide

Pine oil 2760 mg/kg (Oral-rat)

Effects of acute exposure

Will cause eye serious damage Eye Skin Will cause severe skin burns

Ingestion Harmful if swallowed. May cause corrosive damage to mouth, throat and stomach.

Inhalation May cause irritation of nose and throat.

Sensitization Not known.

Chronic effects of short and long

Prolonged exposure to skin may cause drying, defatting and irritation. Term exposure

Carcinogenicity Does not contain ingredients considered carcinogenic by NTP, IARC, or OSHA. Mutagenicity Non hazardous. Reproductive effects

Non hazardous. **Teratogenicity** Non hazardous.

12. Ecological Information

Ecological effects for this product have not been analyzed. However, if spilled this **Eco-toxicity**

product and any contaminated soil may be harmful to aquatic life. Sodium

metasilicate is harmful to aquatic life in very low concentrations.

Sodium metasilicate LC50 (Mosquito fish) = 530mg/L. LC50 (Waterflea) 48 hours = 113mg/L

Environmental effects Not Available

3/2/2015 Page 4 of 6



NATIONAL PURITY, LLC. 6840 SHINGLE CREED PKWY, STE 23 BROOKLYN CENTER, MN 55430 (612) 672-0022

Aquatic toxicity

Nonylphenoxy polyethylene oxide LC 50 Fish: 10mg/L 96 hours

Persistence and Degradability

Sodium metasilicate Will persist in aquatic and terrestrial systems

Bioaccumulation/accumulationNot AvailablePartition coefficientNot AvailableMobility in environmental mediaNot AvailableChemical fate informationNot AvailableOther adverse effectsNot Available

13. Disposal Considerations

Waste codes Not Available

Disposal instructions Dispose in accordance with local, state, and federal regulations

Wastes from residues/unused Containerize. Rinse area with water. Keep out of storm sewer/waterways.

product

Contaminated packaging Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements:

Proper shipping name Corrosive solid,basic, inorganic, NOS (contains sodium metasilicate, trisodium

phosphate), 8, UN3262, PG II

Hazard class Corrosive liquid, 8

UN number UN3262 Packing group PG II

Special provisions Not applicable

15. Regulatory Information

U.S federal regulations

This product has been classified in accordance with the Occupational Safety and

Health Administration hazard criteria and the SDS contains all of the

information required by OSHA. HCS 2012

TSCA All ingredients are listed on the Toxic Substances Control Act.

WHMIS Class E

Cercla SuperFund 40CFR117.302 This product does not contain a material with a Reportable Quantity (RQ)

SARA Title III Section 311&312 Immediate (Acute) Health Hazard

SARA Title III Section 313 Product does not contain substances on the list of Toxic Chemicals per 40CFR372

States Right to Know Reportable chemicals:

Sodium metasilicate pentahydrate,

Inventory Status

Countries Inventory Name On Inventory (Yes/No)*

U.S. CIL Yes Canada DSL Yes

• A "Yes" indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

3/2/2015 Page 5 of 6



16. Other Information

HMIS RATING

HMIS Legend

Severe	4	Health	
Serious	3	Flammability	
Moderate	2	Reactivity	
Slight	1	Personal Protection]
Minimal	0		

Disclaimer

To the best of our knowledge, the information included herein is accurate. However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Issue date Supersedes date Reason for update

Previous issues Conform to GHS OSHA HCS 2012

January 27, 2015

Expiration date January 27, 2018

3/2/2015 Page 6 of 6