ANDPYL9959 ANDPYL9960 ANDPYL9962



# **SAFETY DATA SHEET**

Issue Date 18-Jun-2014 Revision Date 18-Jun-2014 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name NEUTRA

Other means of identification

Product Code 187 UN/ID No. UN1778 Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Iron Removing Sour.
Uses advised against No information available

**Manufacturer Address** 

Anderson Chemical Company, 325 South Davis Avenue, Litchfield, MN 55355 (320-693-2477)

Emergency telephone number

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

### **Emergency Overview**

# Danger

### Hazard statements

Harmful if swallowed

Causes severe skin burns and eye damage

May be corrosive to metals



Appearance aqueous solution Physical state liquid Odor Pungent

Revision Date 18-Jun-2014

187 NEUTRA

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see Section 4 on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Absorb spillage to prevent material damage

# **Precautionary Statements - Storage**

Store locked up

Store in a corrosive resistant container.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Other Information

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Fluorosilicic acid	16961-83-4	25	

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### First aid measures

General advice Immediate medical attention is required.

Eye contact Flush immediately with water for 15 minutes. Lift upper and lower eyelids for complete

rinsing. Get immediate medical attention.

**Skin Contact** Immediately flush with water for at least 15-20 minutes while removing contaminated

clothing and shoes, paying particular attention to skin under the nails. Always get medical attention no matter how minor skin burns appear. Wash contaminated clothing before

reuse, but destroy contaminated shoes.

**Inhalation** Remove victim from immediate source of exposure to fresh air. If breathing is difficult,

administer oxygen if available. If victim is not breathing, administer CPR. If individual experiences nausea, headache, or dizziness, get immediate medical attention.

**Ingestion** Rinse mouth with water. Give water to dilute. Do not induce vomiting. Get immediate

medical attention. Never give anything by mouth to a semi-comatose, comatose, convulsing

or unconscious person. Rinse mouth.

Revision Date 18-Jun-2014

**187 NEUTRA** 

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

#### Most important symptoms and effects, both acute and delayed

Corrosive. Contact may cause severe eye irritation, eye burns, and permanent eye **Symptoms** 

damage. Contact may cause severe skin irritation, skin burns, and permanent skin damage. Harmful if inhaled. May cause severe irritation and burns of the nose, throat, and respiratory tract. Harmful or fatal if swallowed. May cause severe irritation and burns of the mouth, throat and digestive tract. Symptoms of overexposure may include ulceration of the nose and throat, coughing, salivation, headache, fatigue, dizziness, nausea, shock, and pulmonary edema (accumulation of fluid around the lungs). May lead to coma or death. Onset of symptoms may be delayed. Prolonged or repeated overexposure to fluoride compounds may cause fluorosis. Fluorosis is characterized by skeletal changes, consisting of osteosclerosis (hardening or abnormal density of bone) and osteomalacia (softening of bones) and by mottled discoloration of the enamel of teeth (if exposure occurs during enamel formation). Symptoms may include bone and joint pain and limited range of motion. Conditions aggravated by exposure may include skin and respiratory (asthma-like) disorders.

Indication of any immediate medical attention and special treatment needed

Note to physicians Beware of late onset of pulmonary edema for up to 48 hours. Treat severe burns similar to

hydrofluoric acid exposure.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog). Dry chemical. Carbon dioxide (CO2).

Large Fire Water spray or fog.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Keep container cool with water, using fog nozzles, as decomposition will occur above 222°F and produce toxic and corrosive fumes of fluoride.

Hazardous combustion products When heated to decomposition (222°F), it emits highly toxic and corrosive fumes of

hydrofluoric acid, silicon tetrafluoride and hydrogen gas.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to cool fire exposed containers.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate nonessential personnel. Ventilate area. Wear appropriate personal protection

equipment.

See Section 12 for additional ecological information. **Environmental precautions** 

**Methods for containment** Completely contain spilled material with dikes or sand bags, etc.

**187 NEUTRA** 

#### Methods for cleaning up

Recover as much material as possible into containers for disposal or reuse. Remaining material may be diluted with water and neutralized. Flush spill area with water. Neutralization products, both solid and liquid, must be recovered for disposal. Provide ventilation and be wary of hydrogen generated upon contact with some metals.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not get in eyes, on skin, or clothing. Do not breathe vapors or mists. Do not ingest.

Wash thoroughly after handling. Wear protective clothing/equipment. Use with adequate ventilation. If pungent, irritating odor can be detected, workers are being overexposed.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed and properly labeled. Containers that have been emptied will

retain product residue and should be handled as if they were full. Store in a cool, dry, well-ventilated place away from incompatible materials. Wash hands before eating, drinking, using tobacco, applying make-up or using the toilet. Do not store, use, and/or consume foods, beverages, tobacco in areas where this product is stored. Avoid contact

with heat, sparks and open flames.

**Incompatible materials** Avoid contact with metals, stoneware, strong acids and alkalies, explosives, toxicants,

readily oxidizable materials, alkali metals, combustible solids, and organic peroxides.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** 

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Γ	Fluorosilicic acid	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m³ F
	16961-83-4		TWA: 2.5 mg/m³ dust	_
			(vacated) TWA: 2.5 mg/m <sup>3</sup>	

### **Appropriate engineering controls**

Showers

Eyewash stations

Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Wash contaminated clothing before

reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor Pungent

Color clear red orange Odor threshold No information available

Remarks • Method

<u>Property</u> <u>Values</u>

pH

1.2, pH 1% solution

Melting point/freezing point

Boiling point / boiling range
Flash point

Evaporation rate
Flammability (solid, gas)

1.2, pH 1% solution

No information available

No information available

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.234

Water solubility Soluble in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available No information available Dynamic viscosity **Explosive properties** No information available **Oxidizing properties** No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks.

### **Incompatible materials**

Avoid contact with metals, stoneware, strong acids and alkalies, explosives, toxicants, readily oxidizable materials, alkali metals, combustible solids, and organic peroxides.

#### **Hazardous Decomposition Products**

When heated to decomposition (222°F), it emits highly toxic and corrosive fumes of hydrofluoric acid, silicon tetrafluoride and hydrogen gas.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** May cause irritation of respiratory tract. Causes burns.

Revision Date 18-Jun-2014

**Eye contact** Risk of serious damage to eyes.

**Skin Contact** Contact causes severe skin irritation and possible burns.

**Ingestion** May be fatal if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Fluorosilicic acid	= 125 mg/kg (Rat)	-	= 1.11 mg/L (Rat) 1 h
16961-83-4	,		_ , , ,

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Fluorosilicic acid	-	Group 3	-	-
16961-83-4				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2000 mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Fluorosilicic acid	-	65: 96 h Poecilia reticulata mg/L	-
16961-83-4		LC50 static 28.7: 96 h Pimephales	
		promelas mg/L LC50 static	

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

187 NEUTRA Revision Date 18-Jun-2014

Chemical Name	California Hazardous Waste Status
Fluorosilicic acid	Toxic
16961-83-4	Corrosive

### 14. TRANSPORT INFORMATION

DOT Regulated UN1778

Proper shipping name Fluorosilicic Acid, Solution

Hazard Class 8
Packing Group ||

### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Does not comply
IECSC Complies

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard
Chronic Health Hazard
No
Fire hazard
Sudden release of pressure hazard
No
Reactive Hazard
No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

187 NEUTRA Revision Date 18-Jun-2014

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Fluorosilicic acid	X	X	X
16961-83-4			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. (	OTHER	INFORMATION
10.	O	IIII OIIII/III/III

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection X

Prepared By Imt

Issue Date 18-Jun-2014
Revision Date 18-Jun-2014

**Revision Note** 

No information available

### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**